

3.5 PHYSICS (232)

3.5.1 Physics Paper 1 (232/1)

SECTION A: (25 marks)

Answer *ALL* the questions in this section in the spaces provided.

- 1 A student measured the length of a wire four times using a metre rule and obtained the following readings: 18.6 cm; 18.5 cm; 18.6 cm and 18.5 cm. Determine the length the student should record. (2 marks)
- 2 **Figure 1** shows a magnified scale of a micrometer screw gauge.




Figure 1

- Record the reading indicated. (1 mark)
- 3 State the reason why it is **not correct** to quote the weight of solid objects in kilograms. (1 mark)
- 4 **Figure 2** shows a section of a curved surface **ABCD**. Point **A** is higher than point **B** while **BCD** is horizontal. Part **ABC** is smooth while **CD** is rough. A mass **m** is released from rest at **A** and moves towards **D**.




Figure 2

State the changes in the velocity of **m** between:

- (a) **B** and **C**; (1 mark)
- (b) **C** and **D**. (1 mark)

- 5 **Figure 3** shows two cylinders of different cross-sectional areas connected with a tube. The cylinders contain an incompressible fluid and are fitted with pistons of cross-sectional areas 4 cm^2 and 24 cm^2 .




Figure 3

Opposing forces P and Q are applied to the pistons such that the pistons do not move. If the pressure on the smaller piston is 5 N cm^{-2} . Determine force Q . (2 marks)

- 6 An oil drop of volume $V \text{ m}^3$ introduced on the surface of water spreads to form a patch whose area is $A \text{ m}^2$. Derive an expression for obtaining the diameter, d of a molecule of oil. (2 marks)
- 7 **Figure 4** shows a source of heat placed at equal distances from two identical flasks X and Y containing air. The surface of X is painted black while Y is clear.




Figure 4

X and Y are linked by a U-tube filled with water whose levels S and T are initially the same. It is later observed that S falls while T rises. Explain this observation. (2 mark)

- 8 **Figure 5** shows a uniform rod 4 m long and of mass 2 kg. It is pivoted 1 m from one end and balanced horizontally by a string attached near the other end.




Figure 5

Determine the position where a mass of 5 kg should be placed on the rod so that the rod remains horizontal and the tension in the string is zero. (3 marks)

- 9 **Figure 6** shows two identical rods **JK** and **LK** connected with a hinge at **K**.




Figure 6

The position of the centre of gravity for the system is at **P**. The arrangement is now adjusted so that **J** and **L** move equal distances towards **O**. Sketch the new arrangement on the same diagram and mark the new position of the centre of gravity. (2 marks)

- 10 A light spiral spring extends by 4 mm when loaded with a weight W . The spring is connected in series with an identical spring. The combination is loaded with the weight W . Determine the extension of the combination. (2 marks)

- 11 **Figure 7** shows an incompressible fluid flowing through a pipe, A_1 and A_2 are the cross-sectional areas of the pipes in the larger section and smaller section of the pipe respectively, while V_1 and V_2 are speeds of the fluid at the two sections of the pipe.





Figure 7

Derive an expression for the ratio of the speeds $\frac{V_2}{V_1}$ in terms of A_1 and A_2 . (2 marks)

- 12 On the axis provided, sketch the graph which shows the relationship between volume and temperature of a fixed mass of water in the temperature range 0°C to 10°C . (1 mark)



- 13 **Figure 8** shows a graph of the variation of temperature with time for a pure substance heated at a constant rate.




Figure 8

Assuming that heat transfer to the surroundings is negligible, state the changes observed on the substance in region:

- (a) **BC**; (1 mark)
- (b) **DE**. (1 mark)
- 14 In a smoke cell experiment to demonstrate Brownian motion, smoke particles are seen moving randomly. State the cause of the randomness. (1 mark)

SECTION B: (55 marks)

Answer *all* the questions in this section in the spaces provided.

- 15 **Figure 9** shows a velocity-time graph for the motion of a body of mass 2 kg.




Figure 9

- (a) Use the graph to determine the:
- (i) displacement of the body after 8 seconds. (3 marks)
 - (ii) acceleration after point **B**; (3 marks)
 - (iii) force acting on the body in part (a) (ii). (3 marks)
- (b) Sketch a displacement-time graph for the motion from point **A** to **C**. (2 marks)
- 16 **Figure 10** shows a trolley of weight 20 N pulled by a force of 4 N from the bottom to the top of an inclined plane at a uniform speed.




Figure 10

- (a) (i) State the value of the force acting downwards along the inclined plane. (1 mark)
- (ii) Explain how the value in part (a) (i) is obtained. (2 marks)

- (b) For the system, determine the:
- (i) mechanical advantage; (3 marks)
 - (ii) velocity ratio; (3 marks)
 - (iii) efficiency. (2 marks)
- 17** (a) A long horizontal capillary tube of uniform bore sealed at one end contains dry air trapped by a drop of mercury. The length of the air column is 142 mm at 17°C. Determine the length of the air column at 25°C. (3 marks)
- (b) The pressure of the air inside a car tyre increases if the car stands out in the sun for some time on a hot day. Explain the pressure increase in terms of the kinetic theory of gases. (3 marks)
- (c) In an experiment to determine the specific latent heat of vapourization of water, steam of mass 10 g at 100°C is passed into 100 g of water initially at 20°C in a container of negligible heat capacity. The temperature of the water rises to 70°C.
(Take the specific heat capacity of water as $4.2 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$ and the boiling point of water as 100°C)
- (i) Determine the specific latent heat of vapourization of water. (4 marks)
 - (ii) State **two** sources of error in this experiment. (2 mark)
- 18** (a) When a bus goes round a bend on a flat road, it experiences a centripetal force. State what provides the centripetal force. (1 mark)
- (b) State the purpose of banking roads at bends. (1 mark)
- (c) A student whirls a stone of mass 0.2 kg tied to a string of length 0.4 m in a vertical plane at a constant speed of 2 revolutions per second.
(Take acceleration due to gravity g as 10 ms^{-2})
- (i) State **two** forces acting on the stone when it is at the highest point. (2 marks)
 - (ii) Determine the:
 - I angular velocity of the stone; (3 marks)
 - II tension in the string when the stone is at the highest point; (3 marks)

- 19 **Figure 11** shows a test-tube whose cross-sectional area is 2 cm^2 partially filled with lead shot floating vertically in water.




Figure 11

(Take gravitational acceleration as 10 ms^{-2} and density of water ρ_w as 1 g cm^{-3})

- (a) (i) Determine the:
- I volume of the water displaced; (2 marks)
 - II weight of water displaced. (3 marks)
- (ii) State the combined weight of the test-tube and the lead shot. (1 mark)
- (iii) Determine the length of the test-tube that would be submerged in a liquid of density 0.8 g cm^{-3} . (4 marks)
- (b) The set up in **figure 11** can be used as a hydrometer to measure densities of liquids. State how such a hydrometer would be improved to measure small differences in densities of liquids. (1 mark)

SECTION A (25 marks)

Answer **all** the questions in this section in the spaces provided.

1 **Figure 1** shows two parallel rays from a distant object passing through a convex lens:




Figure 1

- (a) Indicate on the diagram, the position of the principal focus of the lens. (1 mark)
 - (b) Determine the focal length of the lens. (1 mark)
- 2 State the effect of decreasing the distance between the plates of a parallel plate capacitor on the capacitance. (1 mark)
- 3 **Figure 2** shows circular waves originating from the principal focus F of a concave mirror and moving towards the mirror.




Figure 2

Complete the diagram to show the reflected waves.

(1 mark)

- 4 The frequency of an electromagnetic wave is 4.0×10^6 Hz. Determine its wavelength. (*take speed of light as 3.0×10^8 ms⁻¹*). (3 marks)
- 5 **Figure 3** shows a nail on which a wire is to be wound to make an electromagnet.




Figure 3

- By drawing, show how the wire should be wound around the nail so that end A becomes a north pole and end B a south pole. (1 mark)
- 6 It is observed that when the cap of an uncharged electroscope is irradiated with light of high frequency, the leaf of the electroscope rises. Explain this observation. (3 marks)
- 7 **Figure 4** shows the magnetic field pattern around two bar magnets placed side by side.




Figure 4

Indicate on the diagram the poles of each magnet. (1 mark)

8 **Figure 5** shows a graph of current against voltage for a semiconductor diode.




Figure 5

In the space provided, draw a circuit diagram that may be used to obtain values needed to draw the graph in **figure 5**. (3 marks)

9 Radium undergoes radioactive decay by emitting an alpha particle to form a daughter nuclide Q as in the reaction:



Determine the values of:

(a) x (1 mark)

(b) y (1 mark)

10 State **two** uses of a charged gold leaf electroscope. (2 marks)

11 The anode of an x-ray tube becomes hot when the tube is in use. State the reason for this. (1 mark)

12 Draw a ray diagram to show how a ray of light may be totally internally reflected two times in an isosceles right - angled glass prism. (*Assume that the critical angle of glass is 42°*) (2 marks)

13 The current of electrons hitting the screen of a cathode ray oscilloscope is 2.0×10^{-4} A . Determine the number of electrons that strike the screen each second. (*take charge of an electron as 1.6×10^{-19} C*). (3 marks)

SECTION B (55 marks)

Answer *all* the questions in this section in the spaces provided.

- 14** (a) **Figure 6** shows a simple electric bell circuit.




Figure 6

- (i) Name the parts labelled:

(I) **D** (1 mark)

(II) **E** (1 mark)

- (ii) When the switch is closed, the hammer hits the gong repeatedly. Explain why:

(I) the hammer hits the gong. (2 marks)

(II) the hammer hits the gong repeatedly. (3 marks)

- (b) An electric bulb is rated 60 W, 240 V. Determine:

(i) the current that flows through it when it is connected to a 240 V supply. (3 marks)

(ii) the resistance of the bulb. (3 marks)

- 15** (a) One of the causes of energy loss in a transformer is heating in the coils when current flows. State:

(i) the reason why the current causes heating. (1 mark)

- (ii) how the heating can be minimized. (1 mark)
- (b) The input voltage of a transformer is 240 V and its output is 12 V. When an 80 W bulb is connected across the secondary coil, the current in the primary coil is 0.36 A. Determine:
- (i) the ratio $\frac{N_P}{N_S}$ of the transformer, (*where N_p is the number of turns in the primary coil and N_s is the number of turns in the secondary coil*) (3 marks)
- (ii) the power input of the transformer. (3 marks)
- (iii) the power output of the transformer. (1 mark)
- (iv) the efficiency of the transformer. (2 marks)
- 16** (a) **Figure 7** shows resistors R_1 and R_2 connected in parallel. Their ends are connected to a battery of potential difference V volts.




Figure 7

- (i) In terms of V , R_1 and R_2 , write an expression for:
- (I) current I_1 through R_1 . (1 mark)
- (II) current I_2 through R_2 ; (1 mark)
- (III) total current I in the circuit. (1 mark)
- (ii) Show that the total resistance R_T is given by $R_T = \frac{R_1 R_2}{R_1 + R_2}$. (3 marks)

- (b) **Figure 8** shows a negatively charged rod placed near an uncharged conductor resting on an insulating support.




Figure 8

- (i) Show the charge distribution on the conductor. (2 marks)
- (ii) State the effect:
- (I) of momentarily touching the conductor with a finger while the charged rod is still near the conductor. (1 mark)
 - (II) on the charge distribution of withdrawing the negatively charged rod after momentarily touching the conductor. (1 mark)
- (iii) In the space provided, sketch a diagram to show how the charge in ii (II) would have been distributed if the conductor was a sphere. (1 mark)

- 17 (a) **Figure 9** shows two speakers S_1 and S_2 which produce sound of the same frequency. They are placed equidistant from a line AB and a line PQ . (PQ is perpendicular to line AB).




Figure 9

- (i) A student walking from A to B hears alternating loud and soft sounds. Explain why at some point the sound heard is soft. (2 marks)
- (ii) The student now walks along line PQ . State with reason the nature of the sound the student hears. (3 marks)
- (b) **Figure 10** shows sound waves in air produced by a vibrating tuning fork. R is an air molecule on the path of the waves.




Figure 10

- (i) Using a line, indicate on the diagram a distance d equal to one wavelength of the wave. (1 mark)

- (ii) In the space provided, show with an arrow the direction of motion of the air molecule R as the waves pass. (1 mark)
- (iii) Explain the reason for the answer in (ii). (2 marks)

18 **Figure 11** shows an object placed 10 cm in front of a concave mirror whose radius of curvature is 40 cm.




Figure 11

- (a) (i) On the same figure, draw a ray diagram to show the position of the image formed. (3 marks)
- (ii) Use the ray diagram to determine:
- (I) the image distance. (1 mark)
- (II) the magnification. (3 marks)
- (iii) State where the position of the image would be if the object had been placed at the principal focus. (1 mark)
- (b) Draw a ray diagram to show the formation of a partially dark shadow and a totally dark shadow during the eclipse of the sun. (3 marks)

3.5.3 Physics Paper 3 (232/3)

Question 1

PART A

You are provided with the following:

- a metre rule
- 3 optical pins
- 2 small wooden blocks
- a stop watch
- a stand, a boss and clamp
- a piece of sellotape

Proceed as follows:

- Using the two wooden blocks, clamp two optical pins about 4 cm apart in the stand so that they project out of the blocks in a horizontal plane.
- Using a piece of sellotape, attach the third optical pin across the metre rule at a distance $x = 10$ cm from the 50 cm mark. Now suspend the metre rule on the two clamped pins so that it can swing freely in a vertical plane with the third pin as the axis. (See **figure 1**)




Figure 1

- (c) Displace the lower end of the metre rule slightly and let it oscillate as shown in the **figure 1**. Measure and record in table 1 the time t (s) for 20 oscillations. (**Correct to one decimal place**).
- (d) (i) Repeat the procedure in (b) and (c) for the values of x shown in table 1.
- (ii) For each value of x shown in the table, determine the period T (s), **correct to two decimal places**, and complete the table. (The period T is the time for one complete oscillation).

Table 1

Distance X (cm)	10	14	18	22	26	30
Time t (s)						
Period T (s)						
T^2 , X correct to 1 decimal place						
X^2						

- (e) On the grid provided, plot a graph of T^2X (y-axis) against X^2 (origin not required). (5 marks)
- (f) From the graph, determine:
- (i) the slope S of the graph. (3 marks)
- (ii) the value of constant r given that:
 $rS = 39.5$ (2 marks)

PART B

You are provided with the following:

- a converging mirror
- a rectangular piece of manilla paper
- a half meter rule
- a stand, boss and clamp
- a dropper
- liquid Q

Proceed as follows:

- (g) (i) Using the wooden blocks clamp the manilla paper in the stand so that it projects out of the blocks in a horizontal plane, about 30 cm above the bench.

- (ii) Place the mirror on the bench so that its centre is vertically below the free end of the manilla paper.
- (h) With your eye vertically above the free end of the manilla, observe its inverted diminished image appearing as in **figure 2**.




Figure 2

- (i) Now adjust the height of the manilla vertically above the centre of the mirror until its width and that of the inverted image are equal as in **figure 3**.




Figure 3

Measure and record the distance L_1 between the manilla paper and the bench.

$L_1 = \dots\dots\dots\text{cm}$ (1 mark)

- (j) Using the dropper provided put some liquid Q on the mirror so that its surface is about 3 cm in diameter. Repeat part (i). Measure and record the distance L_2 between the manilla paper and the bench.

$L_2 = \dots\dots\dots\text{cm}$ (1 mark)

- (k) Determine constant k given that:

$L_1 = kL_2$ (2 marks)

Question 2

You are provided with the following:

- four $10\ \Omega$ resistors
- a resistance wire labelled S mounted on a half metre rule
- a resistance wire AB mounted on a metre rule
- two dry cells and a cell holder
- a centre zero galvanometer G
- 8 connecting wires each with a crocodile clip at one end
- a jockey
- a micrometer screw gauge
- a switch

- (a) Set up the circuit as in **figure 4** in which R is near A and S is near B. (R is a $10\ \Omega$ resistor or an appropriate combination of 10-ohm resistors).




Figure 4

- (b) Starting with a single $10\ \Omega$ resistor as R, close the switch. Using the jockey tap wire AB briefly near end A and observe the deflection on the galvanometer. Now tap the wire near end B and again observe the deflection of the galvanometer. (*The two deflections should be in opposite directions*)
- (c) Still with the $10\ \Omega$ resistor as R, tap at various points along wire AB to obtain a point P at which the galvanometer shows zero deflection. Measure and record in table 2 the length L (m) between A and P. (**Record L correct to 3 decimal places**)
- (d) Repeat part (c) to obtain L for other values of R shown in table 2. (6 marks)
- (e) Determine:
- (i) $\frac{1}{L}$ for all the values of L correct to 2 decimal places. (1 mark)

- (ii) $\frac{1}{R}$ for all values of R correct to 3 decimal places. (1 mark)

R(Ω)	5	10	15	20	25	30
L(m)						
$\frac{1}{L}$						
$\frac{1}{R}$						

- (f) On the grid provided, plot a graph of $\frac{1}{L}$ (y-axis) against $\frac{1}{R}$ (origin not required). (5 marks)

- (g) (i) Determine the slope n of the graph. (3 marks)

- (ii) State the unit of n. (1 mark)

- (h) Using the micrometer screw gauge, measure and record the diameter D of wire S in metres.

D = m. (1 mark)

- (i) Determine the value of constant k given that

$$4k = \pi D^2 n \quad (3 \text{ marks})$$