FORM 1

TOPIC 1

NUMBERS

PAST KCSE QUESTIONS ON THE TOPIC

- Mogaka and Onduso together can do a piece of work in 6 days. Mogaka, working alone, takes 5 days longer than Onduso. How many days does it take Onduso to do the same work alone?
- 2. (a) Evaluate

 $-8 \div 2 + 12 \times 9 - 4 \times 6$

56 ÷ 7 x 2

(b) Simplify the expression

5a - 4b - 2(a-(2b+c))

3. Evaluate

<u>28-(-18) - 15 -(-2)(-6)</u>

-2 3

4. Three people Odawa, Mliwa and Amina contributed money to purchase a flour mill. Odawa contributed ¹/₃ of the total amount, Mliwa contributed ³/₈ of the remaining amount and Amina contributed the rest of the money. The difference in contribution between Mliwa and Amina was Kshs 40000. Calculate the price of the flour mill.


5. Evaluate:

$$\frac{-12 \div (-3) \times 4 - (-20)}{-6 \times 6 \div 3 + (-6)}$$

6. Without using logarithm tables or a calculator evaluate.



7. Evaluate without using mathematical table



8. Express the numbers 1470 and 7056, each as a product of its prime factors.

Hence evaluate: 1470^2

70,56

Leaving the answer in prime factor form


9. Evaluate:

 $\frac{\frac{3}{4} + 1\frac{5}{7} \div \frac{4}{7} \text{ of } 2\frac{1}{3}}{(1\frac{3}{7} - \frac{5}{8}) x^{2}/3}$

10. Pipes A can fill an empty water tank in 3 hours while pipe B can fill the same tank in 6 hours. When the tank is full it can be emptied by pipe C in 8 hours. Pipe A and B are opened at the same time when the tank is empty. If one hour later, pipe

C is also opened, find the total time taken to fill the tank.

- 11. In a fund- raising committee of 45 people the ratio of men to women 7.2. Find the number of women required to join the existing committee so that the ratio of men to women is changes to 5:4
- 12. Without using mathematical tables or calculators, evaluate



- 13. All prime numbers less than ten are arranged in descending order to form a number
 - (a) Write down the number formed
 - (b) What is the total value of the second digit?
- 14. Evaluate without using mathematical tables or a calculator $0.0084 \times 1.23 \times 3.5$,

2.87 x 0.056

Expressing the answer as a fraction in its simplest form.

- 15. Evaluate $\frac{1}{3}$ of (2 ³/₄ 5 ¹/₂) x $\frac{36}{7} \div \frac{9}{4}$
- 16. Evaluate without using mathematical tables or the calculator

$$\underbrace{(.0.0625 \text{ x } 2.56)}_{0.25 \text{ x } 0.08 \text{ x } 0.5}$$

17. Evaluate without using mathematical tables or the calculator


<u>1.9 x 0.032</u>

20 x 0.0038


18. Evaluate $2\frac{34}{4x}\frac{8}{33}$

$$3 + (5^2/_5 \div ^9/_{25})$$

19. Without using tables or calculators evaluate



20. Without using mathematical tables, evaluate



- 21. Simplify $\frac{2}{3}$ of $12 (1 \frac{1}{3} + 1 \frac{1}{4})$
- 22. If x = 2, Find the value of $x^3 5x^2 4x + 3$
- 23. If $X = \frac{1}{2} y = \frac{1}{4}$ and $z = \frac{2}{3}$ Find the value of x + yz y xz
- 24. Find a and b if $3.168 = 3^{a/b}$

- 25. Find the greatest common factor of $x^8 y^2$ and $4xy^4$. Hence factorize completely the expression $x^3y^2 4xy^4$
- 26. A hot water tap can fill a bath in 5 minutes while a cold water tap can fill the same bath in 3 minutes. The drain pipe can empty the full bath in 3 ³⁴ minutes. The two taps and the drain pipe are fully open for 1 ^{1/2} minutes after which the drain pipe are fully open for 1 ^{1/2} minutes after which the drain pipe is closed.

How much will take it take to fill the bath?

27. A farmer distributed his cabbages as follows

A certain hospital received a quarter of the total number of bags. A nearby school received half of the remainder. A green grocer received a third of what the school received. What remained were six bags more than what the green grocer received.

How many bags of cabbages did the farmer have?

TOPIC 2

ALGEBRAIC EXPRESSIONS

PAST KCSE QUESTIONS ON THE TOPIC

- 1. Given that y = 2x z x + 3z express x in terms of y and z
- 2. Simplify the expression
 - $\underline{\mathbf{x}-1}$ $\underline{2\mathbf{x}+1}$

x 3x

Hence solve the equation \underline{x} –

$$\underline{1} \quad - \quad \underline{2x+1} \quad = \underline{2}$$

Х

3x 3

3. Factorize $a^2 - b^2$

Hence find the exact value of $2557^2 - 2547^2$

- 4. Simplify $p^{2} 2pq + q^{2}$ $P^{3} - pq^{2} + p^{2}q - q^{3}$
- 5. Given that y = 2x z, express x in terms of y and z.

Four farmers took their goats to a market. Mohammed had two more goats as Koech had 3 times as many goats as Mohammed, whereas Odupoy had 10 goats less than both Mohammed and Koech.

- Write a simplified algebraic expression with one variable, representing the total number of goats.
- (ii) Three butchers bought all the goats and shared them equally. If each butcher got 17 goats, how many did odupoy sell to the butchers?
- 6. Factorize completely $3x^2 2xy y^2$
- 7. Solve the equation
 - $\underline{1} = \underline{5} 7$
 - 4x 6x
- 8. Simplify
 - <u>a</u> + <u>b</u>

2(a+b) = 2(a-b)

- 9. Factorize completely $28x^2 + 3x 1$
- 10. Three years ago, Juma was three times as old. As Ali in two years time, the sum of their ages will be 62. Determine their ages
- 11. Two pairs of trousers and three shirts cost a total of Kshs. Five such pairs of trousers and two shirt cost a total of Kshs 810. Find the price of a pair of trouser and shirt.

TOPIC 3

RATES, RATIO PERCENTAGE AND PROPORTION

PAST KCSE QUESTIONS ON THE TOPIC

- Akinyi bought and beans from a wholesaler. She then mixed the maize and beans in the ratio 4:3 she bought the maize at Kshs 21 per kg and the beans 42 per kg. If she was to make a profit of 30%. What should be the selling price of 1 kg of the mixture?
- 2. Water flows from a tap at the rate of 27 cm³ per second into a rectangular container of length 60 cm, breadth 30 cm and height 40 cm. If at 6.00 PM the container was half full, what will be the height of water at 6.04 pm?
- 3. Two businessmen jointly bought a minibus which could ferry 25 paying passengers when full. The fare between two towns A and B was Kshs 80 per passenger for one way. The minibus made three round trips between the two towns

daily. The cost of fuel was Kshs 1500 per day. The driver and the conductor were paid daily allowances of Kshs 200 and Kshs 150 respectively. A further Kshs 4000 per day was set aside for maintenance, insurance and loan repayment.

- (a) (i) How much money was collected from the passengers that day?
 - (ii) How much was the net profit?
- (b) On another day, the minibus was 80% full on the average for the three round trips, how much did each businessman get if the day's profit was shared in the ratio 2:3?
- 4. Wainaina has two dairy farms, A and B. Farm A produces milk with 3 ¹/₄ percent fat and farm B produces milk with 4 ¹/₄ percent fat.
 - (a) Determine
 - (i) The total mass of milk fat in 50 kg of milk from farm A and 30 kg of milk from farm B
 - (ii) The percentage of fat in a mixture of 50kg of milk A and 30kg of milk from B
 - (b) The range of values of mass of milk from farm B that must be used in a 50kg mixture so that the mixture may have at least 4 percent fat.
- 5. In the year 2001, the price of a sofa set in a shop was Kshs 12,000
 - (a) Calculate the amount of money received from the sales of 240 sofa sets that year.
 - (b) (i) In the year 2002 the price of each sofa set increased by 25% while

the number of sets sold decreased by 10%. Calculate the percentage increase in the amount received from the sales

- (ii) If the end of year 2002, the price of each sofa set changed in the ratio 16: 15, calculate the price of each sofa set in the year 2003.
- (c) The number of sofa sets sold in the year 2003 was P% less than the number sold in the year 2001.

Calculate the value of P, given that the amounts received from sales if the two years were equal.

- A solution whose volume is 80 litres is made up of 40% of water and 60% of alcohol. When x litres of water is added, the percentage of alcohol drops to 40%.
 - (a) Find the value of x
 - (b) Thirty litres of water is added to the new solution. Calculate the percentage of alcohol in the resulting solution
 - (c) If 5 litres of the solution in (b) above is added to 2 litres of the original solution, calculate in the simplest form, the ratio of water to that of alcohol in the resulting solution.
- 7. Three business partners, Asha, Nangila and Cherop contributed Kshs 60,000, Kshs 85,000 and Kshs 105, 000 respectively. They agreed to put 25% of the profit back into business each year. They also agreed to put aside 40% of the remaining profit to cater for taxes and insurance. The rest of the profit would then be shared among the

partners in the ratio of their contributions. At the end of the first year, the business realized a gross profit of Kshs 225, 000.

- (a) Calculate the amount of money Cherop received more than Asha at the end of the first year.
- (b) Nangila further invested Kshs 25,000 into the business at the beginning of the second year. Given that the gross profit at the end of the second year increased in the ratio 10:9, calculate Nangila's share of the profit at the end of the second year.
- 8. Kipketer can cultivate a piece of land in 7 hrs while Wanjiku can do the same work in 5 hours. Find the time they would take to cultivate the piece of land when working together.
- 9. Mogaka and Ondiso working together can do a piece of work in 6 days. Mogaka working alone, takes 5 days longer than Onduso. How many days does it take


Onduso to do the work alone.


- 10. A certain amount of money was shared among 3 children in the ratio 7:5:3 the largest share was Kshs 91. Find the
 - (a) Total amount of money
 - (b) Difference in the money received as the largest share and the smallest share.

TOPIC 4

MEASUREMENT


PAST KCSE QUESTIONS ON THE TOPIC






- (i) The total surface area of the walls and the floor (include the door as part of the wall.
- (ii) The total surface area of the roof

- (b) The cost of roofing is Kshs 300 per square metre and that of making walls and floor Kshs 350 per square metre. Find the cost of making the kennel.
- 2. The enclosed region shown in the figure below represents a ranch draw to scale. The actual area of the ranch is 1075 hectares



- (a) Estimate the area of the enclosed region in square centimeters
- (b) Calculate the linear scale used
- 3. The figure below shows an octagon obtained by cutting off four congruent triangles

from a rectangle measuring 19.5 by 16.5 cm




Calculate the area of the octagon

- 4. The length of a hollow cylindrical pipe is 6 metres. Its external diameter is 11cm and has a thickness of 1 cm. Calculate the, volume in cm³ of the materials used to make the pipe. Take π as 3.142.
- The area of rhombus is 60 cm². Given that one of its diagonals is 15 cm long, calculate the perimeter of the rhombus.
- A cylindrical piece of wood of radius 4.2 cm and length 150 cm is cut lengthwise into two equal pieces.

Calculate the surface area of one piece

(Take π as ²²/₇)

7. The diagram below (not drawn to scale) represents the cross section of a solid



- (a) Calculate the volume of the prism
- (b) Given that the density of the prism is 5.75 g/cm³, calculate its mass in grams
- (c) A second prism is similar to the first one but is made of different material.

The volume of the second prism is 246.24 cm^3

(i) Calculate the area of cross section of the second prism

- (ii) Given the ratio of the mass of the first prism to the second is 2:5, find the density of the second prism.
- A square brass plate is 2 mm thick and has a mass of 1.05 kg. The density of the brass is 8.4g/ cm³. Calculate the length of the plane in centimeters.
- 9. Two cylindrical containers are similar. The larger one has internal cross- section area of 45cm² and can hold 0.95 litres of liquid when full. The smaller container has internal cross- section area of 20cm²
 - (a) Calculate the capacity of the smaller container
 - (b) The larger container is filled with juice to a height of 13 cm. Juice is then drawn from it and empties into the smaller container until the depth of the juice in both containers are equal. Calculate the depth of juice in each container.
 - (c) One fifth of the juice in the larger container in part (b) above is further drawn and emptied into the smaller container. Find the differences in the depths of the juice in the two containers.
- 10. Pieces of soap are packed in a cuboid container measuring 36 cm by 24 cm by 18 cm. Each piece of soap is similar to the container. If the linear scale factor between the container and the soap is 1/6. Find the volume of each piece of soap.
- 11. A cylindrical water tank is of diameter 7 metres and height 2.8 metres

- (a) Find the capacity of the water tank in litres
- (b) Six members of family use15 litres each per day. Each day 80 litres are used for cooking and washing. And a further 60 litres are wasted.

Find the number of complete days a full tank would last the family

(c) Two members of the family were absent for 90 days. During the 90 days,wastage was reduced by 20% but cooking and washing remained the same.


Calculate the number of days a full tank would now last the family

12. A company is to construct parking bay whose area is 135m². It is to be covered with a concrete slab of uniform thickness of 0.15m. To make the slab cement, ballast and sand are to be mixed so that their masses are in the ratio 1:4:4 the mass of 1m³ of dry slab is 2,500 kg.

(a) Calculate


- (i) The volume of the slab
- (ii) The mass of dry slab
- (iii) The mass of cement to be used
- (b) If one bag of cement is 50kg. Find the number of bags to be purchased
- (c) If a lorry carries 7 tonnes of sand, calculate the number of lorries of sand to be purchased

- 13. An Artisan has 63 kg of metal of density 7000 kg/m³. He intends to use to make a rectangular pipe with external dimensions 12 cm by 15 cm and internal dimensions 10cm by 12 cm. Calculate the length of the pipe in metres.
- 14. The figure below represents hollow cylinder. The internal and external radii are estimated to be 6 cm and 8 cm respectively, to the nearest whole number. The height of the cylinder is exactly 14 cm.




- (a) Determine the exact values for internal and external radii which will give maximum volume of the material used.
- (b) Calculate the maximum possible volume of the material used. Take the value of TT to be $^{22}/_{7}$
- 15. Calculate the volume of a prism whose length is 25 cm and whose length is 25 cm and whose cross section is an equilateral triangle of side 3 cm

16. The figure below shows an octagon obtained by cutting off four congruent triangles from a rectangle measuring 19.5 by 16.5 cm




Calculate the area of the octagon

17. The figure below represents a kite ABCD, AB = AD = 15 cm. the diagonals BD and AC intersect at O, AC = 30 cm and AO = 12 cm.



Find the area of the kite

18. The figure below is a map of a forest drawn on a grid of 1 cm squares



(a) Estimate the area of the map in square centimeters if the scale of the map is 1: 50, 000; estimate the area of the forest in hectares.

TOPIC 5:

LINEAR EQUATIONS

PAST KCSE QUESTIONS ON THE TOPIC

- A cloth dealer sold 3 shirts and 2 trousers for Kshs 840 and 4 shirts and 5 trousers for Kshs 1680 find the cost of 1 shirt and the cost of 1 trouser
- 2. Solve the simultaneous equations $2x y = 3x^2 xy = -4$
- 3. The cost of 5 skirts and blouses is Kshs 1750. Mueni bought three of the skirts and one of the blouses for Kshs 850. Find the cost of each item.
- 4. Akinyi bought three cups and four spoons for Kshs 324. Wanjiru bought five cups and Fatuma bought two spoons of the same type as those bought by Akinyi, Wanjiku paid Kshs 228 more than Fatuma. Find the price of each cup and each spoon.
- 5. Mary has 21 coins whose total value is Kshs. 72. There are twice as many five shillings coins as there are ten shilling coins. The rest one shillings coins. Find

the number of ten shillings coins that Mary has. (4 mks)

- 6. The mass of 6 similar art books and 4 similar biology books is 7.2 kg. The mass of 2 such art books and 3 such biology books is 3.4 kg. Find the mass of one art book and the mass of one biology book
- Karani bought 4 pencils and 6 biros pens for Kshs 66 and Tachora bought 2 pencils and 5 biro pens for Kshs 51.
- (a) Find the price of each item
- (b) Musoma spent Kshs. 228 to buy the same type of pencils and biro pens if the number of biro pens he bought were 4 more than the number of pencils, find the number of pencils bought.

8. Solve the simultaneous equations below

2x - 3y = 5

-x + 2y = -3

- The length of a room is 4 metres longer than its width. Find the length of the room if its area is 32m²
- 10. Hadija and Kagendo bought the same types of pens and exercise books from the same types of pens and exercise books from the same shop. Hadija bought 2 pens and 3 exercise books for Kshs 78. Kagendo bought 3 pens and 4 exercise books for Kshs 108.

Calculate the cost of each item

- 11. In fourteen years time, a mother will be twice as old as her son. Four years ago, the sum of their ages was 30 years. Find how old the mother was, when the son was born.
- 12. Three years ago Juma was three times as old as Ali. In two years time the sum of their ages will be 62. Determine their ages.
- 13. Two pairs of trousers and three shirts costs a total of Kshs 390. Five such pairs of trousers and two shirts cost a total of Kshs 810. Find the price of a pair of trousers and a shirt.

14. A shopkeeper sells two- types of pangas type x and type y. Twelve x pangas and five type y pangas cost Kshs 1260, while nine type x pangas and fifteen type y pangas cost 1620. Mugala bought eighteen type y pangas. How much did he pay for them?

TOPIC 6:

COMMERCIAL ARITHMETICS

PAST KCSE QUESTIONS ON THE TOPIC

- The cash prize of a television set is Kshs 25000. A customer paid a deposit of Kshs 3750. He repaid the amount owing in 24 equal monthly installments. If he was charged simple interest at the rate of 40% p.a how much was each installment?
- 2. Mr Ngeny borrowed Kshs 560,000 from a bank to buy a piece of land. He was required to repay the loan with simple interest for a period of 48 months. The repayment amounted to Kshs 21,000 per month.

Calculate

- (a) The interest paid to the bank
- (b) The rate per annum of the simple interest
- 3. A car dealer charges 5% commission for selling a car. He received a commission of Kshs 17,500 for selling car. How much money did the owner receive from the sale of his car?
- 4. A company saleslady sold goods worth Kshs 240,000 from this sale she earned a commission of Kshs 4,000
 - (a) Calculate the rate of commission
 - (b) If she sold good whose total marked price was Kshs 360,000 and allowed a discount of 2% calculate the amount of commission she received.

- 5. A business woman bought two bags of maize at the same price per bag. She discovered that one bag was of high quality and the other of low quality. On the high quality bag she made a profit by selling at Kshs 1,040, whereas on the low quality bag she made a loss by selling at Kshs 880. If the profit was three times the loss, calculate the buying price per bag.
- A salesman gets a commission of 2. 4 % on sales up to Kshs 100,000. He gets an additional commission of 1.5% on sales above this. Calculate the commission he gets on sales worth Kshs 280,000.
- Three people Koris, Wangare and Hassan contributed money to start a business. Korir contributed a quarter of the total amount and Wangare two fifths of the remainder.

Hassan's contribution was one and a half times that of Koris. They borrowed the rest of the money from the bank which was Kshs 60,000 less than

Hassan's contribution. Find the total amount required to start the business.

- A Kenyan tourist left Germany for Kenya through Switzerland. While in Switzerland he bought a watch worth 52 deutsche Marks. Find the value of the watch in:
 - (a) Swiss Francs.
 - (b) Kenya Shillings

Use the exchange rtes below:

1 Swiss Franc = 1.28 Deutsche Marks.

1 Swiss Franc = 45.21 Kenya Shillings

9. A salesman earns a basic salary of Kshs. 9000 per month

In addition he is also paid a commission of 5% for sales above Kshs 15000 In a certain month he sold goods worth Kshs. 120, 000 at a discount of $2\frac{1}{2}$

- %. Calculate his total earnings that month
- 10. In this question, mathematical table should not be used

A Kenyan bank buys and sells foreign currencies as shown below

	Buying		Selling
	(In Kenya shillings)		In Kenya Shillings
1 Hong Kong dollar	9.74		9.77
1 South African rand	12.03	12.11	

A tourists arrived in Kenya with 105 000 Hong Kong dollars and changed the whole amount to Kenyan shillings. While in Kenya, she pent Kshs 403 897 and changed the balance to South African rand before leaving for South

Africa. Calculate the amount, in South African rand that she received.

11. A Kenyan businessman bought goods from Japan worth 2, 950 000 Japanese yen. On arrival in Kenya custom duty of 20% was charged on the value of the goods.

If the exchange rates were as follows 1

US dollar = 118 Japanese Yen

1 US dollar = 76 Kenya shillings

Calculate the duty paid in Kenya shillings

12. Two businessmen jointly bought a minibus which could ferry 25 paying passengers when full. The fare between two towns A and B was Kshs. 80 per passenger for one way. The minibus made three round trips between the two towns daily. The cost of fuel was Kshs 1500 per day. The driver and the conductor were paid daily allowances of Kshs 200 and Kshs 150 respectively.

A further Kshs 4000 per day was set aside for maintenance.

- (a) One day the minibus was full on every trip.
 - (i) How much money was collected from the passengers that day?
 - (ii) How much was the net profit?
- (b) On another day, the minibus was 80% on the average for the three round trips. How much did each business get if the days profit was shared in the ratio 2:3?
- 13. A traveler had sterling pounds 918 with which he bought Kenya shillings at the rate of Kshs 84 per sterling pound. He did not spend the money as intended. Later, he used the Kenyan shillings to buy sterling pound at the rate of Kshs. 85 per sterling pound. Calculate the amount of money in sterling pounds lost in the whole transaction.
- 14. A commercial bank buys and sells Japanese Yen in Kenya shillings at the rates shown below
 - Buying 0.5024

Selling 0.5446

A Japanese tourist at the end of his tour of Kenya was left with Kshs. 30000 which he converted to Japanese Yen through the commercial bank. How many

Japanese Yen did he get?

- 15. In the month of January, an insurance salesman earned Kshs. 6750 which was commission of 4.5% of the premiums paid to the company.
 - (a) Calculate the premium paid to the company.
 - (b) In February the rate of commission was reduced by 66²/₃% and the premiums reduced by 10% calculate the amount earned by the salesman in the month of February
- 16. Akinyi, Bundi, Cura and Diba invested some money in a business in the ratio of 7:9:10:14 respectively. The business realized a profit of Kshs 46800. They shared 12% of the profit equally and the remainder in the ratio of their contributions. Calculate the total amount of money received by Diba.
- 17. A telephone bill includes Kshs 4320 for a local calls Kshs 3260 for trank calls and rental charge Kshs 2080. A value added tax (V.A.T) is then charged at

15%, Find the total bill.

18. During a certain period. The exchange rates were as follows1 sterling pound = Kshs 102.0

1 sterling pound = 1.7 us dollar

1 U.S dollar = Kshs 60.6

A school management intended to import textbooks worth Kshs 500,000 from UK. It changed the money to sterling pounds. Later the management found out that the books the sterling pounds to dollars. Unfortunately a financial crisis arose and the money had to be converted to Kenya shillings. Calculate the total amount of money the management ended up with.

19. A fruiterer bought 144 pineapples at Kshs 100 for every six pineapples. She sold some of them at Kshs 72 for every three and the rest at Kshs 60 for every two.

If she made a 65% profit, calculate the number of pineapples sold at Kshs 72 for every three.

TOPIC 7:

GEOMETRY

PAST KCSE QUESTIONS ON THE TOPIC

A point B is on a bearing of 080⁰ from a port A and at a distance of 95 km. A submarine is stationed at a port D, which is on a bearing of 200⁰ from AM and a distance of 124 km from B.

A ship leaves B and moves directly southwards to an island P, which is on a bearing of 140 from A. The submarine at D on realizing that the ship was heading fro the island P, decides to head straight for the island to intercept the ship

Using a scale Of 1 cm to represent 10 km, make a scale drawing showing the relative positions of A, B, D, P.

Hence find

(i) The distance from A to D

(ii) The bearing of the submarine from the ship was setting off from B

(iii)The bearing of the island P from D

(iv) The distance the submarine had to cover to reach the island P

2. Four towns R, T, K and G are such that T is 84 km directly to the north R, and K is on a bearing of 295⁰ from R at a distance of 60 km. G is on a bearing of 340⁰ from K and a distance of 30 km. Using a scale of 1 cm to represent 10 km, make an accurate scale drawing to show the relative positions of the town.

Find

- (a) The distance and the bearing of T from K
- (b) The distance and the bearing G from T
- (c) The bearing of R from G
- Two aeroplanes, S and T leave airports A at the same time. S flies on a bearing of 060 at 750 km/h while T flies on a bearing of 210⁰ at 900km/h.
 - (a) Using a suitable scale, draw a diagram to show the positions of the aeroplane after two hours.
 - (b) Use your diagram to determine
 - (i) The actual distance between the two aeroplanes
 - (ii) The bearing of T from S


(iii) The bearing of S from T

4. A point A is directly below a window. Another point B is 15 m from A and at the same horizontal level. From B angle of elevation of the top of the bottom of the window is 300 and the angle of elevation of the top of the window is 350.

Calculate the vertical distance.

- (a) From A to the bottom of the window
- (b) From the bottom to top of the window


5. Find by calculation the sum of all the interior angles in the figure ABCDEFGHI




7. An electric pylon is 30m high. A point S on the top of the pylon is vertically above another point R on the ground. Points A and B are on the same horizontal ground as R. Point A due south of the pylon and the angle of elevation of S from A is 26⁰.
Point B is due west of the pylon and the angle of elevation of S from B is 32⁰

Find the

- (a) Distance from A and B
- (b) Bearing of B from A
- 8. The figure below is a polygon in which AB = CD = FA = 12cm BC = EF = 4cmand $BAF = -CDE = 120^{\circ}$. AD is a line of symmetry.



9. The figure below shows a triangle ABC.



a) Using a ruler and a pair of compasses, determine a point D on the line BC

such that BD:DC = 1:2.


- b) Find the area of triangle ABD, given that AB = AC.
- 10. A boat at point x is 200 m to the south of point Y. The boat sails X to another point Z. Point Z is 200m on a bearing of 310⁰ from X, Y and Z are on the same horizontal plane.
 - (a) Calculate the bearing and the distance of Z from Y
 - (b) W is the point on the path of the boat nearest to Y.

Calculate the distance WY

(c) A vertical tower stands at point Y. The angle of point X from the top of the tower is 6^0 calculate the angle of elevation of the top of the tower from W.

11. The figure below shows a quadrilateral ABCD in which AB = 8 cm, DC = 12 cm,


$$ightarrow$$
 BAD = 45°, $ightarrow$ CBD = 90° and BCD = 30°.



Find:

triangle

- (a) The length of BD
- (b) The size of the angle A D B
- 12. In the figure below, ABCDE is a regular pentagon and ABF is an equilateral



Find the size of

- a) ∠ ADE
- b) $\angle AEF$
- c) \angle DAF
- 13. In this question use a pair of compasses and a ruler only

(a) construct triangle ABC such that AB = 6 cm, BC = 8 cm and $\angle ABC \ 135^{\circ}$

(b) Construct the height of triangle ABC in a) above taking BC as the base

(1 mark)

- 14. The size of an interior angle of a regular polygon is $3x^0$ while its exterior angle is $(x 20)^0$. Find the number of sides of the polygon
- Points L and M are equidistant from another point K. The bearing of L from K is 330⁰. The bearing of M from K is 220⁰.
 Calculate the bearing of M from L
- 16. Four points B,C,Q and D lie on the same plane point B is the 42 km due south- west of town Q. Point C is 50 km on a bearing of 560⁰ from Q. Point D is equidistant from B, Q and C.
 - (a) Using the scale 1 cm represents 10 km, construct a diagram showing the position of B, C, Q and D
 - (b) Determine the
 - (i) Distance between B and C
 - (ii) Bearing D from B
- Two aeroplanes P and Q, leave an airport at the same time flies on a bearing of 240⁰ at 900km/hr while Q flies due East at 750 km/hr
 - (a) Using a scale of 1v cm drawing to show the positions of the aeroplanes after 40 minutes.
 - (b) Use the scale drawing to find the distance between the two aeroplane after

40 minutes

- (c) Determine the bearing of
 - (i) P from Q ans 254°
 - (ii) Q from P ans 74°
- 18. A port B is no a bearing of 080 from a port A and at a distance of 95 km. A submarine is stationed port D which is on a bearing of 200⁰ from A, and a distance of 124 km from B.

A ship leaves B and moves directly southwards to an island P, which is on a bearing of 140^{0} from A. The submarine at D on realizing that the ship was heading for the island P decides to head straight for the island to intercept the ship.

Using a scale of 1 cm to represent 10 km, make a scale drawing showing the relative position of A, B D and P.

Hence find:

- (i) The distance from A and D
- (ii) The bearing of the submarine from the ship when the ship was setting off from B
- (iii) The baring of the island P from D
- (iv) The distance the submarine had to cover to reach the island
- 19. Four towns R, T, K and G are such that T is 84 km directly to the north R and K is on a bearing of 295° from R at a distance of 60 km. G is on a bearing of 340° from K

and a distance of 30 km. Using a scale of 1 cm to represent 10 km, make an acute scale drawing to show the relative positions of the towns.

Find

- (a) The distance and bearing of T from K
- (b) The bearing of R from G
- 20. In the figure below, pentagon and M is the DM intersects EB at N. A A A A A A A B A B A B A B CDE is a regular midpoint of AB. (T7)

Find the size of

(a) ${\boldsymbol{\,\scriptscriptstyle \angle}\,\,} {\rm BAE}$

(b) \angle BED

(c) \angle BNM

21. Use a ruler and compasses in this question. Draw a parallelogram ABCD in which AB = 8cm, BC = 6 cm and BAD = 75. By construction, determine the perpendicular distance between AB and CD.


- 22. The interior angles of the hexagon are 2x⁰, ¹/₂ x⁰, x + 40⁰, 110⁰, 130⁰ and 160⁰.
 Find the value of the smallest angle.
- 23. The size of an interior angle of a regular polygon is 156⁰. Find the number of sides of the polygon.

TOPIC 8:


COMMON SOLIDS

PAST KCSE QUESTIONS ON THE TOPIC

 The figure below shows a net of a prism whose cross – section is an equilateral triangle.




- a) Sketch the prism
- b) State the number of planes of symmetry of the prism.
- 2. The figure below represents a square based solid with a path marked on it.



Sketch and label the net of the solid.

3. The figure below represents below represents a prism of length 7 cm


AB = AE = CD = 2 cm and BC - ED = 1 cm



Draw the net of the prism

(3 marks)

4. The diagram below represents a right pyramid on a square base of side 3 cm. The slant of the pyramid is 4 cm.




(a) Draw a net of the pyramid (2 marks)


(b) On the net drawn, measure the height of a triangular face from the top of the Pyramid (1 mark)

5. (a) Draw a regular pentagon of side 4 cm (1 mark)


- (b) On the diagram drawn, construct a circle which touches all the sides of the pentagon (2 marks)
- 6. The figure below shows a solid regular tetrapack of sides 6 cm



- (a) Draw a net of the solid
- (b) Find the surface area of the solid
- 7. The figure below shows a solid made by pasting two equal regular tetrahedral



- (a) Draw a net of the solid
- (b) If each face is an equilateral triangle of side 5cm, find the surface area of the solid.
- 8. (a) Sketch the net of the prism shown below



WWW.KCPE-KCSE.COM

(b) Find the surface area of the solid


FORM TWO

TOPIC 1

NUMBERS

PAST KCSE QUESTIONS ON THE TOPIC

1. Use logarithms to evaluate



2. Find the value of x which satisfies the equation.

 $16x_2 = 84x_3$

3. Use logarithms to evaluate $(1934)^2 \times \sqrt{0.00324}$

436

4. Use logarithms to evaluate

 $55.9 \div (02621 \text{ x } 0.01177)^{1/5}$

- 5. Simplify $2^{x} \times 5^{2x} \div 2^{-x}$
- 6. Use logarithms to evaluate

 $(3.256 \ge 0.0536)^{1/3}$

7. Solve for x in the equation


 $32(x-3) \div 8 (x-4) = 64 \div 2x$

8. Solve for x in the equations $\underline{81}^{2x} \underline{x} \underline{27}^{x} = \underline{729}$

9. Use reciprocal and square tables to evaluate to 4 significant figures, the expression: $\underline{1} + 4$ $\underline{346^2}$

24.56

10. Use logarithm tables, to evaluate



- 0.006
- 11. Find the value of x in the following equation

 $49_{(x+1)} + 7_{(2x)} = 350$

12. Use logarithms to evaluate

 $(0.07284)^2$

3v0.06195

13. Find the value of m in the following equation

 $(1/27^{\rm m} \ {\rm x} \ (81)^{-1} = 243$

- 14. Given that $P = 3^y$ express the equation $3^{(2y-1)} + 2 \ge 3^{(y-1)} = 1$ in terms of P hence or otherwise find the value of y in the equation $3^{(2y-1)} + 2 \ge 3^{(y-1)} = 1$
- 15. Use logarithms to evaluate 55.9 $\div (0.2621 \text{ x } 0.01177)^{1/5}$
- 16. Use logarithms to evaluate

$$\left(\begin{array}{c} \underline{6.79 \times 0.3911}\\ Log 5 \end{array}\right)^{-3/4}$$

17. Use logarithms to evaluate

18. Solve for x in the equation

$$X = 0.0056^{\frac{1}{2}}$$

1.38 x 27.42

TOPIC 2:


EQUATIONS OF LINES

PAST KCSE QUESTIONS ON THE TOPIC

1. The coordinates of the points P and Q are (1, -2) and (4, 10) respectively.

A point T divides the line PQ in the ratio 2: 1

- (a) Determine the coordinates of T
- (b) (i) Find the gradient of a line perpendicular to PQ
 - (ii) Hence determine the equation of the line perpendicular PQ and passing through T
 - (iii) If the line meets the y- axis at R, calculate the distance TR, to three significant figures
- 2. A line L₁ passes though point (1, 2) and has a gradient of 5. Another line L₂, is perpendicular to L₁ and meets it at a point where x = 4. Find the equation for L₂ in the form of y = mx + c
- 3. P (5, -4) and Q (-1, 2) are points on a straight line. Find the equation of the perpendicular bisector of PQ: giving the answer in the form y = mx+c.
- 4. On the diagram below, the line whose equation is 7y 3x + 30 = 0 passes though the points A and B. Point A on the x-axis while point B is equidistant from x and y axes.



WWW.KCPE-KCSE.COM

Calculate the co-ordinates of the points A and B

- 5. A line with gradient of -3 passes through the points (3. k) and (k.8). Find the value of k and hence express the equation of the line in the form a ax + ab = c, where a, b, and c are constants.
- 6. Find the equation of a straight line which is equidistant from the points (2, 3) and (6, 1), expressing it in the form ax + by = c where a, b and c are constants.
- 7. The equation of a line $\frac{-3}{5}x + 3y = 6$. Find the:
 - (a) Gradient of the line (1 mk)
 - (b) Equation of a line passing through point (1, 2) and perpendicular to the given line b
- 8. Find the equation of the perpendicular to the line x + 2y = 4 and passes through point

(2,1)


- 9. Find the equation of the line which passes through the points P(3,7) and Q(6,1)
- 10. Find the equation of the line whose x- intercepts is -2 and y- intercepts is 5
- 11. Find the gradient and y- intercept of the line whose equation is 4x 3y 9 = 0 **TOPIC 3**

TRANSFORMATIONS

PAST KCSE QUESTIONS ON THE TOPIC


- 1. A translation maps a point (1, 2) onto) (-2, 2). What would be the coordinates of the object whose image is (-3, -3) under the same translation?
- 2. Use binomial expression to evaluate $(0.96)^5$ correct to 4 significant figures

11. In the figure below triangle ABO represents a part of a school badge. The badge has as symmetry of order 4 about O. Complete the figures to show the badge.



С

- 3. A point (-5, 4) is mapped onto (-1, -1) by a translation. Find the image of (-4, 5) under the same translation.
- 4. A triangle is formed by the coordinates A (2, 1) B (4, 1) and C (1, 6). It is rotated clockwise through 90^{0} about the origin. Find the coordinates of this image.
- 5. The diagram on the grid provided below shows a trapezium ABCD



On the same grid

- (a) (i) Draw the image A'B'C'D of ABCD under a rotation of 90⁰
 clockwise about the origin .
 - (ii) Draw the image of A"B"C"D" of A'B'C'D' under a reflection in line y = x. State coordinates of A"B"C"D".
- (b) A"B"C"D" is the image of A"B"C"D under the reflection in the line x=0.

Draw the image A"B" C"D" and state its coordinates.

- (c) Describe a single transformation that maps A" B"C"D onto ABCD.
- 6. A translation maps a point P(3,2) onto P'(5,4)
 - (a) Determine the translation vector
 - (b) A point Q' is the image of the point Q (, 5) under the same translation. Find the length of 'P' Q leaving the answer is surd form.

- 7. Two points P and Q have coordinates (-2, 3) and (1, 3) respectively. A translation map point P to P' (10, 10)
 - (a) Find the coordinates of Q' the image of Q under the translation (1 mk)
 - (b) The position vector of P and Q in (a) above are p and q respectively given that $mp - nq = \begin{pmatrix} 12 \end{pmatrix}$
 - 9 Find the value of m and n (3mks)
- 8. on the Cartesian plane below, triangle PQR has vertices P(2, 3), Q(1,2) and R(
 - 4,1) while triangles P" q " R" has vertices P" (-2, 3), Q" (-1,2) and R" (-4, 1)

	P
R"::	
-4 -	

- (a) Describe fully a single transformation which maps triangle PQR onto triangleP"Q"R"
- (b) On the same plane, draw triangle P'Q'R', the image of triangle PQR, under reflection in line y = -x
- (c) Describe fully a single transformation which maps triangle P'Q'R' onto triangle P"Q"R
- (d) Draw triangle P"Q"R" such that it can be mapped onto triangle PQR by a positive quarter turn about (0, 0)
- (e) State all pairs of triangle that are oppositely congruent

TOPIC 4:


MEASUREMENT

PAST KCSE QUESTIONS ON THE TOPIC

- A solid cone of height 12 cm and radius 9 cm is recast into a solid sphere. Calculate the surface area of the sphere.
- 2. A circular path of width 14 metres surrounds a field of diameter 70 metres. The path is to be carpeted and the field is to have a concrete slab with an exception of four rectangular holes each measuring 4 metres by 3 metres.

A contractor estimated the cost of carpeting the path at Kshs. 300 per square metre and the cost of putting the concrete slab at Kshs 400 per square metre. He then made a quotation which was 15% more than the total estimate. After completing the job, he realized that 20% of the quotation was not spent.


- (a) How much money was not spent?
- (b) What was the actual cost of the contract?
- 3. In the figure below BAD and CBD are right angled triangles.




Find the length of AB.

- 4. A cylinder of radius 14 cm contains water. A metal solid cone of base radius 7 cm and height 18 cm is submerged into the water. Find the change in height of the water level in the cylinder.
- 5. A cyndrical container of radius 15 cm has some water in it. When a solid is submerged into the water, the water level rises by 1.2 cm.
 - (a) Find, the volume of the water displaced by the solid leaving your answer in terms of ∏
 - (b) If the solid is a circular cone of height 9 cm, calculate the radius of the cone to 2 decimal places.
- A balloon, in the form of a sphere of radius 2 cm, is blown up so that the volume increases by 237.5%. Determine the new volume of balloon in terms of ∏


A girl wanted to make a rectangular octagon of side 14 cm. She made it from a square piece of a card of size y cm by cutting off four isosceles triangles whose equal sides were x cm each, as shown below.



- (a) Write down an expression for the octagon in terms of x and y
- (b) Find the value of x
- (c) Find the area of the octagon
- 7. A pyramid VABCD has a rectangular horizontal base ABCD with AB= 12 cm and BC
 = 9 cm. The vertex V is vertically above A and VA = 6 cm. calculate the volume of the pyramid.
- 8. A solid made up of a conical frustrum and a hemisphere top as shown in the figure below. The dimensions are as indicated in the figure.




- (a) Find the area of
- (i) The circular base
- (ii) The curved surface of the frustrum
- (iii) The hemisphere surface
- (b) A similar solid has a total area of 81.51 cm^2 . Determine the radius of its base.
- 9. Two sides of triangles are 5 cm each and the angle between them is 120⁰. Calculate the area of the triangle.
- 10. The figure below represents a kite ABCD, AB = AD = 15 cm. The diagonals BD and AC intersect at O. AC = 30 cm and AO = 12 cm.



Find the area of the kite

11. The diagram below represents a solid made up of a hemisphere mounted on a cone.The radius of the hemisphere are each 6 cm and the height of the cone is 9 cm.




Calculate the volume of the solid take $n = (^{22}/_7)$

12. The internal and external diameters of a circular ring are 6 cm and 8cm respectively.

Find the volume of the ring if its thickness is 2 millimeters.


2003

13. A wire of length 21 cm is bent to form the shape down in the figure below, ABCD is a rectangle and AEB is an equilateral triangle. (2mks)



If the length of AD of the rectangle is 1 ¹/₂ times its width, calculate the width of the rectangle.

- 14. The length of a hallow cylindrical pipe is 6 metres. Its external diameter is 11 cm and has a thickness of 1 cm. Calculate the volume in cm^3 of the material used to make the pipe. Take π as 3.142.
- 15. The figure below represents a hexagon of side 5 cm and 20 cm height




Find the volume of the prism.

 A cylindrical piece of wood of radius 4.2 cm and length 150 cm is cut length into two equal pieces.

Calculate the surface area of one piece

(Take π as $^{22}\!/_7$

17. The figure below is a model representing a storage container. The model whose total height is 15 cm is made up of a conical top, a hemispherical bottom and the middle part is cylindrical. The radius of the base of the cone and that of the hemisphere are each 3 cm. The height of the cylindrical part is 8cm.




- (a) Calculate the external surface area of the model
- (b) The actual storage container has a total height of 6 metres. The outside of the actual storage container is to be painted. Calculate the amount of paint required if an area of 20m² requires 0.75 litres of the paint.
- 18. A garden measures 10m long and 8 m wide. A path of uniform width is made all round the garden. The total area of the garden and the paths is 168 m².
 - (a) Find the width of the path
 - (b) The path is to be covered with square concrete slabs. Each corner of the path is covered with a slab whose side is equal to the width of the path.

The rest of the path is covered with slabs of side 50 cm. The cost of making each corner slab is Kshs 600 while the cost of making each smaller slab is Kshs 50.

Calculate

- (i) The number of smaller slabs used
- (ii) The total cost of the slabs used to cover the whole path

19. A cylindrical solid of radius 5 cm and length 12 cm floats lengthwise in water to a depth of 2.5 cm as shown in the figure below.



Calculate the area of the curved surface of the solid in contact with water, correct to 4 significant figures

- 20. Two cylindrical containers are similar. The larger one has internal cross- section area of 45 cm² and can hold 0.945 litres of liquid when full. The smaller container has internal cross- section area of 20 cm²
 - (a) Calculate the capacity of the smaller container
 - (b) The larger container is filled with juice to a height of 13 cm. Juice is then drawn from is and

emptied into the smaller container until the depths of the juice in both containers are equal.

Calculate the depths of juice in each container.

- (c) On fifth of the juice in the larger container in part (b) above is further drawn and emptied into the smaller container. Find the difference in the depths of the juice in the two containers.
- 22. A metal bar is a hexagonal prism whose length is 30 cm, the cross section is a regular hexagon with each side of length 6 cm

Find

- (i) The area of the hexagonal face (3mks)
- (ii) The volume of the metal bar (2mks)
- 23. A cylindrical water tank of diameter 7 metres and height 2.8 metres
- (a) Find the capacity of the water tank in litres
- (b) Six members of family use 15 litres each per day. Each day 80 litres are sued for cooking and washing and a further 60 litrese are wasted.

Find the number of complete days a full tank would last the family (2mks)

- (c) Two members of the family were absent for 90 days. During the 90 days wastage was reduced by 20% but cooking and washing remained the same. Calculate the number of days a full tank would now last the family
- 24. Pieces of soap are packed in a cuboid container measuring 36 cm by 24 cm by 18 cm. Each piece of soap is a similar to the container. If the linear scale factor between the container and the soap is 1/6 find the volume of each piece of soap.
- 25. A pyramid of height 10cm stands, on a square base ABCD of side 6 cm.
- (a) Draw a sketch of the pyramid
- (b) Calculate the perpendicular distance from the vertex to the side AB.

TOPIC 5

QUADRATIC EQUATIONS

PAST KCSE QUESTIONS ON THE TOPIC

1.	Sim	olify
----	-----	-------

2x - 2	÷	<u>x – 1</u>
$6x^2 - x - 1$	12	2x - 3

2. Solve the simultaneous equations

$$2x - y = 3$$

$$x^2 - xy = -4$$

3. Find the value of x in the following equations:

 $49_{x\,+\,1}+\,7_{2x}=350$

4. Simplify completely $3x^2 - 1 - 2x + 1$ $x^2 - 1 - x + 1$

5. Factorize completely
$$3x^2 - 2xy - y^2$$

6. Factorize
$$a^2 - b^2$$

Hence find the exact value of $2557^2 - 2547^2$

- 7. If $x^2 + y^2 = 29$ and x + y = 3 (a) Determine the values of
 - (i) $x^2 + 2xy + y^2$
 - (ii) 2xy
 - (iii) $x^2 2xy + y^2$

(iv) x - y(b) Find the value of x and y

8. Simplify the expression $3a^2 + 4ab + b^2$

WWW.KCPE-KCSE.COM

 $4a^2+3ab-b^2\\$

9. (a) Write an expression in terms of x and y for the total value of a two digit

number having x as the tens digit and y as the units digit.

- b) The number in (a) above is such that three times the sum of its digits is less than the value of the number by 8. When the digits are reversed the value of the number increases by 9. Find the number xy.
- 10. Simplify the expression $\begin{array}{l}
 \underline{2a^2 - 3 \ ab - 2b^2} \\
 4a^2 - b^2 \\
 11. Simplify the expression
 \begin{array}{l}
 \underline{9t^2 - 25a^2} \\
 6t^2 + 19 \ at + 15a^2
 \end{array}$
- 12. Simplify
 - $\frac{\mathbf{P}^2 + 2pq + q^2}{\mathbf{P}^3 pq^2 + p^2q q^3}$
- 13. Expand the expression $(x^2 y^2) (x^2 + y^2) (x^4 y^4)$
- 14. The sum of two numbers x and y is 40. Write down an expression, in terms of x, for the sum of the squares of the two numbers.

Hence determine the minimum value of $x^2 + y^2$

15. Simplify the expression $15a^2b - 10ab^2$

 $-5ab+2b^2$

- 16. Four farmers took their goats to the market Mohamed had two more goats than Ali Koech had 3 times as many goats as Mohamed. Whereas Odupoy had 10 goats less than both Mohamed and Koech.
 - (i) Write a simplified algebraic expression with one variable. Representing the total number of goats

(ii) Three butchers bought all the goats and shared them equally. If each butcher got

17 goats. How many did Odupoy sell to the butchers?

- 17. Find the value of x which satisfies the equation $16^{2x} = 8^{4x-3}$
- 18. Mary has 21 coins whose total value is Kshs 72. There are twice as many five shillings coins as there are ten shillings coins. The rest one shilling coins. Find the number of ten shilling coins that Mary has.
- 19. Simplify the expression

<u>x-1</u>	-	2x + 1
х		3x

Hence solve the equation $\underline{x-1} - \underline{2x+1} = \underline{2}$

- x 3x 3
- 20. Given that $P=3^y$ express the equation

 $3^{2y-1} + 2 \ge 3^{y-1} = 1$ in terms of P.

Hence or otherwise find the value of y in the equation $3^{2y-1} + 2 \ge 3^{y-1} = 1$

21. Simplify the expression

$$\frac{4x^2 - y^2}{2x^2 - 7xy + 3y}$$

22. Three years ago Juma was three times as old as Ali. In two years time the sum of their ages will be 62. Determine their present ages.

- 23. Simplify $\underline{x} 2 \underline{2x} + 20 x + 2 = x^2 4$
- 24. If the expression $25y^2 70y + d$ is a perfect square, where d is a constant, find the value of d

TOPIC 6

INEQUALITIES

PAST KCSE QUESTIONS ON THE TOPIC

- 1. Find the range of x if $2 \le 3 x < 5$
- 2. Find all the integral values of x which satisfy the inequalities:

2(2-x) < 4x - 9 < x + 11

- 3. Solve the inequality and show the solution
 - $3 2x \ge x \le 2x + 5$ on the number line

- 4. Solve the inequality $\underline{x-3} + \underline{x-5} \le \underline{4x+6} 1$
 - 4 6 8
- 5. A family is planning a touring holiday, during which time (x days) will be spent walking and the rest of the time (y days) in traveling by bus. Each day they can walk 30 km or travel 80 km by bus and they wish to travel at least 600 km altogether.

The holiday must not last more than 14 days. Each day walking will cost Kshs. 200 and each day traveling by bus will cost Kshs. 1400. The holiday must not cost more than Kshs 9800

- (a) Write down all the inequalities in x and y based on the above facts
- (b) Represent the inequalities graphically
- (c) Use the graph to determine the integral values of x and y which give
 - (i) The cheapest holiday
 - (ii) The longest distance traveled

WWW.KCPE-KCSE.COM


³

TOPIC 7

CIRCLES


PAST KCSE QUESTIONS ON THE TOPIC

1. In the figure below CP= CQ and \langle CQP = 160⁰. If ABCD is a cyclic quadrilateral,




2. In the figure below AOC is a diameter of the circle centre O; AB = BC and < ACD =

 25^{0} , EBF is a tangent to the circle at B.G is a point on the minor arc CD.




- (a) Calculate the size of
 - (i) < BAD
 - (ii) The Obtuse < BOD
 - (iii) < BGD
- (b) Show the $\langle ABE = \langle CBF.$ Give reasons
- 3. In the figure below PQR is the tangent to circle at Q. TS is a diameter and TSR and QUV are straight lines. QS is parallel to TV. Angles $SQR = 40^{\circ}$ And angle $TQV = 55^{\circ}$




Find the following angles, giving reasons for each answer

- (a) QST
- (b) QRS
- (c) QVT
- (d) UTV
- 4. In the figure below, QOT is a diameter. $QTR = 48^{\circ}$, $TQR = 76^{\circ}$ and $SRT = 37^{\circ}$




Calculate

- (a) <RST
- (b) <SUT
- (c) Obtuse <ROT
- 5. In the figure below, points O and P are centers of intersecting circles ABD and BCD respectively. Line ABE is a tangent to circle BCD at B. Angle $BCD = 42^{\circ}$



(a) Stating reasons, determine the size of


- (i) <CBD
- (ii) Reflex <BOD
- (b) Show that \triangle ABD is isosceles
- 6. The diagram below shows a circle ABCDE. The line FEG is a tangent to the circle at point E. Line DE is parallel to CG, $\langle DEC = 28^{\circ}$ and $\langle AGE = 32^{\circ}$



WWW.KCPE-KCSE.COM


Calculate:

- (a) < AEG
- (b) < ABC
- 7. In the figure below R, T and S are points on a circle centre O PQ is a tangent to the circle at T. POR is a straight line and $\angle QPR = 20^{\circ}$



Find the size of \angle RST

8. The figure below shows a circle centre O and a point Q which is outside the circle



Using a ruler and a pair of compasses, only locate a point on the circle such that

angle $OPQ = 90^{\circ}$

LINEAR MOTION

PAST KCSE QUESTION ON THE TOPIC

- Two towns P and Q are 400 km apart. A bus left P for Q. It stopped at Q for one hour and then started the return journey to P. One hour after the departure of the bus from P, a trailer also heading for Q left P. The trailer met the returning bus ³/₄ of the way from P to Q. They met t hours after the departure of the bus from P.
 - (a) Express the average speed of the trailer in terms of t
 - (b) Find the ration of the speed of the bus so that of the trailer.
- 2. The athletes in an 800 metres race take 104 seconds and 108 seconds respectively to complete the race. Assuming each athlete is running at a constant speed.Calculate the distance between them when the faster athlete is at the finishing line.
- 3. A and B are towns 360 km apart. An express bus departs form A at 8 am and maintains an average speed of 90 km/h between A and B. Another bus starts from B also at 8 am and moves towards A making four stops at four equally spaced points between B and A. Each stop is of duration 5 minutes and the average speed between any two spots is 60 km/h. Calculate distance between the two buses at 10 am.
- 4. Two towns A and B are 220 km apart. A bus left town A at 11. 00 am and traveled towards B at 60 km/h. At the same time, a matatu left town B for town A and traveled at 80 km/h. The matatu stopped for a total of 45 minutes on the way before meeting the bus. Calculate the distance covered by the bus before meeting the matatu.

5. A bus travels from Nairobi to Kakamega and back. The average speed from Nairobi to Kakamega is 80 km/hr while that from Kakamega to Nairobi is 50 km/hr, the fuel consumption is 0.35 litres per kilometer and at 80 km/h, the consumption is 0.3 litres per kilometer .Find

i) Total fuel consumption for the round trip ii)Average fuel consumption per hour for the round trip.

- 6. The distance between towns M and N is 280 km. A car and a lorry travel from M to N. The average speed of the lorry is 20 km/h less than that of the car. The lorry takes 1h 10 min more than the car to travel from M and N.
 - (a) If the speed of the lorry is x km/h, find x (5mks)
 - (b) The lorry left town M at 8: 15 a.m. The car left town M and overtook the lorry at 12.15 p.m. Calculate the time the car left town M.
- 7. A bus left Mombasa and traveled towards Nairobi at an average speed of 60 km/hr. after 21/2 hours; a car left Mombasa and traveled along the same road at an average speed of 100 km/ hr. If the distance between Mombasa and Nairobi is

500 km, Determine

- (a) (i) The distance of the bus from Nairobi when the car took off (2mks)
 - (ii) The distance the car traveled to catch up with the bus
- (b) Immediately the car caught up with the bus
- (c) The car stopped for 25 minutes. Find the new average speed at which the car traveled in order to reach Nairobi at the same time as the bus.

8. A rally car traveled for 2 hours 40 minutes at an average speed of 120 km/h. The car consumes an average of 1 litre of fuel for every 4 kilometers.

A litre of the fuel costs Kshs 59

Calculate the amount of money spent on fuel

- 9. A passenger notices that she had forgotten her bag in a bus 12 minutes after the bus had left. To catch up with the bus she immediately took a taxi which traveled at 95 km/hr. The bus maintained an average speed of 75 km/ hr. determine
 - (a) The distance covered by the bus in 12 minutes
 - (b) The distance covered by the taxi to catch up with the bus
- 10. The athletes in an 800 metre race take 104 seconds and 108 seconds respectively to complete the race. Assuming each athlete is running at a constant speed. Calculate the distance between them when the faster athlete is at the finishing line.
- 11. Mwangi and Otieno live 40 km apart. Mwangi starts from his home at 7.30 am and cycles towards Otieno's house at 16 km/ h Otieno starts from his home at

8.00 and cycles at 8 km/h towards Mwangi at what time do they meet?

- 12. A train moving at an average speed of 72 km/h takes 15 seconds to completely cross a bridge that is 80m long.
 - (a) Express 72 km/h in metres per second

(b) Find the length of the train in metres **FORM 3**

TOPIC 1

QUADRATIC EXPRESSIONS AND EQUATIONS

PAST KCSE QUESTIONS ON THE TOPIC

1. The table shows the height metres of an object thrown vertically upwards varies with the time t seconds

The relationship between s and t is represented by the equations $s = at^2 + bt + 10$ where b are constants.

t	0	1	2	3	4	5	6	7	8	9	10
S		45.1									

(a) (i) Using the information in the table, determine the values of a and b

(2 marks)

(ii) Complete the table (1 mark)

(b)(i) Draw a graph to represent the relationship between s and t (3 marks)

(ii) Using the graph determine the velocity of the object when t = 5 seconds

2. (a) Construct a table of value for the function $y = x^2 - x - 6$ for $-3 \le x \le 4$

(b) On the graph paper draw the graph of the function

 $Y=x^2-x-6 \text{ for } -3 \leq x \leq 4$

(c) By drawing a suitable line on the same grid estimate the roots of the equation $x^2 + 2x - 2 = 0$

- 3. (a) Draw the graph of $y=6+x-x^2$, taking integral value of x in $-4 \le x \le 5$. (The grid is provided. Using the same axes draw the graph of y = 2 2x
 - (b) From your graphs, find the values of X which satisfy the simultaneous equations $y = 6 + x x^2$

$$y = 2 - 2x$$

(c) Write down and simplify a quadratic equation which is satisfied by the values of x where the two graphs intersect.

Х	-2	-1.5	-1	0	1	2	3	4	5
x ²		-3.4	-1	0	1		27	64	125
-5x ²	-20	-11.3	-5	0	-1	-20	-45		
2x	-4	-3		0	2	4	6	8	10
9	9	9	9	9	9	9	9	9	99
		-8.7			9	7		-3	

4. (a) Complete the following table for the equation $y = x^3 - 5x^2 + 2x + 9$

- (b) On the grid provided draw the graph of $y = x^3 5x^2 + 2x + 9$ for $-2 \le x \le 5$
- (c) Using the graph estimate the root of the equation $x^3 5x^2 + 2 + 9 = 0$ between x =

2 and x = 3

- (d) Using the same axes draw the graph of y = 4 4x and estimate a solution to the equation $x^2 5x^2 + 6x + 5 = 0$
- 5. (a) Complete the table below, for function $y = 2x^2 + 4x 3$

X	-4	-3	-2	-1	0	1	2

$2x^2$	32	8	2	0	2	
4x - 3		-11		-3		5
у		-3			3	13

(b) On the grid provided, draw the graph of the function $y=2x^2 + 4x - 3$ for

 $-4 \le x \le 2$ and use the graph to estimate the rots of the equation $2x^2+4x-3$

$$= 0 \text{ to } 1 \text{ decimal place.}$$
(2mks)

In order to solve graphically the equation $2x^2 + x - 5 = 0$, a straight line must be (c) drawn to intersect the curve $y = 2x^2 + 4x - 3$. Determine the equation of this straight line, draw the straight line hence obtain the roots.

 $2x^2 + x - 5$ to 1 decimal place.

(a) (i) Complete the table below for the function $y = x^3 + x^2 - 2x$ (2mks) 6.

X	-3	-2.5	-2	-1.5	-1	-0.5	0	0.5	1	2	2.5
X 3		15.63				-0.13			1		
X 2			4					0.25			6.25
-2x						1			-2		
У				1.87				0.63			16.88

- On the grid provided, draw the graph of $y = x^3 + x^2 2x$ for the (ii) values of x in the interval $-3 \le x \le 2.5$
- (iii) State the range of negative values of x for which y is also negative
- (b) Find the coordinates of two points on the curve other than (0, 0) at which
 - x- coordinate and y- coordinate are equal WWW.KCPE-KCSE.COM

7. The table shows some corresponding values of x and y for the curve represented by $Y = \frac{1}{4}$

x3 -2

X	-3	-2	-1	0	1	2	3
Y	-8.8	-4	-2.3	-2	-1.8	0	4.8


On the grid provided below, draw the graph of $y = \frac{1}{4} x^2 - 2$ for $-3 \le x \le 3$. Use the graph to estimate the value of x when y = 2

- 8. A retailer planned to buy some computers form a wholesaler for a total of Kshs 1,800,000.
 Before the retailer could buy the computers the price per unit was reduced by Kshs 4,000.
 This reduction in price enabled the retailer to buy five more computers using the same amount of money as originally planned.
 - (a) Determine the number of computers the retailer bought
 - (b) Two of the computers purchased got damaged while in store, the rest were sold and the retailer made a 15% profit Calculate the profit made by the

retailer on each computer sold

9. The figure below is a sketch of the graph of the quadratic function y = k

x+1) (x-2)



Find the value of k 10. (a) Draw the graph of $y=x^2 - 2x + 1$ for values $-2 \le x \le 4$

(b) Use the graph to solve the equations $x^2 - 4 = 0$ abd line y = 2x + 5

- 11. (a) Draw the graph of $y = x^3 + x^2 2x$ for $-3 \le x \le 3$ take scale of 2cm to represent 5 units as the horizontal axis
 - (b) Use the graph to solve $x^3 + x^2 6 4 = 0$ by drawing a suitable linear graph on the same axes.

12. Solve graphically the simultaneous equations 3x - 2y = 5 and 5x + y = 17 **TOPIC 2**

APPROXIMATION AND ERRORS

(

PAST KCSE QUESTIONS ON THE TOPIC

1. (a) Work out the exact value of R = 1_____

0.003146 - 0.003130

(b) An approximate value of R may be obtained by first correcting each of the

decimal in the denominator to 5 decimal places

- (i) The approximate value
- (ii) The error introduced by the approximation
- 2. The radius of circle is given as 2.8 cm to 2 significant figures
 - (a) If C is the circumference of the circle, determine the limits between which $_{/\pi lies}^{C}$
 - (b) By taking ∏ to be 3.142, find, to 4 significant figures the line between which the circumference lies.
- 3. The length and breath of a rectangular floor were measured and found to be 4.1 m and 2.2 m respectively. If possible error of 0.01 m was made in each of the measurements, find the:

(a) Maximum and minimum possible area of the floor

(b) Maximum possible wastage in carpet ordered to cover the

whole floor 4. In this question Mathematical Tables should not be used

The base and perpendicular height of a triangle measured to the nearest centimeter are 6 cm and 4 cm respectively.

Find

- (a) The absolute error in calculating the area of the triangle
- (b) The percentage error in the area, giving the answer to 1 decimal place
- 5. By correcting each number to one significant figure, approximate the value of 788 x0.006. Hence calculate the percentage error arising from this approximation.

6. A rectangular block has a square base whose side is exactly 8 cm. Its height measured to the nearest millimeter is 3.1 cm

Find in cubic centimeters, the greatest possible error in calculating its volume.

- Find the limits within the area of a parallegram whose base is 8cm and height is 5 cmlies. Hence find the relative error in the area
- 8. Find the minimum possible perimeter of a regular pentagon whose side is 15.0cm.
- 9. Given the number 0.237
- (i) Round off to two significant figures and find the round off error
- (ii) Truncate to two significant figures and find the truncation error
- 10. The measurements a = 6.3, b = 15.8, c = 14.2 and d = 0.00173 have maximum possible errors of 1%, 2%, 3% and 4% respectively. Find the maximum possible percentage error in ad_{bc} correct to 1sf.

TOPIC 3

TRIGONOMETRY 1

PAST KCSE QUESTIONS ON THE TOPIC 1

1. Solve the equation

 $\operatorname{Sin} \underline{5} \,\theta = -\underline{1} \,\operatorname{for} \,0^0 \le 0 \le 180^0$

2 2

- 2. Given that $\sin \theta = \frac{2}{3}$ and is an acute angle find:
 - (a) Tan θ giving your answer in surd form
 - (b) $\operatorname{Sec}^2 \theta$
- 3. Solve the equation $2 \sin^2(x-30^0) = \cos 60^0$ for $-180^0 \le x \le 180^0$

- 4. Given that $\sin (x + 30)^0 = \cos 2x^0$ for 0^0 , $0^0 \le x \le 90^0$ find the value of x. Hence find the value of $\cos^2 3x^0$.
- 5. Given that sin a = $\underline{1}$ where a is an acute angle find, without using

v5


Mathematical tables

- (a) Cos a in the form of aVb, where a and b are rational numbers
- (b) Tan $(90^0 a)$.
- 6. Give that x° is an angle in the first quadrant such that $8 \sin^2 x + 2 \cos x 5 = 0$

Find:

- (a) Cos x
- (b) tan x

7. Given that $\cos 2x^0 = 0.8070$, find x when $0^0 \le x \le 360^0$ 8 The figure below shows a quadrilateral ABCD in which AB = 8 cm, DC = 12 cm,




Find:

(a) The length of BD

(b) The size of the angle ADB

9. The diagram below represents a school gate with double shutters. The shutters are such opened through an angle of 63° .


The edges of the gate, PQ and RS are each 1.8 m



Calculate the shortest distance QS, correct to 4 significant figures

10. The figure below represents a quadrilateral piece of land ABCD divided into three

triangular plots. The lengths BE and GD are 100m and 80m respectively. Angle




- (a) Find to four significant figures:
- (i) The length of AE

- (ii) The length of AD
- (iii) The perimeter of the piece of land
- (b) The plots are to be fenced with five strands of barbed wire leaving an entrance of 2.8 m wide to each plot. The type of barbed wire to be used is sold in rolls of lengths 480m. Calculate the number of rolls of barbed wire that must be bought to complete the fencing of the plots.
- 11. Given that x is an acute angle and $\cos x = 2\sqrt{5}$, find without using mathematical


5

tables or a calculator, $\tan(90 - x)^0$.



Calculate the length of CN to 1 decimal place.

13. In the diagram below PA represents an electricity post of height 9.6 m. BB and RC represents two storey buildings of heights 15.4 m and 33.4 m respectively. The angle of depression of A from B is 5.5° While the angle of elevation of C from B is 30.5° and BC = 35m.



- (a) Calculate, to the nearest metre, the distance AB
- (b) By scale drawing find,
 - (i) The distance AC in metres
 - (ii) \angle BCA and hence determine the angle of depression of A from C

TOPIC 4

SURDS AND FURTHER LOGARITHM

PAST KCSE QUESTIONS ON THE TOPIC

1. Without using logarithm tables, find the value of x in the equation

 $Log x^3 + log 5x = 5 log 2 - log \underline{2}$

5

2. Simplify $(1 \div \sqrt{3}) (1 - \sqrt{3})$

Hence evaluate $1 _$ to 3 s.f. given that $\sqrt{3} = 1.7321$

- 3. If $\sqrt{14}$ $\sqrt{14}$ = av7 + bv2
 - $\sqrt{7}-\sqrt{2}$ $\sqrt{7}+\sqrt{2}$


Find the values of a and b where a and b are rational numbers.

- 4. Find the value of x in the following equation $49^{(x+1)} + 7^{(2x)} = 350$
- 5. Find x if $3 \log 5 + \log x^2 = \log 1/125$
- 6. Simplify as far as possible leaving your answer inform of a surd

_____ - ______

v14 - 2v3 v14 + 2v3

- 7. Given that $\tan 75^0 = 2 + \sqrt{3}$, find without using tables $\tan 15^0$ in the form p+q \sqrt{m} , where p, q and m are integers.
- 8. Without using mathematical tables, simplify



9. Simplify $\underline{3} + \underline{1}$ leaving the answer in the form $a + b \sqrt{c}$, where a, b and c

$$\sqrt{5}$$
 -2 $\sqrt{5}$

are rational numbers

10. Given that $P = 3^y$ express the questions $3^{2y-1} + 2 \ge 3^{(y-1)} = 1$ in terms of P Hence or otherwise find the value of y in the equation: $3^{(2y-1)} + 2 \ge 3^{(y-1)} = 1$

11. Solve for $(\log^3 x)^2 - \frac{1}{2} \log_3 x = 3/2$

12. Find the values of x which satisfy the equation $5^{2x} - 6(5^x) + 5 = 0$

13. Solve the equation

Log (x + 24) - 2 log 3 = log (9-2x)

TOPIC 5

COMMERCIAL ARITHMETIC

PAST KCSE QUESTIONS ON THE TOPIC

- A business woman opened an account by depositing Kshs. 12,000 in a bank on 1st July 1995. Each subsequent year, she deposited the same amount on 1st July. The bank offered her 9% per annum compound interest. Calculate the total amount in her account on
 - (a) 30^{th} June 1996
 - (b) 30^{th} June 1997
- A construction company requires to transport 144 tonnes of stones to sites A and B. The company pays Kshs 24,000 to transport 48 tonnes of stone for every 28 km. Kimani transported 96 tonnes to a site A, 49 km away.
 - (a) Find how much he paid
 - (b) Kimani spends Kshs 3,000 to transport every 8 tonnes of stones to site. Calculate his total profit.
 - (c) Achieng transported the remaining stones to sites B, 84 km away. If she made 44% profit, find her transport cost.
- 3. The table shows income tax rates

Monthly taxable pay	Rate of tax Kshs in 1 K£
1 - 435	2
436 - 870	3
871-1305	4
1306 - 1740	5
Excess Over 1740	6

A company employee earn a monthly basic salary of Kshs 30,000 and is also given taxable allowances amounting to Kshs 10, 480.

- (a) Calculate the total income tax
- (b) The employee is entitled to a personal tax relief of Kshs 800 per month.Determine the net tax.
- (c) If the employee received a 50% increase in his total income, calculate the corresponding percentage increase on the income tax.
- 4. A house is to be sold either on cash basis or through a loan. The cash price is Kshs.750, 000. The loan conditions area as follows: there is to be down payment of 10% of the cash price and the rest of the money is to be paid through a loan at 10% per annum compound interest.

A customer decided to buy the house through a loan.

(a) (i) Calculate the amount of money loaned to the customer. (ii) The customer paid the loan in 3 year's. Calculate the total amount

paid for the house.

- (b) Find how long the customer would have taken to fully pay for the house if she paid a total of Kshs 891,750.
- 5. A businessman obtained a loan of Kshs. 450,000 from a bank to buy a matatu valued at the same amount. The bank charges interest at 24% per annum compound quarterly
 - (a) Calculate the total amount of money the businessman paid to clear the loan in $1\frac{1}{2}$ years.
 - (b) The average income realized from the matatu per day was Kshs. 1500. The matatu worked for 3 years at an average of 280 days year. Calculate the total income from the matatu.
 - (c) During the three years, the value of the matatu depreciated at the rate of 16% per annum. If the businessman sold the matatu at its new value, calculate the total profit he realized by the end of three years.
- 6. A bank either pays simple interest as 5% p.a or compound interest 5% p.a on deposits. Nekesa deposited Kshs P in the bank for two years on simple interest terms. If she had deposited the same amount for two years on compound interest terms, she would have earned Kshs 210 more.

Calculate without using Mathematics Tables, the values of P

(a) A certain sum of money is deposited in a bank that pays simple interest at a certain rate. After 5 years the total amount of money in an account is Kshs 358 400. The interest earned each year is 12 800
 Calculate

- (i) The amount of money which was deposited (2mks)(ii) The annual rate of interest that the bank paid (2mks)
- (b) A computer whose marked price is Kshs 40,000 is sold at Kshs 56,000 on hire purchase terms.
- (i) Kioko bought the computer on hire purchase term. He paid a deposit of 25% of the hire purchase price and cleared the balance by equal monthly installments of Kshs 2625. Calculate the number of installments (3mks)
- (ii) Had Kioko bought the computer on cash terms he would have been allowed a discount of 12 ½ % on marked price. Calculate the difference between the cash price and the hire purchase price and express as a percentage of the cash price
- (iii) Calculate the difference between the cash price and hire purchase price and express it as a percentage of the cash price.
- 8. The table below is a part of tax table for monthly income for the year 2004

Monthly taxable income	Tax rate percentage
In (Kshs)	(%) in each shillings
Under Kshs 9681	10%
From Kshs 9681 but under 18801	15%
From Kshs 18801 but 27921	20%

In the tax year 2004, the tax of Kerubo's monthly income was Kshs 1916.

Calculate Kerubo's monthly income

- 9. The cash price of a T.V set is Kshs 13, 800. A customer opts to buy the set on hire purchase terms by paying a deposit of Kshs 2280.
 If simple interest of 20 p. a is charged on the balance and the customer is required to repay by 24 equal monthly installments. Calculate the amount of each installment.
- 10. A plot of land valued at Kshs. 50,000 at the start of 1994.

Thereafter, every year, it appreciated by 10% of its previous years value find:

- (a) The value of the land at the start of 1995
- (b) The value of the land at the end of 1997
- 11. The table below shows Kenya tax rates in a certain year.

Income K £ per annum	Tax rates Kshs per K £
1-4512	2
4513 - 9024	3
9025 - 13536	4
13537 - 18048	5
18049 - 22560	6
Over 22560	6.5

In that year Muhando earned a salary of Kshs. 16510 per month. He was entitled to a monthly tax relief of Kshs. 960

Calculate

- (a) Muhando's annual salary in K \pounds
- (b) (i) The monthly tax paid by Muhando in Kshs
 14. A tailor intends to buy a sewing machine which costs Kshs 48,000. He borrows the money from a bank. The loan has to be repaid at the end of the second year. The bank charges an interest at the rate of 24% per annum compounded half yearly. Calculate the total amount payable to the bank.
- 15. The average rate of depreciation in value of a water pump is 9% per annum. After three complete years its value was Kshs 150,700. Find its value at the start of the three year period.
- 16. A water pump costs Kshs 21600 when new, at the end of the first year its value depreciates by 25%. The depreciation at the end of the second year is 20% and thereafter the rate of depreciation is 15% yearly. Calculate the exact value of the water pump at the end of the fourth year.


TOPIC 6

CIRCLES, CHORDS AND TANGENTS

PAST KCSE QUESTIONS ON THE TOPIC


1. The figure below represents a circle a diameter 28 cm with a sector subtending an angle


of 75^0 at the centre.



Find the area of the shaded segment to 4 significant figures

- (a) <PST
- 2. The figure below represents a rectangle PQRS inscribed in a circle centre 0 and radius






Calculate


- (a) The length PS of the rectangle
- (b) The angle POS
- (c) The area of the shaded region
- 3. In the figure below, BT is a tangent to the circle at B. AXCT and BXD are straight

lines. AX = 6 cm, CT = 8 cm, BX = 4.8 cm and XD = 5 cm.



Find the length of

- (a) XC
- (b) BT
- The figure below shows two circles each of radius 7 cm, with centers at X and Y.
 The circles touch each other at point Q.




Given that $\langle AXD = \langle BYC = 120^{\circ}$ and lines AB, XQY and DC are parallel,

calculate the area of:


- a) Minor sector XAQD (Take $\pi^{22}/_{7}$)
- b) The trapezium XABY
- c) The shaded regions.

5. The figure below shows a circle, centre, O of radius 7 cm. TP and TQ are tangents to the circle at points P and Q respectively. OT =25 cm.



Calculate the length of the chord PQ


6. The figure below shows a circle centre O and a point Q which is outside the circle



Using a ruler and a pair of compasses, only locate a point on the circle such that angle $OPQ = 90^{\circ}$

7. In the figure below, PQR is an equilateral triangle of side 6 cm. Arcs QR, PR and


PQ arcs of circles with centers at P, Q and R respectively.



Calculate the area of the shaded region to 4 significant figures

8. In the figure below AB is a diameter of the circle. Chord PQ intersects AB at N.

A tangent to the circle at B meets PQ produced at R.



Given that PN = 14 cm, NB = 4 cm and BR = 7.5 cm, calculate the length of:

- (a) NR
- (b) AN

TOPIC 7

MATRICES

PAST KCSE QUESTIONS ON THE TOPIC

1. A and B are two matrices. If A = 1 2 find B given that $A^2 = A + B$

4 3

- 2. Given that A=1 3, B=3 1, C=p 0 and AB=BC, determine the value of P
 - 5 3 5 -1 0 q
- 3. A matrix A is given by A = x = 0WWW.KCPE-KCSE.COM

a) Determine A^2

4.

- (b) In a certain week a businessman bought 36 bicycles and 32 radios for total of Kshs 227 280. In the following week, he bought 28 bicycles and 24 radios for a total of Kshs 174 960. Using matrix method, find the price of each bicycle and each radio that he bought
- (c) In the third week, the price of each bicycle was reduced by 10% while the price of each radio was raised by 10%. The businessman bought as many bicycles and as many radios as he had bought in the first two weeks.
 Find by matrix method, the total cost of the bicycles and radios that the businessman bought in the third week.
- 5. Determine the inverse T^{-1} of the matrix $\begin{pmatrix} 1 & 2 \end{pmatrix}$

1 -1

Hence find the coordinates to the point at which the two lines x + 2y=7 and x-y=1

6. Given that
$$A = \begin{pmatrix} 0 & -1 \end{pmatrix}$$
 and $B = -1 \begin{pmatrix} 0 \\ 0 \end{pmatrix}$
WWW.KCPE-KCSE.COM

3 2 2 -4

Find the value of x if (i)

A - 2x = 2B

- (ii) 3x 2A = 3B
- (iii) 2A 3B = 2x
- 7. Find the non-zero value of k for which $\begin{pmatrix} k+1 & 2 & is \\ 4k & 2k \end{pmatrix}$
- A clothes dealer sold 3 shirts and 2 trousers for Kshs. 840 and 4 shirts and 5 trousers for Kshs 1680. Form a matrix equation to represent the above information. Hence find the cost of 1 shirt and the cost of 1 trouser.

TOPIC 8

FORMULAE AND VARIATIONS

PAST KCSE QUESTIONS ON THE TOPIC

1. The volume Vcm^3 of an object is given by

$$V = \underline{2} \pi r^{3} \underline{1} \left(2 \right)$$

$$3 \quad sc^{2}$$

Express in term of π r, s and V

2. Make V the subject of the formula

$$\mathbf{T} = \underline{\mathbf{1}} \mathbf{m} \left(\mathbf{u}^2 - \mathbf{v}^2 \right)$$

- 3. Given that $y = b bx^2$ make x the subject $cx^2 a$
- 4. Given that $\log y = \log (10^n)$ make n the subject
- 5. A quantity T is partly constant and partly varies as the square root of S.
 - i. Using constants a and b, write down an equation connecting T and S.
 - ii. If S = 16, when T = 24 and S = 36 when T = 32, find the values of the constants a and b,
- 6. A quantity P is partly constant and partly varies inversely as a quantity q, given that p = 10 when q = 1.5 and p = 20, when q = 1.25, find the value of p when q = 0.5
- 7. Make y the subject of the formula p = xy

х-у

8. Make P the subject of the formula

 $P^2 = (P - q) (P - r)$

9. The density of a solid spherical ball varies directly as its mass and inversely as the cube of its radius

When the mass of the ball is 500g and the radius is 5 cm, its density is 2 g per cm^3

Calculate the radius of a solid spherical ball of mass 540 density of 10g per cm³

10. Make s the subject of the formula

$$\sqrt{\mathbf{P}} = \mathbf{r} \qquad 1 - \mathbf{a}\mathbf{s}^2$$

11. The quantities t, x and y are such that t varies directly as x and inversely as the square root of y. Find the percentage in t if x decreases by 4% when y increases by 44%

12. Given that y is inversely proportional to x^n and k as the constant of proportionality;

- (a) (i) Write down a formula connecting y, x, n and k
 - (ii) If x = 2 when y = 12 and x = 4 when y = 3, write down two expressions for k in terms of n.

Hence, find the value of n and k.

- (b) Using the value of n obtained in (a) (ii) above, find y when $x = 5^{1/3}$
- 13. The electrical resistance, R ohms of a wire of a given length is inversely proportional to the square of the diameter of the wire, d mm. If R = 2.0 ohms when d = 3mm. Find the vale R when d = 4 mm.
- 14. The volume Vcm³ of a solid depends partly on r and partly on r where rcm is one of the dimensions of the solid.

When r = 1, the volume is 54.6 cm³ and when r = 2, the volume is 226.8 cm³

- (a) Find an expression for V in terms of r
- (b) Calculate the volume of the solid when r = 4
- (c) Find the value of r for which the two parts of the volume are equal
- 15. The mass of a certain metal rod varies jointly as its length and the square of its radius. A rod 40 cm long and radius 5 cm has a mass of 6 kg. Find the mass of a similar rod of length 25 cm and radius 8 cm.

- 16. Make x the subject of the formula
 - $P = \underline{xy}$ z + x
- 17. The charge c shillings per person for a certain service is partly fixed and partly inversely proportional to the total number N of people.
 - (a) Write an expression for c in terms on N
 - (b) When 100 people attended the charge is Kshs 8700 per person while for

35 people the charge is Kshs 10000 per person.

(c) If a person had paid the full amount charge is refunded. A group of people paid but ten percent of organizer remained with Kshs 574000.

Find the number of people.

- 18. Two variables A and B are such that A varies partly as B and partly as the square root of B given that A=30, when B=9 and A=16 when B=14, find A when B=36.
- 19. Make p the subject of the formula

A = <u>-EP</u>

 $\nu P^2 + N$

TOPIC 9

SEQUENCE AND SERIES

PAST KCSE QUESTIONS ON THE TOPIC

- The first, the third and the seventh terms of an increasing arithmetic progression are three consecutive terms of a geometric progression. In the first term of the arithmetic progression is 10 find the common difference of the arithmetic progression.
- 2. Kubai saved Kshs 2,000 during the first year of employment. In each subsequent year, he saved 15% more than the preceding year until he retired.

(a) How much did he save in the second year?

(b) How much did he save in the third year?

(c) Find the common ratio between the savings in two consecutive years (d) How many years did he take to save the savings a sum of Kshs 58,000?

(e) How much had he saved after 20 years of service?

3. In geometric progression, the first is a and the common ratio is r. The sum of the first two terms is 12 and the third term is 16. (a) Determine the ratio ar^2

a + ar

(b) If the first term is larger than the second term, find the value of r. 4. (a)(a) The first term of an arithmetic progression is 4 and the last term is 20. The

sum of the term is 252. Calculate the number of terms and the common differences of the arithmetic progression

- (b) An Experimental culture has an initial population of 50 bacteria. The population increased by 80% every 20 minutes. Determine the time it will take to have a population of 1.2 million bacteria.
- 5. Each month, for 40 months, Amina deposited some money in a saving scheme. In the first month she deposited Kshs 500. Thereafter she increased her deposits by

Kshs. 50 every month.

Calculate the:

- a) Last amount deposited by Amina
- b) Total amount Amina had saved in the 40 months.
- 6. A carpenter wishes to make a ladder with 15 cross- pieces. The cross- pieces are to diminish uniformly in length from 67 cm at the bottom to 32 cm at the top.

Calculate the length in cm, of the seventh cross- piece from the bottom

- 7. The second and fifth terms of a geometric progression are 16 and 2 respectively.Determine the common ratio and the first term.
- 8. The eleventh term of an arithmetic progression is four times its second term. The sum of the first seven terms of the same progression is 175
- a) Find the first term and common difference of the progression
- b) Given that pth term of the progression is greater than 124, find the least value of P

- 9. The n^{th} term of sequence is given by 2n + 3 of the sequence
- a) Write down the first four terms of the sequence
- b) Find s_n the sum of the fifty term of the sequence
- c) Show that the sum of the first n terms of the sequence is given by

$$S_n = n^2 + 4n$$

Hence or otherwise find the largest integral value of n such that Sn <725


TOPIC 10

VECTORS

PAST KCSE QUESTIONS ON THE TOPIC

1. The figure below is a right pyramid with a rectangular base ABCD and VO as the height.

The vectors AD=a, AB=b and DV=v




- a) Express
 - (i) AV in terms of a and c
 - (ii) BV in terms of a, b and c
- (b) M is point on OV such that OM: MV=3:4, Express BM in terms of a, b and c.

Simplify your answer as far as possible

- 2. In triangle OAB, OA = a OB = b and P lies on AB such that AP: BP = 3.5
 - (a) Find the terms of a and b the vectors
 - (i) AB
 - (ii) AP
 - (iii) BP
 - (iv) OP
 - (b) Point Q is on OP such AQ = -5 + 9

Find the ratio OQ: QP

3. The figure below shows triangle OAB in which M divides OA in the ratio 2: 3 and N divides OB in the ratio 4:1 AN and BM intersect at X




- (a) Given that OA = a and OB = b, express in terms of a and b:
- (i) AN
- (ii) BM
- (b) If AX = s AN and BX = tBM, where s and t are constants, write two expressions for OX in terms of a,b s and t

Find the value of s

Hence write OX in terms of a and b

- 4. The position vectors for points P and Q are 4 I + 3 j + 6 j + 6 k respectively. Express vector PQ in terms of unit vectors I, j and k. Hence find the length of PQ, leaving your answer in simplified surd form.
- 5. In the figure below, vector OP = P and OR = r. Vector OS = 2r and $OQ = \frac{3}{2p}$.



a) Express in terms of p and r (i) QR and (ii) PS

b) The lines QR and PS intersect at K such that QK = m QR and PK = n PS, where m and n are scalars. Find two distinct expressions for OK in terms

of p,r,m and n. Hence find the values of m and n.

- c) State the ratio PK: KS
- 6. Point T is the midpoint of a straight line AB. Given the position vectors of A and T are i-j
 + k and 2i+ 1¹/₂ k respectively, find the position vector of B in terms of i, j and k
- 7. A point R divides a line PQ internally in the ration 3:4. Another point S, divides the line PR externally in the ration 5:2. Given that PQ = 8 cm, calculate the length of RS, correct to 2 decimal places.
- 8. The points P, Q, R and S have position vectors 2p, 3p, r and 3r respectively, relative to an origin O. A point T divides PS internally in the ratio 1:6
 - (a) Find, in the simplest form, the vectors OT and QT in terms p and r
 - (b) (i) Show that the points Q, T, and R lie on a straight line
 - (ii) Determine the ratio in which T divides QR
- 9. Two points P and Q have coordinates (-2, 3) and (1, 3) respectively. A translation map point P to P' (10, 10)


- (a) Find the coordinates of Q' the image of Q under the translation
- (b) The position vector of P and Q in (a) above are p and q respectively given

```
that mp - nq = \begin{bmatrix} 12 \end{bmatrix}
```

Find the value of m and n 10. Given that q i + $\frac{1}{3}$ j + $\frac{2}{3}$ k is a unit vector, find q

9

11. In the diagram below, the coordinates of points A and B are (1, 6) and (15, 6) respectively). Point N is on OB such that 3 ON = 2 OB. Line OA is produced to L




- (a) Find vector LN
- (b) Given that a point M is on LN such that LM: MN = 3: 4, find the

coordinates of M

- (c) If line OM is produced to T such that OM: MT = 6:1
 - (i) Find the position vector of T
 - (ii) Show that points L, T and B are collinear
- 12. In the figure below, OQ = q and OR = r. Point X divides OQ in the ratio 1: 2 and

Y divides OR in the ratio 3: 4 lines XR and YQ intersect at E.




- (a) Express in terms of q and r
 - (i) XR
 - (ii) YQ

(b) If XE = m XR and YE = n YQ, express OE in terms of:

- (i) r, q and m
- (ii) r, q and n


(c) Using the results in (b) above, find the values of m and n.

- 13. Vector q has a magnitude of 7 and is parallel to vector p. Given that $p=3 i -j + 1 \frac{1}{2} k$, express vector q in terms of i, j, and k.
- 14. In the figure below, OA = 3i + 3j ABD OB = 8i j. C is a point on AB such that AC:CB 3:2, and D is a point such that OB//CD and 2OB = CD (T17)




Determine the vector DA in terms of I and j

15. In the figure below, KLMN is a trapezium in which KL is parallel to NM and KL



Given that KN = w, NM = u and ML = v. Show that 2u = v + w

- 16. The points P, Q and R lie on a straight line. The position vectors of P and R are 2i + 3j + 13k and 5i 3j + 4k respectively; Q divides SR internally in the ratio 2: 1. Find the
 - (a) Position vector of Q
 - (b) Distance of Q from the origin
- 17. Co-ordinates of points O, P, Q and R are (0, 0), (3, 4), (11, 6) and (8, 2) respectively. A point T is such that the vector OT, QP and QR satisfy the vector equation OT = QP $\frac{1}{2}$ QT. Find the coordinates of T.
- 18. In the figure below OA = a, OB = b, AB = BC and OB: BD = 3:1




- (a) Determine
 - (i) AB in terms of a and b
 - (ii) CD, in terms of a and b

(b) If CD: DE = 1 k and OA: AE = 1m determine

- (i) DE in terms of a, b and k
- (ii) The values of k and m

19. The figure below shows a grid of equally spaced parallel lines



AB = a and BC = b

- (ii) AD in terms of a and b
- (b) Using triangle BEP, express BP in terms of a and b
- (c) PR produced meets BA produced at X and PR = $^{1}/_{9}b ^{8}/_{3}a$ By writing PX as kPR and BX as hBA and using the triangle BPX determine the ratio PR: RX
- 20. The position vectors of points x and y are x = 2i + j 3k and y = 3i + 2j 2k respectively. Find XY
- 21. Given that X = 2i + j 2K, y = -3i + 4j k and z = 5i + 3j + 2k and that p = 3x y + j 2k

2z, find the magnitude of vector p to 3 significant figures. **TOPIC 11**

BINOMIAL EXPRESSION

PAST KCSE QUESTIONS ON THE TOPIC

- 1. (a) Write down the simplest expansion $(1 + x)^6$
 - (b) Use the expansion up to the fourth term to find the value of $(1.03)^6$ to the nearest one thousandth.
- 2. Use binomial expression to evaluate $(0.96)^5$ correct to 4 significant figures.
- 3. Expand and simplify $(3x y)^4$ hence use the first three terms of the expansion to proximate the value of $(6 0.2)^4$
- 4. Abdi and Amoit were employed at the begging of the same year. Their annual salaries in shillings progressed as follows

Abdi: 60000, 64800, 69600

Amoit: 60000, 64800, 69984

- (a) Calculate Abdi's annual salary increment and hence write down an expression for his annual salary in his nth year of employment?
- (b) Calculate Amoit's annual percentage rate of salary increment and hence write down an expression for her annual salary in her nth year employment?
- (c) Calculate the difference in the annual salary for Abdi and Amoit in their 7th year of employment.
- 5. Use binomial expression to evaluate

the coefficients as fractions in their simplest form.

(b) Use the first three terms of the expression in (a) above to estimate the

value of
$$\begin{pmatrix} 1 \ \underline{1} \\ 20 \end{pmatrix}^5$$

- 7. (a) Expand $(a-b)^6$
 - (b) Use the first three terms of the expansion in (a) above to find the approximate value of $(1.98)^6$
- 8. Expand $(2 + x)^5$ in ascending powers of x up to the term in x^3 hence approximate the value of $(2.03)^5$ to 4 s.f

9. (a) Expand $(1 + x)^5$

Hence use the expansion to estimate $(1.04)^5$ correct to 4 decimal places (b) Use the expansion up to the fourth term to find the value of $(1.03)^6$ to the nearest one thousandth.

10. Expand and Simplify $(1-3x)^5$ up to the term in x^3

Hence use your expansion to estimate $(0.97)^5$ correct to decimal places.

11. Expand $(1 + a)^5$

Use your expansion to evaluate $(0.8)^5$ correct to four places of decimal

- 12. (a) Expand $(1 + x)^5$
 - (b) Use the first three terms of the expansion in (a) above to find the approximate value of $(0.98)^5$

TOPIC 12

PROBABILITY

PAST KCSE QUESTIONS ON THE TOPIC

 The probabilities that a husband and wife will be alive 25 years from now are 0.7 and 0.9 respectively.

Find the probability that in 25 years time,

- (a) Both will be alive
- (b) Neither will be alive
- (c) One will be alive
- (d) At least one will be alive
- 2. A bag contains blue, green and red pens of the same type in the ratio 8:2:5 respectively. A pen is picked at random without replacement and its colour noted
 - (a) Determine the probability that the first pen picked is
 - (i) Blue
 - (ii) Either green or red
 - (b) Using a tree diagram, determine the probability that
 - (i) The first two pens picked are both green
 - (ii) Only one of the first two pens picked is red.
- 3. A science club is made up of boys and girls. The club has 3 officials. Using a tree diagram or otherwise find the probability that:
 - (a) The club officials are all boys

(b) Two of the officials are girls


- 4. Two baskets A and B each contain a mixture of oranges and limes, all of the same size. Basket A contains 26 oranges and 13 limes. Basket B contains 18 oranges and 15 limes. A child selected a basket at random and picked a fruit at a random from it.
 - (a) Illustrate this information by a probabilities tree diagram
 - (b) Find the probability that the fruit picked was an orange.
- 5. In form 1 class there are 22 girls and boys. The probability of a girl completing the secondary education course is 3 whereas that of a boy is 2/3
 - (a) A student is picked at random from class. Find the possibility that,
 - (i) The student picked is a boy and will complete the course
 - (ii) The student picked will complete the course
 - (b) Two students are picked at random. Find the possibility that they are a boy and a girl and that both will not complete the course.
- Three representatives are to be selected randomly from a group of 7 girls and 8 boys. Calculate the probability of selecting two girls and one boy.
- 7. A poultry farmer vaccinated 540 of his 720 chickens against a disease. Two months later, 5% of the vaccinated and 80% of the unvaccinated chicken, contracted the disease. Calculate the probability that a chicken chosen random contacted the disease.
- 8. The probability of three darts players Akinyi, Kamau, and Juma hitting the bulls eye are 0.2, 0.3 and 1.5 respectively.

- (a) Draw a probability tree diagram to show the possible outcomes
- (b) Find the probability that:
- (i) All hit the bull's eye
- (ii) Only one of them hit the bull's eye
- (iii) At most one missed the bull's eye
- 9. (a) An unbiased coin with two faces, head (H) and tail (T), is tossed three

times, list all the possible outcomes.

Hence determine the probability of getting:

- (i) At least two heads
- (ii) Only one tail
- (b) During a certain motor rally it is predicted that the weather will be either dry (D) or wet (W). The probability that the weather will be dry is estimated to be $^{7}/_{10}$. The probability for a driver to complete (C) the rally during the dry weather is estimated to be $^{5}/_{6}$. The probability for a driver to complete the rally during wet weather is estimated to be $^{1}/_{10}$. Complete the probability tree diagram given below.



What is the probability that:

- (i) The driver completes the rally?
- (ii) The weather was wet and the driver did not complete the rally?
- 10. There are three cars A, B and C in a race. A is twice as likely to win as B while B is twice as likely to win as c. Find the probability that.
 - (a) A wins the race
 - (b) Either B or C wins the race.
- 11. In the year 2003, the population of a certain district was 1.8 million. Thirty per cent of the population was in the age group 15 40 years. In the same year,

120,000 people in the district visited the Voluntary Counseling and Testing (VCT) centre for an HIV test.

If a person was selected at random from the district in this year. Find the probability that the person visited a VCT centre and was in the age group 15 - 40 years.

- 12. (a) Two integers x and y are selected at random from the integers 1 to 8. If the same integer may be selected twice, find the probability that
 - (i) |x y| = 2
 - (ii) |x y| is 5 or more
 - (iii) x>y
 - (b) A die is biased so that when tossed, the probability of a number r showing up, is given by $p \otimes Kr$ where K is a constant and r = 1, 2, 3, 4, 5 and 6 (the number on the faces of the die

WWW.KCPE-KCSE.COM

- (i) Find the value of K
- (ii) If the die is tossed twice, calculate the probability that the total

score is 11

- Two bags A and B contain identical balls except for the colours. Bag A contains 4 red balls and 2 yellow balls. Bag B contains 2 red balls and 3 yellow balls.
 - (a) If a ball is drawn at random from each bag, find the probability that both balls are of the same colour.
 - (b) If two balls are drawn at random from each bag, one at a time without replacement, find the probability that:
 - (i) The two balls drawn from bag A or bag B are red
 - (ii) All the four balls drawn are red
- 14. During inter school competitions, football and volleyball teams from Mokagu high school took part. The probability that their football and volleyball teams would win were 3/8 and 4/7 respectively.

Find the probability that

- (a) Both their football and volleyball teams
- (b) At least one of their teams won
- 15. A science club is made up of 5 boys and 7 girls. The club has 3 officials. Using a tree diagram or otherwise find the probability that:
 - (a) The club officials are all boys
 <u>WWW.KCPE-KCSE.COM</u>

- (b) Two of the officials are girls
- 16. Chicks on Onyango's farm were noted to have either brown feathers brown or black tail feathers. Of those with black feathers 2/3 were female while ²/₅ of those with brown feathers were male. Otieno bought two chicks from Onyango. One had black tail feathers while the other had brown find the probability that Otieno's chicks were not of the same gender
- 17. Three representatives are to be selected randomly from a group of 7 girls and 8 boys. Calculate the probability of selecting two girls and one boy
- 18. The probability that a man wins a game is ³/₄. He plays the game until he wins.Determine the probability that he wins in the fifth round.
- 19. The probability that Kamau will be selected for his school's basketball team is $\frac{1}{4}$. If he is selected for the basketball team. Then the probability that he will be selected for football is $\frac{1}{3}$ if he is not selected for basketball then the probability that he is selected for football is $\frac{4}{5}$. What is the probability that Kamau is selected for at least one of the two games?
- 20. Two baskets A and B each contains a mixture of oranges and lemons. Baskets A contains 26 oranges and 13 lemons. Baskets B contains 18 oranges and 15 lemons. A child selected a basket at random and picked at random a fruit from it.

Determine the probability that the fruit picked was an orange.

TOPIC 13

COMPOUND PROPORTION AND MIXTURES

PAST KCSE QUESTIONS ON THE TOPIC

 Akinyi bought and beans from a wholesaler. She then mixed the maize and beans the ratio 4:3 she brought the maize as Kshs. 12 per kg and the beans 4 per kg. If she was to make a profit of 30% what should be the selling price of 1 kg of the

mixture?

2. A rectangular tank of base 2.4 m by 2.8 m and a height of 3 m contains 3,600 liters of water initially. Water flows into the tank at the rate of 0.5 litres per second

Calculate the time in hours and minutes, required to fill the tank

3. A company is to construct a parking bay whose area is 135m². It is to be covered with concrete slab of uniform thickness of 0.15. To make the slab cement. Ballast and sand are to be mixed so that their masses are in the ratio 1: 4: 4. The mass of m³ of dry slab is 2, 500kg.

Calculate

- (a) (i) The volume of the slab
 - (ii) The mass of the dry slab
 - (iii) The mass of cement to be used
- (b) If one bag of the cement is 50 kg, find the number of bags to be purchased

- (c) If a lorry carries 7 tonnes of sand, calculate the number of lorries of sand to be purchased.
- 4. The mass of a mixture A of beans and maize is 72 kg. The ratio of beans to maize is 3:5 respectively
 - (a) Find the mass of maize in the mixture
 - (b) A second mixture of B of beans and maize of mass 98 kg in mixed with A. The final ratio of beans to maize is 8:9 respectively. Find the ratio of beans to maize in B
- 5. A retailer bought 49 kg of grade 1 rice at Kshs. 65 per kilogram and 60 kg of gradeII rice at Kshs 27.50 per kilogram. He mixed the tow types of rice.
 - (a) Find the buying price of one kilogram of the mixture
 - (b) He packed the mixture into 2 kg packets
 - (i) If he intends to make a 20% profit find the selling price per packet
 - (ii) He sold 8 packets and then reduced the price by 10% in order to attract customers. Find the new selling price per packet.
 - (iii) After selling 1/3 of the remainder at reduced price, he raised the price so as to realize the original goal of 20% profit overall. Find the selling price per packet of the remaining rice.
- 6. A trader sells a bag of beans for Kshs 1,200. He mixed beans and maize in the ration 3: 2. Find how much the trader should he sell a bag of the mixture to realize the same profit?

7. Pipe A can fill an empty water tank in 3 hours while, pipe B can fill the same tank in 6 hours, when the tank is full it can be emptied by pipe C in 8 hours. Pipes A and B are opened at the same time when the tank is empty.

If one hour later, pipe C is also opened, find the total time taken to fill the tank8. A solution whose volume is 80 litres is made 40% of water and 60% of alcohol.

When litres of water are added, the percentage of alcohol drops to 40%

- (a) Find the value of x
- (b) Thirty litres of water is added to the new solution. Calculate the percentage
- (c) If 5 litres of the solution in (b) is added to 2 litres of the original solution, calculate in the simplest form, the ratio of water to that of alcohol in the resulting solution
- 9. A tank has two inlet taps P and Q and an outlet tap R. when empty, the tank can be filled by tap P alone in 4 ½ hours or by tap Q alone in 3 hours. When full, the tank can be emptied in 2 hours by tap R.
 - (a) The tank is initially empty. Find how long it would take to fill up the tank
 - (i) If tap R is closed and taps P and Q are opened at the same time

(2mks)

- (ii) If all the three taps are opened at the same time
- (b) The tank is initially empty and the three taps are opened as follows
 P at 8.00 a.m
 Q at 8.45 a.m
 R at 9.00 a.m

- (i) Find the fraction of the tank that would be filled by 9.00 a.m (ii)Find the time the tank would be fully filled up
- 10. Kipketer can cultivate a piece of land in 7 hrs while Wanjiru can do the same work in 5 hours. Find the time they would take to cultivate the piece of land when working together.
- Mogaka and Ondiso working together can do a piece of work in 6 days. Mogaka,
 working alone, takes 5 days longer than Onduso. How many days does it take

Onduso to do the work alone.

- 12. Wainaina has two dairy farms A and B. Farm A produces milk with 3 ¹/₄ percent fat and farm B produces milk with 4 ¹/₄ percent fat.
 - (a) (i) The total mass of milk fat in 50 kg of milk from farm A and 30kg of milk from farm B.
 - (ii) The percentage of fat in a mixture of 50 kg of milk A and 30 kg of milk fromB
 - (b) Determine the range of values of mass of milk from farm B that must be used in a 50 kg mixture so that the mixture may have at least 4 percent fat.

13. A construction firm has two tractors T_1 and T_2 . Both tractors working together can complete the work in 6 days while T_1 alone can complete the work in 15 days.

After the two tractors had worked together for four days, tractor T1 broke down. Find the time taken by tractor T_2 complete the remaining work.

- 14. The points P, Q, R and S have position vectors 2p, 3 p, r and 3r respectively, relative to an origin O. A point T divides PS internally in the ratio 1: 6 (a) Find in the simplest form, the vectors OT and QT in terms of P and r
 - (b) (i) Show that the points Q, T and R lie on a straight line.
 - (ii) Determine the ratio in which T divides QR.

TOPIC 14

GRAPHICAL METHODS

PAST KCSE QUESTIONS ON THE TOPIC

 The table shows the height metres of an object thrown vertically upwards varies with the time t seconds

The relationship between s and t is represented by the equations $s = at^2 + bt + 10$ where b are constants.

t	0	1	2	3	4	5	6	7	8	9	10
s		45.1						49.9			-80

(c) (i) Using the information in the table, determine the values of a and b

- (ii) Complete the table
- (b) (i) Draw a graph to represent the relationship between s and t
 - (ii) Using the graph determine the velocity of the object when t = 5 seconds
- 2. Data collected form an experiment involving two variables X and Y was recorded as shown in the table below

х	1.1	1.2	1.3	1.4	1.5	1.6
у	-0.3	0.5	1.4	2.5	3.8	5.2

The variables are known to satisfy a relation of the form $y = ax^3 + b$ where a and b are constants

- (a) For each value of x in the table above, write down the value of x^3
- (b) (i) By drawing a suitable straight line graph, estimate the values of a and b WWW.KCPE-KCSE.COM

(ii) Write down the relationship connecting y and x

3. Two quantities P and r are connected by the equation $p = kr^n$. The table of values

of P and r is given below.

Р	1.2	1.5	2.0	2.5	3.5	4.5
r	1.58	2.25	3.39	4.74	7.86	11.5


- (a) State a liner equation connecting P and r.
- (b) Using the scale 2 cm to represent 0.1 units on both axes, draw a suitable line graph on the grid provided. Hence estimate the values of K and n.
- 4. The points which coordinates (5,5) and (-3,-1) are the ends of a diameter of a circle centre A

Determine:

(a) The coordinates of A

The equation of the circle, expressing it in form $x^2 + y^2 + ax + by + c = 0$ where a, b, and c are constants each computer sold

5. The figure below is a sketch of the graph of the quadratic function y = k



Find the value of k


6. The table below shows the values of the length X (in metres) of a pendulum and the corresponding values of the period T (in seconds) of its oscillations obtained in an experiment.

X (metres)	0.4	1.0	1.2	1.4	1.6
T (seconds)	1.25	2.01	2.19	2.37	2.53

(a) Construct a table of values of log X and corresponding values of log T,

correcting each value to 2 decimal places

- (b) Given that the relation between the values of log X and log T approximate to a linear law of the form $m \log X + \log a$ where a and b are constants
 - (i) Use the axes on the grid provided to draw the line of best fit for the




1 second.

 Data collection from an experiment involving two variables x and y was recorded as shown in the table below

X	1.1	1.2	1.3	1.4	1.5	1.6
Y	-0.3	0.5	1.4	2.5	3.8	5.2

The variables are known to satisfy a relation of the form $y = ax^3 + b$ where a and b are constants

- (a) For each value of x in the table above. Write down the value of x^3
- (b) (i) By drawing s suitable straight line graph, estimate the values of a and b (ii)Write down the relationship connecting y and x
- 8. Two variables x and y, are linked by the relation $y = ax^n$. The figure below shows part of the straight line graph obtained when log y is plotted against log x.



Calculate the value of a and n

9. The luminous intensity I of a lamp was measured for various values of voltage v across it. The results were as shown below

V(volts)	30	36	40	44	48	50	54
L (Lux)	708	1248	1726	2320	3038	3848	4380

It is believed that V and l are related by an equation of the form $l = aV^n$ where a and n are constant.

(a) Draw a suitable linear graph and determine the values of a and n <u>WWW.KCPE-KCSE.COM</u>

- (b) From the graph find
- (i) The value of I when V = 52
- (ii) The value of V when I = 2800
- 10. In a certain relation, the value of A and B observe a relation $B = CA + KA^2$ where C and K are constants. Below is a table of values of A and B

A	1	2	3	4	5	6
В	3.2	6.75	10.8	15.1	20	25.2

- (a) By drawing a suitable straight line graphs, determine the values of C and K.
- (b) Hence write down the relationship between A and B
- (c) Determine the value of B when A = 7
- 11. The variables P and Q are connected by the equation $P = ab^q$ where a and b are constants. The value of p and q are given below

Р	6.56	17.7	47.8	129	349	941	2540	6860
q	0	1	2	3	4	5	6	7

- (a) State the equation in terms of p and q which gives a straight line graph
- (b) By drawing a straight line graph, estimate the value of constants a and b and give your answer correct to 1 decimal place.


FORM FOUR WORK

TOPIC 1

MATRICES AND TRANSFORMATIONS

PAST KCSE QUESTIONS ON THE TOPIC

- 1. Matrix p is given by $\begin{pmatrix} 1 & 2 \\ 4 & 3 \end{pmatrix}$
 - (a) Find P^{-1}
 - (b) Two institutions, Elimu and Somo, purchase beans at Kshs. B per bag and maize at Kshs m per bag. Elimu purchased 8 bags of beans and 14 bags of maize for Kshs 47,600. Somo purchased 10 bags of beans and 16 of maize for Kshs. 57,400
 - (c) The price of beans later went up by 5% and that of maize remained constant.Elimu bought the same quantity of beans but spent the same total amount of money as before on the two items. State the new ratio of beans to maize.
- 2. A triangle is formed by the coordinates A (2, 1) B (4, 1) and C (1, 6). It is rotated clockwise through 90^{0} about the origin. Find the coordinates of this image.
- 3. On the grid provided on the opposite page A (1, 2) B (7, 2) C (4, 4) D (3, 4) is a trapezium



(a) ABCD is mapped onto A'B'C'D' by a positive quarter turn. Draw the imageA'B'C'D on the grid

(b) A transformation -2 $\begin{pmatrix} 1 & maps A'B'C'D & onto A''B''C''D'' & Find the coordinates \\ 0 & 1 & of A''B''C''D'' \end{pmatrix}$

4. A triangle T whose vertices are A (2, 3) B (5, 3) and C (4, 1) is mapped onto triangle T¹ whose vertices are A¹ (-4, 3) B¹ (-1, 3) and C¹ (x, y) by a

Transformation
$$M = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

Find the: (i) Matrix M of the transformation

2

a)

(ii) Coordinates of C₁

b) Triangle T is the image of triangle T under a reflection in the line y = x.

WWW.KCPE-KCSE.COM

Find a single matrix that maps T and T_2

- 5. Triangles ABC is such that A is (2, 0), B (2, 4), C (4, 4) and A"B"C" is such that
 - A" is (0, 2), B" (-4 10) and C "is (-4, -12) are drawn on the Cartesian plane

Triangle ABC is mapped onto A"B"C" by two successive transformations

$$R = a b \qquad \left(\begin{array}{c} \\ c \\ d \\ Followed \\ by \\ P = \left(\begin{array}{c} \\ 0 \\ -1 \end{array} \right) \right)$$


-1 0

- a) Find R
- b) Using the same scale and axes, draw triangles A'B'C', the image of

triangle ABC under transformation R

Describe fully, the transformation represented by matrix R

6. Triangle ABC is shown on the coordinates plane below



a) Given that A (-6, 5) is mapped onto A (6,-4) by a shear with y- axis

invariant

(i) Draw triangle A'B'C', the image of triangle ABC under the shear

WWW.KCPE-KCSE.COM

- (ii) Determine the matrix representing this shear
- b) Triangle A B C is mapped on to A" B" C" by a transformation defined by the matrix $\begin{pmatrix} -1 \\ 0 \end{pmatrix}$
 - (i) Draw triangle A" B" C"

(ii) Describe fully a single transformation that maps ABC onto A"B" C"

7. Determine the inverse T⁻¹ of the matrix $\begin{pmatrix} 1 \\ 2 \\ 1 \\ -1 \end{pmatrix}$

Hence find the coordinates to the point at which the two lines \mathbf{x}

$$+ 2y = 7$$
 and x - y = 1

8. Given that
$$A = \begin{bmatrix} 0 & -1 \\ 0 & -1 \end{bmatrix}$$
 and $B = \begin{bmatrix} -1 & 0 \\ -4 & -4 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & -4 \end{bmatrix}$

Find the value of x if (i) A-

 $2\mathbf{x} = 2\mathbf{B}$

(ii) 3x - 2A = 3B

(iii) 2A - 3B = 2x

9. The transformation R given by the matrix

- a) Determine the matrix A giving a, b, c and d as fractions
- b) Given that A represents a rotation through the origin determine the angle of rotation.
- c) S is a rotation through 180 about the point (2, 3). Determine the image of
 - (1, 0) under S followed by R.

TOPIC 2

STATISTICS

PAST KCSE QUESTIONS ON THE TOPIC

1. Every week the number of absentees in a school was recorded. This was done for

39 weeks these observations were tabulated as shown below

Number of absentees	0.3	4 -7	8 -11	12 - 15	16 - 19	20 - 23
(Number of weeks)	6	9	8	11	3	2

Estimate the median absentee rate per week in the school

2. The table below shows high altitude wind speeds recorded at a weather station in a period of 100 days.

Wind speed (knots)	0 - 19	20 - 39	40 - 59	60-79	80- 99	100-119	120-139	140-159	160-179
Frequency (days)	9	19	22	18	13	11	5	2	1

(a) On the grid provided draw a cumulative frequency graph for the data

- (b) Use the graph to estimate
 - (i) The interquartile range
 - (ii) The number of days when the wind speed exceeded 125 knots
- 3. Five pupils A, B, C, D and E obtained the marks 53, 41, 60, 80 and 56 respectively. The table below shows part of the work to find the standard deviation.

Pupil	Mark x	x - a	$(x-a)^2$
А	53	-5	
В	41	-17	
С	60	2	
D	80	22	
Е	56	-2	

WWW.KCPE-KCSE.COM

- (a) Complete the table
- (b) Find the standard deviation
- 4. In an agricultural research centre, the length of a sample of 50 maize cobs were measured and recorded as shown in the frequency distribution table below.

Length in cm	Number of cobs
8-10	4
11 – 13	7
14 – 16	11
17 – 19	15
20 - 22	8
23 - 25	5

Calculate

- (a) The mean
- (b) (i) The variance
 - (ii) The standard deviation
- The table below shows the frequency distribution of masses of 50 new- born calves in a ranch

Mass (kg)	Frequency
15 – 18	2
19-22	3
23 – 26 27 – 30	10 14
31 – 34	13
35 - 38	6

WWW.KCPE-KCSE.COM

- (a) On the grid provided draw a cumulative frequency graph for the data
- (b) Use the graph to estimate
 - (i) The median mass
 - (ii) The probability that a calf picked at random has a mass lying between 25 kg and 28 kg.
- 6. The table below shows the weight and price of three commodities in a given period

Commodity	W	eightPrice Relatives	
Х	3	125	
Y	4	164	
Z	2	140	

Calculate the retail index for the group of commodities.

- 7. The number of people who attended an agricultural show in one day was 510 men, 1080 women and some children. When the information was represented on a pie chart, the combined angle for the men and women was 216⁰. Find the angle representing the children.
- 8. The mass of 40 babies in a certain clinic were recorded as follows:

<u>Mass in Kg</u>	No. of babies.
1.0 - 1.9	6
2.0 - 2.9	14
3.0 - 3.9	10

WWW.KCPE-KCSE.COM

4.0 – 4.9	7
5.0 - 5.9	2
6.0 - 6.9	1


Calculate

- (a) The inter quartile range of the data.
- (b) The standard deviation of the data using 3.45 as the assumed mean.
- 9. The data below shows the masses in grams of 50 potatoes

Mass (g)	25-34	35-44	45 - 54	55-64	65 - 74	75-84	85-94
No of potatoes	3	6	16	12	8	4	1

(a) On the grid provide, draw a cumulative frequency curve for the data

- (b) Use the graph in (a) above to determine
 - (i) The 60^{th} percentile mass
 - (ii) The percentage of potatoes whose masses lie in the range 53g to68g
- 10. The histogram below represents the distribution of marks obtained in a test. The bar marked A has a height of 3.2 units and a width of 5 units. The bar marked B has a height of 1.2 units and a width of 10 units



If the frequency of the class represented by bar B is 6, determine the frequency of the class represented by bar A.

11. A frequency distribution of marks obtained by 120 candidates is to be represented in a histogram. The table below shows the grouped marks. Frequencies for all the groups and also the area and height of the rectangle for the group 30 - 60 marks.

Marks	0-10	10-30	30-60	60-70	70-100
Frequency	12	40	36	8	24
Area of rectangle			180		
Height of rectangle			6		

(a) (i) Complete the table

- (ii) On the grid provided below, draw the histogram
- (b) (i) State the group in which the median mark lies
 - (ii) A vertical line drawn through the median mark divides the total area of the

histogram into two equal parts

Using this information or otherwise, estimate the median mark


12. In an agriculture research centre, the lengths of a sample of 50 maize cobs were measured and recorded as shown in the frequency distribution table below

Length in cm	Number of cobs
8-10	4
11-13	7
14 – 16	11
17- 19	15
20 - 22	8
23-25	5

Calculate

- (a) The mean
- (b) (i) The variance
 - (ii) The standard deviation
- 12. The table below shows the frequency distribution of masses of 50 newborn calves in a ranch.

Mass (kg)	Frequency
15 – 18	2
19-22	3
23 - 26	10
27 – 30	14
31- 34	13
35 - 38	6
39 - 42	2



- (b) Use the graph to estimate
- (i) The median mass
- (ii) The probability that a calf picked at random has a mass lying

between 25 kg and 28 kg

14. The table shows the number of bags of sugar per week and their moving averages

Number of bags per week	340	330	X	343	350	345
Moving averages		331	332	у	346	


- (a) Find the order of the moving average
- (b) Find the value of X and Y axis

TOPIC 3

LOC1

PAST KCSE QUESTIONS ON THE TOPIC

- 1. Using ruler and compasses only, construct a parallelogram ABCD such that AB = 10cm, BC = 7 cm and $< ABC = 105^{\circ}$. Also construct the loci of P and Q within the parallel such that $AP \le 4$ cm, and $BC \le 6$ cm. Calculate the area within the parallelogram and outside the regions bounded by the loci.
- Use ruler and compasses only in this question The diagram below shows three points
 A, B and D
 - (a) Construct the angle bisector of acute angle BAD
 - (b) A point P, on the same side of AB and D, moves in such a way that < APB = 22 $\frac{1}{2}^{0}$ construct the locus of P
 - (c) The locus of P meets the angle bisector of < BAD at C measure < ABC




- 3. Use a ruler and a pair of compasses only for all constructions in this question.
 - (a) On the line BC given below, construct triangle $\langle ABC \rangle$ such that $\langle ABC \rangle$

 30^0 and BA = 12 cm



(b) Construct a perpendicular from A to meet BC produced at D. Measure CD

- (c) Construct triangle A'B'C' such that the area of triangle A'B'C is the three quarters of the area of triangle ABC and on the same side of BC as triangle ABC.
- (d) Describe the lucus of A'
- 4. Use a ruler and compasses in this question. Draw a parallegram ABCD in which AB = 8 cm, BC = 6 cm and BAD = 75° . By construction, determine the perpendicular distance between AB and CD.
- 5. In this question use a ruler and a pair of compasses.
 - (a) Line PQ drawn below is part of a triangle PQR. Construct the triangle PQR in which $< QPR = 30^{\circ}$ and line PR = 8 cm



(b) On the same diagram construct triangle PRS such that points S and Q are no the opposite sides of PR < PS = PS and QS = 8 cm


C) A point T is on the a line passing through R and parallel to QS. If $\langle QTS = 90^{\circ}$, locate possible positions of T and label them T₁

and T_2 , Measure the length of T_1T_2 .

- 6. (a) ABCD is a rectangle in which AB = 7.6 cm and AD = 5.2 cm. Draw the rectangle and construct the lucus of a point P within the rectangle such that P is equidistant from CB and CD (3 marks)
 - (b) Q is a variable point within the rectangle ABCD drawn in (a) above such that $60^0 \le < AQB \le 90^0$

On the same diagram, construct and show the locus of point Q, by leaving unshaded, the region in which point Q lies.

 The figure below is drawn to scale. It represents a field in the shape of an equilateral triangle of side 80m




The owner wants to plant some flowers in the field. The flowers must be at most, 60m from A and nearer to B than to C. If no flower is to be more than 40m from

BC, show by shading, the exact region where the flowers may be planted.

8. In this question use a ruler and a pair of compasses only

In the figure below, AB and PQ are straight lines




(a) Use the figure to:


- (i) Find a point R on AB such that R is equidistant from P and Q
- (ii) Complete a polygon PQRST with AB as its line of symmetry and

hence measure the distance of R from TS.

- (b) Shade the region within the polygon in which a variable point X must lie given that X satisfies the following conditions
 - 1. X is nearer to PT than to PQ
 - 2. RX is not more than 4.5 cm
 - 3. $\angle PXT > 90^{\circ}$
- 9. Four points B, C, Q and D lie on same plane. Point B is 42 km due south west of town Q. Point C is 50 km on a bearing of 560⁰ from Q. Point D is equidistant from B, Q and C.
 - (a) Using the scale: 1 cm represents 10 km, construct a diagram showing the position of B, C, Q and D
 - (b) Determine the
 - (i) Distance between B and C
 - (ii) Bearing of D from B
- 10. The diagram below represents a field PQR



- (a) Draw the locus of point equidistant from sides PQ and PR
- (b) Draw the locus of points equidistant from points P and R
- (c) A coin is lost within a region which is near to point P than R and closer to side PR than to side PQ. Shade the region where the coin can be located.
- 12. In the figure below, a line XY and three point A,B and C are as given. On the figure construct
- (a) The perpendicular bisector if AB
- (b) A point P on the line XY such that angle APB = angle ACB



TRIGONOMETRY

PAST KCSE QUESTIONS ON THE TOPIC

1. (a) Complete the table for the function $y = 2 \sin x$

X	00	100	200	300	40^{0}	50 ⁰	60 ⁰	700	800	90 ⁰	1000	1100	1200	
---	----	-----	-----	-----	----------	-----------------	-----------------	-----	-----	-----------------	------	------	------	--

Sin 3x	0	0.5000				-08660		
У	0	1.00				-1.73		

(b) (i) Using the values in the completed table, draw the graph of

 $y = 2 \sin 3x$ for $0^0 \le x \le 120^0$ on the grid provided

- (ii) Hence solve the equation $2 \sin 3x = -1.5$
- 2. Complete the table below by filling in the blank spaces

X ₀	00	300	600	900	1200	1500	1800	2100	2400	2700	3000	3300	3600
Cos x ⁰	1.00		0.50			-0.87		-0.87					
$2\cos^{1/2}x^{0}$	2.00	1.93				0.52			-1.00				-2.00

Using the scale 1 cm to represent 30° on the horizontal axis and 4 cm to represent 1 unit on the vertical axis draw, on the grid provided, the graphs of $y = \cos x^{\circ}$ and $y = 2 \cos \frac{1}{2} x^{\circ}$ on the same axis.

(a) Find the period and the amplitude of $y = 2 \cos \frac{1}{2} x^0$

(b) Describe the transformation that maps the graph of $y = \cos x^0$ on the graph of $y = 2 \cos \frac{1}{2} x^0$

2. (a) Complete the table below for the value of $y = 2 \sin x + \cos x$.

Х	0^0	300	45^{0}	60^{0}	90 ⁰	120^{0}	135 ⁰	150^{0}	180^{0}	225^{0}	270°	315 ⁰	3600
2 sin	0		1.4	1.7	2	1.7	1.4	1	0		-2	-1.4	0
х													
Cos x	1		0.7	0.5	0	-0.5	-0.7	-0.9	-1		0	0.7	1
у	1		2.1	2.2	2	1.2	0.7	0.1	-1		-2	-0.7	1

- (b) Using the grid provided draw the graph of $y=2\sin x + \cos x$ for 0^0 . Take 1cm represent 30^0 on the x- axis and 2 cm to represent 1 unit on the axis.
- (c) Use the graph to find the range of x that satisfy the inequalities

 $2 \sin x \cos x > 0.5$

4. (a) Complete the table below, giving your values correct to 2 decimal places.

X	0	10	20	30	40	50	60	70
Tan x	0							
2 x + 300	30	50	70	90	110	130	150	170
Sin ($2x + 30^{\circ}$)	0.50			1				

b) On the grid provided, draw the graphs of $y = \tan x$ and $y = \sin (2x + 30^{0})$ for $0^{0} \le x$ 70^{0}

Take scale: 2 cm for 100 on the x- axis

4 cm for unit on the y- axis

Use your graph to solve the equation $\tan x - \sin (2x + 30^0) = 0$.

5. (a) Complete the table below, giving your values correct to 2 decimal places

X ⁰	0	30	60	90	120	150	180
$2 \sin x^0$	0	1		2		1	

$1 - \cos x^0$		0.5	1		

b) On the grid provided, using the same scale and axes, draw the graphs of $y = \sin x^0$ and $y = 1 - \cos x^0 \le x \le 180^0$

Take the scale: $2 \text{ cm for } 30^0 \text{ on the x- axis}$

2 cm for I unit on the y- axis

- c) Use the graph in (b) above to
 - (i) Solve equation

 $2\sin x^{o} + \cos x^{0} = 1$

- (ii) Determine the range of values x for which $2 \sin x^{\circ} > 1 \cos x^{\circ}$
- 6. (a) Given that $y = 8 \sin 2x 6 \cos x$, complete the table below for the missing

values of y, correct to 1 decimal place.

X	00	150	300	450	600	750	90 0	1050	1200
$Y = 8 \sin 2x - 6 \cos x$	-6	-1.8		3.8	3.9	2.4	0		-3.9

b) On the grid provided, below, draw the graph of $y = 8 \sin 2x - 6 \cos 6x$

 $0^0 \le x \le 120^0$

Take the scale 2 cm for 15^0 on the x- axis

2 cm for 2 units on the y - axis

- c) Use the graph to estimate
 - (i) The maximum value of y
 - (ii) The value of x for which $4 \sin 2x 3 \cos x = 1$

- 7. Solve the equation $4 \sin (x + 30^{\circ}) = 2$ for $0 \le x \le 360^{\circ}$
- 8. Find all the positive angles not greater than 180° which satisfy the equation $\underline{\text{Sin}^2 x} - 2 \tan x = 0$

Cos x

- 9. Solve for values of x in the range $0^0 \le x \le 360^0$ if $3 \cos^2 x 7 \cos x = 6$
- 10. Simplify $9 y^2$ where $y = 3 \cos \theta$

у

- 11. Find all the values of \emptyset between 0^0 and 360^0 satisfying the equation 5 sin $\Theta = -4$
- 12. Given that sin (90 x) = 0.8. Where x is an acute angle, find without using mathematical tables the value of tan x^0
- 13. Complete the table given below for the functions $y=-3 \cos 2x^0$ and $y=2 \sin ({}^{3x}/{_2^0} + 30)$ for $0 \le x \le 180^0$

X^0	00	20^{0}	40^{0}	60^{0}	800	1000	1200	140^{0}	160^{0}	180^{0}
$-3\cos 2x^0$	-3.00	-2.30	-0.52	1.50	2.82	2.82	1.50	-0.52	-2.30	-3.00
	1.00	1.73	2.00	1.73	1.00	0.00	-1.00	-1.73	-2.00	-1.73
$2\sin(3x^0+30^0)$										

Using the graph paper draw the graphs of $y = -3 \cos 2x^0$ and $y = 2 \sin (\frac{3x}{2^0} + 30^0)$

- (a) On the same axis. Take 2 cm to represent 20^0 on the x- axis and 2 cm to represent one unit on the y axis
- (b) From your graphs. Find the roots of $3 \cos 2 x^0 + 2 \sin (\frac{3x}{2} + 30^0) = 0$
- 14. Solve the values of x in the range $0^0 \le x \le 360^0$ if $3 \cos^2 x 7\cos x = 6$
- 15. Complete the table below by filling in the blank spaces

x ⁰	00	300	60 ⁰	90	10	150 ⁰	180	210	240	270	300	330	360
Cosx ⁰	1.00		0.50			-0.87		-0.87					
$2\cos \frac{1}{2} x^0$	2.00	1.93					0.5						

Using the scale 1 cm to represent 30° on the horizontal axis and 4 cm to represent 1 unit on the vertical axis draw on the grid provided, the graphs of $y - \cos x^{\circ}$ and $y = 2 \cos \frac{1}{2} x^{\circ}$ on the same axis

(a) Find the period and the amplitude of $y = 2 \cos \frac{1}{2} x^0$


Ans. Period = 720° . Amplitude = 2

(b) Describe the transformation that maps the graph of $y = \cos x^0$ on the graph of $y = 2 \cos \frac{1}{2} x^0$

THREE DIMENSIONAL GEOMETRY


PAST KCSE QUESTIONS ON THE TOPIC

 The diagram below shows a right pyramid VABCD with V as the vertex. The base of the pyramid is rectangle ABCD, WITH ab = 4 cm and BC= 3 cm. The height of the pyramid is 6 cm.




(a) Calculate the

- (i) Length of the projection of VA on the base
- (ii) Angle between the face VAB and the base
- (b) P is the mid- point of VC and Q is the mid point of VD.Find the angle between the planes VAB and the plane ABPQ
- 2. The figure below represents a square based solid with a path marked on it.



Sketch and label the net of the solid.

3. The diagram below represents a cuboid ABCDEFGH in which FG=4.5 cm, GH=8 cm and HC=6 cm




Calculate:

(a) The length of FC

- (b) (i) The size of the angle between the lines FC and FH
 - (ii) The size of the angle between the lines AB and FH
- (c) The size of the angle between the planes ABHE and the plane FGHE
- 4. The base of a right pyramid is a square ABCD of side 2a cm. The slant edges VA, WWW.KCPE-KCSE.COM

VB, VC and VD are each of length 3a cm.

- (a) Sketch and label the pyramid
- (b) Find the angle between a slanting edge and the base
- 5. The triangular prism shown below has the sides AB = DC = EF = 12 cm. the ends are equilateral triangles of sides 10cm. The point N is the mid point of FC.



Find the length of:

- (a) (i) BN
 - (ii) EN
- (b) Find the angle between the line EB and the plane CDEF

TOPIC 6:

LATITUDES AND LONGITUDES

PAST KCSE QUESTIONS ON THE TOPIC

 An aeroplane flies from point A (1⁰ 15'S, 37⁰ E) to a point B directly North of A. the arc AB subtends an angle of 45⁰ at the center of the earth. From B, aeroplanes flies due west two a point C on longitude 23⁰ W.)

(Take the value of $\pi^{22}/_{7}$ as and radius of the earth as 6370km) <u>WWW.KCPE-KCSE.COM</u>

- (a) (i) Find the latitude of B
 - (ii) Find the distance traveled by the aeroplane between B and C
- (b) The aeroplane left at 1.00 a.m local time. When the aeroplane was leavingB, hat was the local time at C?
- 2. The position of two towns X and Y are given to the nearest degree as X (45^0 N, 10^0 W) and Y (45^0 N, 70^0 W)

Find

- (a) The distance between the two towns in
 - (i) Kilometers (take the radius of the earth as 6371) (ii) Nautical miles (take 1 nautical mile to be 1.85 km)
- (b) The local time at X when the local time at Y is 2.00 pm.
- 3. A plane leaves an airport A ($38.5^{\circ}N$, $37.05^{\circ}W$) and flies dues North to a point B on latitude $52^{\circ}N$.
 - (a) Find the distance covered by the plane
 - (b) The plane then flies due east to a point C, 2400 km from B. Determine the position of C

Take the value π of as $^{22}\!/_7$ and radius of the earth as 6370 km

- A plane flying at 200 knots left an airport A (30^oS, 31^oE) and flew due North to an airport B (30^o N, 31^oE)
 - (a) Calculate the distance covered by the plane, in nautical miles
 - (b) After a 15 minutes stop over at B, the plane flew west to an airport C (30⁰ N, 13⁰E) at the same speed.

Calculate the total time to complete the journey from airport C, though airport B.

- 5. Two towns A and B lie on the same latitude in the northern hemisphere.When its 8 am at A, the time at B is 11.00 am.
 - (a) Given that the longitude of A is 15^0 E find the longitude of B.
 - (b) A plane leaves A for B and takes $3^{1/2}$ hours to arrive at B traveling along a parallel of latitude at 850 km/h. Find:
 - (i) The radius of the circle of latitude on which towns A and B lie.
 - (ii) The latitude of the two towns (take radius of the earth to be 6371 km)
- 6. Two places A and B are on the same circle of latitude north of the equator. The longitude of A is 118⁰W and the longitude of B is 133⁰ E. The shorter distance between A and B measured along the circle of latitude is 5422 nautical miles. Find, to the nearest degree, the latitude on which A and B lie
- 7. (a) A plane flies by the short estimate route from P (10^{0} S, 60^{0} W) to Q (70^{0} N, 120^{0} E) Find the distance flown in km and the time taken if the aver age speed is 800 km/h.
 - (b) Calculate the distance in km between two towns on latitude 50^{0} S with long longitudes and 20^{0} W. (take the radius of the earth to be 6370 km)
- 8. Calculate the distance between M $(30^{0}$ N, 36^{0} E) and N $(30^{0}$ N, 144^{0} W) in nautical miles.
- (i) Over the North Pole

- (ii) Along the parallel of latitude 30^0 N
- 9. (a) A ship sailed due south along a meridian from 12^0 N to 10^030 S. Taking the earth to be a sphere with a circumference of 4 x 10^4 km, calculate in km the distance traveled by the ship.
 - (b) If a ship sails due west from San Francisco (37^o 47'N, 122^o 26'W) for distance of 1320 km. Calculate the longitude of its new position (take the radius of the earth to be 6370 km and $\pi = 22/7$).

TOPIC 7

LINEAR PROGRAMMING

PAST KCSE QUESTIONS ON THE TOPIC

- A school has to take 384 people for a tour. There are two types of buses available, type X and type Y. Type X can carry 64 passengers and type Y can carry 48 passengers. They have to use at least 7 buses.
 - (a) Form all the linear inequalities which will represent the above information.
 - (b) On the grid [provide, draw the inequalities and shade the unwanted region.
 - (c) The charges for hiring the buses are

Type X: Kshs 25,000

Type Y Kshs 20,000

Use your graph to determine the number of buses of each type that should be hired to minimize the cost.

- 2. An institute offers two types of courses technical and business courses. The institute has a capacity of 500 students. There must be more business students than technical students but at least 200 students must take technical courses. Let x represent the number of technical students and y the number of business students.
 - (a) Write down three inequalities that describe the given conditions
 - (b) On the grid provided, draw the three inequalities
 - (c) If the institute makes a profit of Kshs 2, 500 to train one technical students and Kshs
 1,000 to train one business student, determine
 - (i) The number of students that must be enrolled in each course to maximize the profit
 - (ii) The maximum profit.
- 3. A draper is required to supply two types of shirts A and type B.

The total number of shirts must not be more than 400. He has to supply more type A than of type B however the number of types A shirts must be more than 300 and the number of type B shirts not be less than 80.

Let x be the number of type A shirts and y be the number of types B shirts.

(a) Write down in terms of x and y all the linear inequalities representing the information above.

- (b) On the grid provided, draw the inequalities and shade the unwanted regions
- (c) The profits were as follows Type A: Kshs 600 per shirt

Type B: Kshs 400 per shirt

- Use the graph to determine the number of shirts of each type that should be made to maximize the profit.
- (ii) Calculate the maximum possible profit.
- 4. A diet expert makes up a food production for sale by mixing two ingredients N and S. One kilogram of N contains 25 units of protein and 30 units of vitamins. One kilogram of S contains 50 units of protein and 45 units of vitamins. The foiod is sold in small bags each containing at least 175 units of protein and at least 180 units of vitamins. The mass of the food product in each bag must not exceed 6kg.

If one bag of the mixture contains x kg of N and y kg of S

- (a) Write down all the inequalities, in terms of x and representing the information above (2 marks)
- (b) On the grid provided draw the inequalities by shading the unwanted regions

(2 marks)

- (c) If one kilogram of N costs Kshs 20 and one kilogram of S costs Kshs 50, use the graph to determine the lowest cost of one bag of the mixture.
- Mwanjoki flying company operates a flying service. It has two types of aeroplanes. The smaller one uses 180 litres of fuel per hour while the bigger one uses 300 litres per hour.

The fuel available per week is 18,000 litres. The company is allowed 80 flying hours per week.

- (a) Write down all the inequalities representing the above information
- (b) On the grid provided on page 21, draw all the inequalities in (a) above by shading the unwanted regions
- (c) The profits on the smaller aeroplane is Kshs 4000 per hour while that on the bigger one is Kshs. 6000 per hour. Use your graph to determine the maximum profit that the company made per week.
- 6. A company is considering installing two types of machines. A and B. The information about each type of machine is given in the table below.

Machine	Number of operators	Floor space	Daily profit
A	2	5m ²	Kshs 1,500
В	5	8m ²	Kshs 2,500

The company decided to install x machines of types A and y machines of type B

(a) Write down the inequalities that express the following conditions

i. The number of operators available is 40 ii. The floor space available is 80m² iii. The company is to install not less than 3 type of A machine iv. The number of type B machines must be more than one third the number of type A machines

(b) On the grid provided, draw the inequalities in part (a) above and shade the <u>WWW.KCPE-KCSE.COM</u>

unwanted region.

(c) Draw a search line and use it to determine the number of machines of each

type that should be installed to maximize the daily profit.

TOPIC 8:

CALCULUS

PAST KCSE QUESTIONS ON THE TOPIC

1. The shaded region below represents a forest. The region has been drawn to scale where 1 cm represents 5 km. Use the mid – ordinate rule with six strips to

estimate the area of forest in hectares.


(4 marks)

- 2. Find the area bounded by the curve $y=2x^3-5$, the x-axis and the lines x=2 and x=4.
- 3. Complete the table below for the function $y=3x^2 8x + 10$ (1 mk)

X	0	2	4	6	8	10
у	10	6		70		230

Using the values in the table and the trapezoidal rule, estimate the area bounded by the curve $y=3x^2 - 8x + 10$ and the lines y=0, x=0 and x=10.

4. Use the trapezoidal rule with intervals of 1 cm to estimate the area of the shaded



5. (a) Find the value of x at which the curve $y=x-2x^2-3$ crosses the x- axis


(b) Find $\int (x^2 - 2x - 3) dx$

(c) Find the area bounded by the curve $y = x^2 - 2x - 3$, the axis and the lines x =

2 and x = 4.


6. The graph below consists of a non- quadratic part ($0 \le x \le 2$) and a quadrant part

 $(2 \le x 8)$. The quadratic part is $y = x^2 - 3x + 5$, $2 \le x \le 8$



(a) Complete the table below





(1mk)
(b) Use the trapezoidal rule with six strips to estimate the area enclosed by the curve, x = axis and the line x = 2 and x = 8 (3mks) (c) Find the exact area of the region given in (b) (3mks)

(d) If the trapezoidal rule is used to estimate the area under the curve between x
 = 0 and x = 2, state whether it would give an under- estimate or an over estimate. Give a reason for your answer.


- 7. Find the equation of the gradient to the curve $Y = (x^{-2} + 1) (x 2)$ when x = 2
- 8. The distance from a fixed point of a particular in motion at any time t seconds is given by

 $S = \underline{t^3 - 5t^2} + 2t + 5$ $2t^2$

Find its:

- (a) Acceleration after 1 second
- (b) Velocity when acceleration is Zero
- 9. The curve of the equation $y = 2x + 3x^2$, has x = -2/3 and x = 0 and x intercepts.

The area bounded by the axis x = -2/3 and x = 2 is shown by the sketch below.



Find:

- (a) $(2x + 3x^2) dx$
- (b) The area bounded by the curve x axis, $x = -\frac{2}{3}$ and x = 2
- A particle is projected from the origin. Its speed was recorded as shown in the table below

Time (sec)	0	5	10	15	20	25	39	35
Speed (m/s)	0	2.1	5.3	5.1	6.8	6.7	4.7	2.6

Use the trapezoidal rule to estimate the distance covered by the particle within the 35 seconds.

11. (a) The gradient function of a curve is given by $\underline{dy} = 2x^2 - 5$

dx

Find the equation of the curve, given that y = 3, when x = 2


(b) The velocity, vm/s of a moving particle after seconds is given:

 $v = 2t^3 + t^2 - 1$. Find the distance covered by the particle in the interval $1 \le t \le 3$

12. Given the curve $y = 2x^3 + \frac{1}{2}x^2 - 4x + 1$. Find the:

i) Gradient of curve at $\{1, -\frac{1}{2}\}$ ii) Equation of the tangent to the curve at $\{1, -\frac{1}{2}\}$

13. The diagram below shows a straight line intersecting the curve $y = (x-1)^2 + 4$ <u>WWW.KCPE-KCSE.COM</u> At the points P and Q. The line also cuts x-axis at (7, 0) and y axis at (0, 7)



- a) Find the equation of the straight line in the form y = mx + c.
- b) Find the coordinates of p and Q.
- c) Calculate the area of the shaded region.
- 14. The acceleration, a ms⁻², of a particle is given by $a = 25 9t^2$, where t in seconds after the particle passes fixed point O.

If the particle passes O, with velocity of 4 ms⁻¹, find

- (a) An expression of velocity V, in terms of t
 - (b) The velocity of the particle when t = 2 seconds
- 15. A curve is represented by the function $y = \frac{1}{3}x^3 + x^2 3x + 2$
 - (a) Find: <u>dy</u>

dx

(b) Determine the values of y at the turning points of the curve

(c)
$$y = \frac{1}{3}x^3 + x^2 - 3x + 2$$

In the space provided below, sketch the curve of $y = \frac{1}{3}x^3 + x^2 - 3x + 2$

16. A circle centre O, ha the equation $x^2 + y^2 = 4$. The area of the circle in the first quadrant is divided into 5 vertical strips of width 0.4 cm

(a) Use the equation of the circle to complete the table below for values of y

correct to 2 decimal places


X	0	0.4	0.8	1.2	1.6	2.0
Y	2.00			1.60		0

(b) Use the trapezium rule to estimate the area of the circle

17. A particle moves along straight line such that its displacement S metres from a given point is $S = t^3 - 5t^2 + 4$ where t is time in seconds

Find

- (a) The displacement of particle at t = 5
- (b) The velocity of the particle when t = 5
- (c) The values of t when the particle is momentarily at rest
- (d) The acceleration of the particle when t = 2
- 18. The diagram below shows a sketch of the line y = 3x and the curve $y = 4 x^2$ intersecting at points P and Q.



- (a) Find the coordinates of P and Q
- (b) Given that QN is perpendicular to the x- axis at N, calculate
- (i) The area bounded by the curve $y = 4 x^2$, the x- axis and the line

(ii) The area of the shaded region that lies below the x- axis (iii) The area of the region enclosed by the curve $y = 4-x^2$, the line y - 3x and the y-axis.

2007

19. The gradient of the tangent to the curve $y = ax^3 + bx$ at the point (1, 1) is -5 Calculate the values of a and b.

2007

20. The diagram on the grid below represents as extract of a survey map showing two adjacent plots belonging to Kazungu and Ndoe.

The two dispute the common boundary with each claiming boundary along different smooth curves coordinates (x, y) and (x, y_2) in the table below, represents points on the boundaries as claimed by Kazungu Ndoe respectively.

X	0	1	2	3	4	5	6	7	8	9
y 1	0	4	5.7	6.9	8	9	9.8	10.6	11.3	12
y ₂	0	0.2	0.6	1.3	2.4	3.7	5.3	7.3	9.5	12

- (a) On the grid provided above draw and label the boundaries as claimed by Kazungu and Ndoe.
- (b) (i) Use the trapezium rule with 9 strips to estimate the area of the section of the land in dispute
 - (ii) Express the area found in b (i) above, in hectares, given that 1 unit on each axis represents 20 metres
- 21. The gradient function of a curve is given by the expression 2x + 1. If the curve passes through the point (-4, 6);
 - (a) Find:
 - (i) The equation of the curve
 - (ii) The vales of x, at which the curve cuts the x- axis
 - (b) Determine the area enclosed by the curve and the x- axis
- 22. A particle moves in a straight line through a point P. Its velocity v m/s is given by v=2 t, where t is time in seconds, after passing P. The distance s of the particle from P when t = 2 is 5 metres. Find the expression for s in terms of t.

23. Find the area bonded by the curve y=2x - 5 the x-axis and the lines x=2 and x = 4.

23. Complete the table below for the function

$$Y = 3x^2 - 8x + 10$$

Х	0	2	4	6	8	10
Y	10	6	-	70	-	230

Using the values in the table and the trapezoidal rule, estimate the area bounded by the curve $y = 3x^2 - 8x + 10$ and the lines y - 0, x = 0 and x = 10


- 24. (a) Find the values of x which the curve $y = x^2 2x 3$ crosses the axis
- (b) Find $(x^2 2x 3) dx$
- (c) Find the area bounded by the curve $Y = x^2 2x 3$. The x axis and the

lines x = 2 and x = 4

- 25. Find the equation of the tangent to the curve y = (x + 1) (x 2) when x = 2
- 26. The distance from a fixed point of a particle in motion at any time t seconds is given by $s = t - \frac{5}{2}t^2 + 2t + s$ metres

Find its

- (a) Acceleration after t seconds
- (b) Velocity when acceleration is zero
- 27. The curve of the equation $y = 2x + 3x^2$, has $x = -\frac{2}{3}$ and x = 0, as x intercepts. The area bounded by the curve, x axis, $x = -\frac{2}{3}$ and x = 2 is shown by the sketch below.



- (a) Find $\int (2x + 3x^2) dx$
- (b) The area bounded by the curve, x axis $x = -\frac{2}{3}$ and x = 2
- 28. A curve is given by the equation $y = 5x^3 7x^2 + 3x + 2$

Find the

- (a) Gradient of the curve at x = 1
- (b) Equation of the tangent to the curve at the point (1, 3)
- 29. The displacement x metres of a particle after t seconds is given by $x = t^2 2t + 6$, t> 0
- (a) Calculate the velocity of the particle in m/s when t = 2s
- (b) When the velocity of the particle is zero,

Calculate its

- (i) Displacement
- (ii) Acceleration
- 30. The displacement s metres of a particle moving along a straight line after t seconds is given by $s = 3t + \frac{3}{2}t^2 - 2t^3$

- (a) Find its initial acceleration
- (b) Calculate
 - (i) The time when the particle was momentarily at rest.
 - (ii) Its displacement by the time it comes to rest momentarily when

t = 1 second, $s = 1 \frac{1}{2}$ metres when $t = \frac{1}{2}$ seconds

(c) Calculate the maximum speed attained
MATHEMATICS ANSWERS

FORM 1

TOPIC 1

NUMBERS

1. 1000 <u>0.0064</u>

1000 (0.08)

10

1000 x 0.008

=8

2. (a)
$$-8 \div 2 + 12 \times 9 - 4 \times 6$$

56 ÷ 7 x 2

- <u>4 + 108 - 24</u>

= 5

 $3. \qquad \underline{46} - \underline{3} = 23 - 1$

-2 3 = 24

4. Mliwa: $\frac{3}{8} x^{2} x^{3} x = \frac{1}{4} x$ Amina: $x - (\frac{1}{3} + \frac{1}{4}) x = \frac{5}{12} x$

$$\frac{5}{12} = \frac{1}{4} = 40,000$$

 $\frac{2}{12} = 40,000$
 $X = 240,000$
 $\frac{+4 \times 4 - (-20)}{12} = \frac{4 \times 4 + 20}{12} = \frac{36}{12}$

$$-6(6 \div 3) + (-6) -6 \ge 2 - 6 -18$$

= 2

5.

6. <u>384. 16 x 0.625</u>

96.04

$$\sqrt{\frac{2^4 \times 7^4 \times 10^{-2} \times 5^4 \times 10^{-4}}{2^2 \times 7^4 \times 10^{-2}}}$$

$$\sqrt{\frac{2}{-2} + \frac{4}{x 5 \times 10^{-4}}}$$

$$= 2 \times 5^2 \times 10^{-2}$$

$$= 0.5$$
7 $1/x + 1/x + 5 = \frac{1}{6}$
6(x + 5) + 6x = x (x + 5)
X2 - 7x - 30 = 0
(x - 10) (x + 3) =0
X = 10, -3
Onduso takes 10 days
(1470)² = [2 x 3 x 5 x 7²]⁸
v 7056 v(2⁴ x 3² x 7²)
= 2² x 3² x 5² x 7⁴
2² x 3 x 7

8.

$$= 3 \times 5^2 \times 7^3$$

9.
$$\frac{3}{4} + 1\frac{5}{7} \div \frac{4}{7}$$
 of $2\frac{1}{3}$

<u>3/4 + 9/7</u>

45/56 X 2/3

57/28 x 28/ 15 or 399/196 x 28/15

10. A and B opened for 1 hr

 $\frac{1}{3} + \frac{1}{6} = \frac{1}{2}$

A,B,C opened for 1 hr

1/2 - 1/8 = 3/8

Time taken to fill the tank when all pieces are opened $= \frac{1}{2} x^2/_3 + 1$

21/3 hr

11.
$$\frac{4}{9} (45 + W) = 10 + W$$

 $4 (45 + w) = 9 (10 + w)$
 $180 + 4W = 90 + 8 w$
 $5w = 90$
 $W = 18$

2025

45/45 = 1

(b) 500

14. <u>0.0084 x 1.23 x 3.5</u>

2.87 x 0.056

<u>84 x 123 x 35</u>

287 x 56 x 100

=	9/40
15.	¹⁴ / ₇
16.	3
17.	⁴ / ₅ or 0.8
18.	1/27
19. 20.	11. 25 30
21.	6 ⁵ / ₁₈
22.	-17
23.	1 ⁵ / ₁₁
24.	a = 38, b = 225
25.	$GCD = xy^2, xy^2 (x-2y) x + 2y)$
26.	⁹ / ₄
27.	48

TOPIC 2.

ALGEBRAIC EXPRESSIONS

1. Let Ali be a goats

$$A + a + 2 + 3 (a + 2) + a + 2 + 3 (a + 2) - 10$$

9a + b

$$9a + 6 = 17 \ge 3$$

9a = 45

a= 5

Odupoy sold 28 - 10 = 18 goats

2.
$$yx + 3 yz = 2x - z$$

 $X (2-y) = 3yz + z)$
 $X = z (3y + 1)$
 $2 - y$
3. $3x^2 - 3xy + xy - y^2$
 $3x (x-y) + y (x - y)$
 $(x-y) (3x + y)$
4. $3 (x-1) - (2x + 1) = 3x - 3 - 2x - 1$
 $3x$ $3x$
 $\frac{X - 4}{3x}$

$$3x \quad 3
3x - 12 = 6x$$

$$X = -4$$
5. (a + b) (a -b)
(2557 - 2547) (2557 + 2547)
510 x 10
51040
6. (p + q) (p + q)
P² (p + q) - q² (p + q)
(p + q) (p - q) (p + q) = p - q
7. yx + 3yz = 2x - z
Yx - 2x = - 3yz - z
X (y-2) = 3yz - z
X = -3x - z
Y -2
8. ¹/₄x = ⁵/₆x - 7

9.
$$2(a+b) = 2(a-b)$$

10. (7 x - 1) (4x + 1)

11. Ali's age = 16 yrs. Juma's age = 42 yrs

<u>1</u>

12. Trouser 150, shirt cost 30

TOPIC 3

RATES, RATIO PERCENTAGES AND PROPORTION

1. $(4 \ge 21) + (3 \ge 42) = 30$

7

<u>130</u> x 30 = 39

100

2. $\underline{27 \times 4 \times 60} = 3.6$

60 x 30

```
Height = 23.6 cm
```

- 3. (a) (i) Total collected Kshs 80 x 25 x 6
 - Kshs 12000
 - (ii) Net profit = 12000 (1500 + 200 + 150 + 4000)

Kshs 12000 – 5850 = Kshs 6250

(b) The days collection = Kshs $\underline{80} \times 12000$

100

= Kshs 9600

Net profit = Kshs 9600- 5850

Kshs 3750

Shares = ${}^{25}/_5 \times 3750$ or ${}^{3}/_5 \times 3750$

Kshs 1500 and Kshs. 2250

4. $\frac{3.5}{100} \times 50 = 1.75$ (a) 4.75 x 30 = 1.425

Total = 3.175 kg

(ii) <u>3.175 x</u> 100 = 3.9688

80

= 3.969%

(b) No. of fat kg = $x/_{50} \times 100 = 4$

X = 2 kg fat

Milk

Kg of A = y

Kg of
$$B = 50 - y$$

$$\frac{3/5y}{4.75(50-y)} = 2$$

100 100

3.5y + 237.5 - 4.75 = 200

$$1.2y = 37.5$$

Y = <u>37.7</u>

1.25

(b) (i) New price = $\frac{125}{100} \times 12000$

= Kshs. 15,000

New no of sets $= \frac{90}{100} \times 240 = 216$

Amount from sale = $216 \times 15,000$

= Kshs 3, 240,000

Increase = 3, 240, 000 - 2, 880,000

= 360, 000

% increase = $360,000 \times 100 = 12.5\%$

2,880,000

(ii) $^{16}/_{15}$ x 15,000 = Kshs 16,000

(c) Let the no of sets sold in 2003 be x

16000 x = 2,880,000

$$X = \underline{2,880,000}$$
16,000

P% = 240 - 180 x 100 = 25%
240
∴ p = 25
(a) Initial volume of alcohol

$$= \frac{60}{100} \times 80$$

6.

New volume of solution = (80 + x) ltrs)

$$48 = 40$$

(80 + x) 100

4800 = 3200 + 40x

$$40x = 1600$$

$$X = 40$$
 ltrs

(b) New volume of solution

80 + 40 + 30 = 150 ltrs

 $48/150 \ge 100 = 32$

% age of alcohol = 32%

(b) in 5 lts

32% of 5 = 1.6 ltrs of alcohol

68% of 5 = 3.4 ltrs of water

In 2 ltrs 60% of 2 = 1.2 lts of alcohol 40% of 2 = 0.8 ltrs of water In final solution (7 lts) 2.8 ltrs are alcohol 4.2 ltrs are water \therefore Ratio of water to alcohol

Alternately

(c) 5 lts. W.A = 68:32= 17:8 $= 17/25 \times 5$ ∴Water = 17/5= 8/25 x 5 Alcohol = 8/5 In 2 lts Water = $40/100 \ge 2 = 4/5$ = 60/100 x 2 = 6/5 Alcohol Final solution Water alcohol $^{17}/_{5} + 4/5: 8/5 + 6/5$ $^{21}/_{5}: 14/5$ 21:14 = 3: 2 7. (a) % Profit taxes and insurance

 $^{40}\!/_{100} \ge 75\!/100$

Amount shared
=
$$100 - (25 + 30) \ge 225000$$

100

 $^{45}/_{100} \ge 225000$

= 101250

Amount Cherop received more than Asha:

Ratio of contribution

60,000: 85000: 105 000

12 : 17 : 21

 $\underline{21 - 12} \ge 101250 = 18225$

50

(b) Profit during 2nd year

225000 x 10/9 = 250, 000

Nangila's new ratio

=<u>110000</u>=<u>2</u>

275000 5

∴Nangila's new share of profit

$$= \frac{2}{3} \times 112500 = 45000$$

- 8. $2^{11}/_{12}$ hours
- 9. 10 days

10. Kshs 52 TOPIC 4

MEASUREMENTS

1. (a) (i) $(0.8 \times 1.2) + (1.2) \times 2 + (0.8 \times 1) + \frac{1}{2} \times 0.8 \times 0.3 \times 2$

= 0.96 + 2.4 + 1.6 + 0.24

$$= 5.2 \text{ m}^2$$

(ii) 0.6 x 1.2 x 2

= 1.44

432 + 1820

= Kshs 2252

(c)
$$432 (1.5)^2$$

= Kshs 972

2. (a)
$$29 + \frac{28}{2} = 43$$

 $=43 \text{ cm}^2$

(b)
$$43.1075 \times 10^4 \times 10^4$$

1:25 x 10⁸

 $1:5 \ge 10^4$

3. Area of rectangle = 19.5×16.5

 $= 321.75 \text{ cm}^2$ Area of 4 triangles = $\frac{1}{2} \times 6 \times 4.5 \times 4$

 $= 54 \text{ cm}^2$

Area of Octagon = 321.75 - 54

4.
$$V_1 = \pi h (11/2)^2$$

 $= 3.142 \text{ x} (5.5)^2 \text{ x} 600$

 $V_2 = \pi (9/2)^2 h$


$$= 3.142 \text{ x} (4.5)^2 \text{ x} 600$$

Volume of material used = $V_1 - V_2$

$$3.142 \ge 600 (5.5^2 - 4.5^2)$$

3.142 x 600 (5.5 + 4.5) (5.5 - 4.5)

3. 142 x 600 (10) (1)



 $\frac{1}{4}$ of area = $\frac{1}{4} \times 60$

 $= 15 \text{ cm}^2$

$$\therefore \frac{1}{2} \ge 7.5 \ge X = 15$$

$$75 x = 30/75 = 4$$

$$\therefore$$
 One of the sides = 7.5² + 4²

= 8.5 cm

Perimeter = 8.5×4

WWW.KCPE-KCSE.COM


- = 34 cm6. Curved S.A = $\frac{1}{2} x^{\frac{22}{7}} x 2 x 4.2 x 150$
 - = 22 x 0.6 x 150
 - $= 1980 \text{ cm}^2$

Area of two semi circular ends = $\frac{1}{2} \pi r^2 x 2 = 55.44 \text{ cm}^2$

Area of rectangular surface = $8.4 \times 150 = 1260$ cm²

Total surface area = 1980 + 55.44 + 1260

$$= 3295 \cdot 44 \text{ cm}^2$$



V = cross section area x height = $\frac{1}{2}$ x 2.4 x (2 + 5.6) x 8 = 72.96 cm³

- (b) Mass = 72. 96 x 5.75 = 419.52g
- (c) (i) 246.24 cross section Area x 8

Cross section Area = $246.46 = 30.85 \text{ cm}^2$

 $M_2 = \frac{419.52 \times 5}{2}$ = 1048.8 g

5

Density = 1048.8 = 4.26g cm⁻³

246.24

8. Volume of plate = 1.05×1000

8.4

 $= 125 \text{ cm}^3$

Length of the side = $\underline{125}$

0.2

= 25 cm

9. (a) L.S.F =
$$\sqrt{\frac{20}{45}}$$
 $\sqrt{\frac{4}{4}}$
 45 or 9 or $\frac{2}{3}$
 \therefore V.S.F = $\frac{8}{27}$

Capacity of smaller container

=<u>8</u> x 0.0945 = 0.28L

WWW.KCPE-KCSE.COM

27

(b) Let depth be h

(c)

10.

11.

(b)

(c)

12.

45(13 - h) = 20h585 = 65hH = 9Amount in smaller container $\underline{1} x 9 x 45 + 20 x 9$ 5 = 261 Height in smaller container = 13.05 cm261 20 Difference $13.05 - 4 \times 9$ 5 = 13.05 - 7.2= 5.85 72 (a) 107,800 litres 486 days 485 days (i) 20.25m² (a) (ii) 50625 kg

(iii) 5625 kg

(b) 112.5 (113)

- (c) 4 lorries13. 1.5 m
- 14. (a) R = 8.5

R = 5.5

V = 1848 cm

15.
$$97.43 \text{ cm}^3$$

- 16. $267/75 \text{ cm}^2$
- 17. 270 cm² 18. 425 ha **TOPIC 5**

LINEAR EQUATIONS

1.
$$3S + 2T = 840$$

 $4S + 5T = 1680$
 $12 S + 8T = 3360$
 $12 S + 15T = 5040$
 $7T = 1680$
 $T = 240, S = 120$
2. $Y = 2x - 3$
 $X^2 - x (2x - 3) = 4$
 $X^2 - 3x - 4 = 0$
 $(x + 1) (x - 4) = 0$
 $X = -1 \text{ or } x = 4$
And

3.
$$5s + 3b = 1750 \dots (i)$$

$$3s + b = 850 \dots (ii)$$

$$5s + 3b = 1750 \dots (iii)$$

$$9s + 3b = 2550 \dots (iv)$$

4s = 800 S = 200 B = 2504. Let the cost be Kshs c- cups S - spoon 3c + 4s = 324 5c - 2s = 228 15c + 20s = 1620 15c - 6c = 68426s = 936

 $S=36\ c=60$

5. Let no of ten shillings coin be 6 No of five shilling coin = 2t

No of one shilling coin = 21-3t

Value = 1 ot + 2t x 5 + (21 - 3t) x 1 = 72

$$17t = 51$$

T = 3

6.
$$6a + 4b = 7.2$$

 $2a + 3b = 3.4$
 $6a + 4b = 7.2$
 $6a + 9b = 10.2$
 $5b = 3b = 0.6 a = 0.5$

7.
$$4p + 6b = 66$$
(i)

$$2p + 5b = 51$$
(ii)

(a)
$$4p + 6b = 66 \dots$$
(iii)
 $4p + 10b = 102 \dots$ (iv)
 $4b = 36$
 $b = 9 p = 3$

(b) Let number of pencils bought be x;

$$3x + 9 (x+4) = 228$$

 $12x = 192$
 $X = 16$

8. x (9x+4) = 32

$$X^2 + 4x - 32 = 0$$

(x-4)(x+8) = 0

X = 4 or x = -8

Length of room is 4 + 4 = 8m

9. 2p + 3b = 78(i) x 3

3p + 4b = 108(ii) x 2)

6p + 9b = 2346p + 8b = 216B = 18 Substituting for b in e.g. ii 3p + 72 = 1083p = 36 P = 12 10. m + 14 = 2(s+14)(m+4) + (s-4) = 30M = 2s + 14M + s = 38 $\therefore 2s + 14 + s = 38$ **S** = 8 M = 30

 $\therefore Mother's$ age when son was born

= 30- 8 = 22

Present 14 years

11. Ali's age is 16 years

Juma's age is 42 years

- 12. s = 30, t = 150 total 180
- 13. 1080

TOPIC 6

COMMERCIAL ARITHMETIC

1. 25000 - 3750 = 21250

Amount to pay = $21250 + 21250 \times 40 \times 2$

100

= 38250

One installment = 38250

24

= 1, 593.75

2. (a) 21000 x 48 – 560, 000

1008000- 560000

=448,000

(b)
$$448,000 = 560,000 \text{ x R x }$$

100

R = 448,000 x 100

560, 000 x 4

3. $17500 \text{ x}^{95}/_5$

= Kshs 322, 500

Let pineapples sold at Kshs 72 for every 3 be x and at Kshs 60 for every 2 be 144

$\begin{array}{c} -x \\ \underline{144 - x} \quad x \ 60 + x \ \underline{x} \quad 72 = 3960 \\ 2 \quad 3 \\ 4320 - 30 \ x + 24x = 3960 \\ 6x = 360 \\ \end{array}$

WWW.KCPE-KCSE.COM

X = 60 4. C.P = 4000 x 100 = 1 2/3% or 5/3 %(a) Commission = 5/300 x 98/ 100 x 360,000 (b) = 5, 880 5. Let the buying price be x Profit = (1048 - x)Loss - (x - 880)4x = 3680X = Kshs 920Commission = $2.4 \times 100,000 + 3.9 \times 180,000$ 6. 100 100 =2,400+7,020= Kshs 9, 420 7. Korir Wangari Hassan $\frac{1}{4}$ x $\frac{2}{5}$ x $\frac{3}{4}$ x or $\frac{3}{10}$ $\frac{3}{2}$ x $\frac{1}{4}$ x or $\frac{3}{8}$ x Bank = x - ($\frac{1}{4}x + \frac{3}{10}x + \frac{3}{8}x$) $= \frac{3}{40}$ X $^{3}/_{8} x - ^{3}/_{40} x = 60,000$ X = 200,000 8. (a) Swiss Francs

52 = 40.631.28 (b) Kshs 40. 63 x 45 . 21

= 1837

9. Selling price = $97.5 \times 120,000$ 100 = 117,000 Commission = 5 x 117,000100 Kshs 5850 Total earning = 5850 + 9000Kshs 14, 850 10. 105,000 x 9.74 = Kshs 1, 022, 700 Amt. Remaining = 1, 022, 700 - 403879 = 618, 821 = S.A and Received = 51, 100 11. <u>2950000</u> 118 = US dollar 25000 Duty Paid = 25000 x <u>20</u> x 76 100

= Kshs 380, 000 12. (a) (i) Kshs 12, 000 (ii) Kshs 6150

- (b) Kshs 1500 and Kshs 2250
- 13. £ 10 or £ 10.6
- 14. 55086
- 15. (a) Kshs 150, 000
- (b) Kshs 2025
- 16. Kshs 15818.40
- 17. 11109 or 11110 (table)
- 18. Kshs 505, 000
- 19. n = 60

TOPIC 7

GEOMETRY

ABP correctly constructed

(i) $AD = 4.5 \pm 0.1 \text{ cm}$

Distance A to $D = 4.5 \times 10 = 45 \text{ km}$

- (ii) Bearing D from $B = 241 \pm 1$
- (iii) Bearing p from D = 123 ± 2
- (iv) DP = 12.9 + 0.2 cm
- Distance D to $P = 12.9 \times 10 = 129 \text{ km}$
- 2. Location of T

Location of K

Location of G

(a) Distance $TK = 80 \pm 2km$

Bearing of T from K: $043^0 \pm 1$

(b) Distance $GT = 72 \pm 2k$

Bearing of G from T: $245^0 \pm 2^0$

- (c) Bearing of R from G: $130^0 \pm$
- 3. (a) Bearing of 060° drawn

Bearing of 210⁰ drawn

Distance on scale drawing

Representing 150 km

Representing 1800 km

(b) (i) Actual distance

 $(16 \pm 0.1) \ge 200$ or equivalent

= 3200 Km

(ii) Bearing of T from S

 $= 224 \pm 1^{0}$

(iii) Bearing of S from T

 $044^{0} \pm 1^{0}$

Measure AB = 15 m

Measure 30⁰ at B

Construct 90^0 at A

(b) Measure height
$$AT = 105.5 \pm 1$$

Measure height $AH = 8.7 \pm 14$

Measure height $HT = 1.8 \pm 1$

5.
$$2n-4$$
 right angles

2 xg - 4 = 14 right angles

 $14 \ge 90 = 1260^{\circ}$

6. $\sin \beta = \sin 30^{\circ}$

12 15

 $\sin \beta = 0.5 \ge 12 = 0.4$

 $\mathsf{B} = 23.\; 58^0\; (23^035)$

A $180^{0} - (30 - 23.58)$

 $= 126.42^{\circ} (126^{\circ} 25)$ Bearing of Z from X $180^{0} + 126.42^{0}$ $= 306.42 (306^{\circ} 25)$ $N = 53^{\circ} 25W$ (a) RA = 30 or $RA = 30 \tan 64^{\circ}$ Tan 26⁰ = <u>30</u> or 30 x 2.050 0.4877 = 61. 51 (61.5) $RB = 30 _ or = 30 \tan 58$ Tan 32 = <u>30</u> or 30 x 2.050 0.6249 = 48. 01 (48) $61.52^2 + 48.01^2$ AB = 3783 + 2305= 6088 = 78.03

7.

(b) $\tan \theta = \underline{48.01}$

61.51


WWW.KCPE-KCSE.COM


$$= 0.7805
\theta = 37^{0} 58
= 322^{0}2 (322.03)$$
8. H = 12 sin 60
= 10.39
AD = (12 cos 60) x 2 + 4)
= 16
Area [1/2 x (4 + 16) 10.39]²

= 103.9 x 2

$$= 207.8 \text{ cm}^2$$


9. (a)







$$yz = 200^{2} + 200^{2} - 2x (200 \times 200) \cos 50$$
$$yz = 103.53$$

Bearing of z from $y = 245^{\circ}$







Tan
$$\Theta = 21.02$$


128.6
Tan $\Theta = w \ 0.1635$
 $\Theta = 9.28^{\circ}$
11. (a) From Δ BCD
12
BD = 12 sin 30
 $= 12 \text{ x } \frac{1}{2}$
 $= 6 \text{ cm}$
(b) From Δ ABD
Sin 45 $\underline{\qquad} = \frac{\sin \angle ADB}{6}$


6

- 12. (a) $\angle ADE = 36^{\circ}$
- (b) $\angle AEF = 66^{\circ}$

(c)
$$\angle$$
 DAF = 12°







 \angle KLM = 35⁰ (or kml = 35⁰)

Bearing is 185⁰

- 15. (a) Diagram
- (b) (i) 73 ± 1 km
- (ii) $102^0 \pm 1^0$ or $578^0 \text{ E} \pm 1^0$
- 16. (a) Diagram

600 km am 500 km seen or used

Scale used

Bearing and distance of P Bearing and distance of Q

WWW.KCPE-KCSE.COM

- (b) $1060 \pm 10 \text{ km}$
- (c) (i) 254 ± 1^0
- (ii) 0.74 ± 1^0
- 17. (i) 45 km
- (ii) 124 ± 1
- (iii) 123 ± 2
- (iv) 129 km
- 18. Location of T

Location of K

Location of G

(a) Distance $TK = 80 \pm 2 \text{ km}$

Bearing of T from K: $043^0 \pm 1$

(b) Distance
$$GT = 72 \pm 2k$$

Bearing of G from T: $245^0 \pm 2^0$

(c) Bearing of R from G: $130^0 \pm 2^0$


19. (a)
$$<$$
 BAE $=$ 540⁰ $=$ 108⁰

5

(b)
$$<$$
 BED = 108⁰ - 36⁰

 $= 72^{0}$

(c)
$$<$$
BNM = 90⁰ - 36⁰



21.
$$2x + \frac{1}{2}x + x + 40 + 100 + 130 + 160 = 720$$

$$\frac{7x}{2} = 280$$

$$2$$

$$X = 280 x 2 = 80^{0}$$

$$7$$

Smallest angle $\frac{1}{2} x = 40^{0}$

22. Ext angle =
$$180 - 156$$

= 24

N = <u>360</u>

24

= 15


TOPIC 8

COMMON SOLIDS


1. (a)

(b) Four (4) planes of symmetry






3.










(b) VO = 3.7 cm (Not to scale)









(b)
$$64.95 \text{ cm}^2$$

8.

FORM TWO

TOPIC 1

NUMBERS

- 1. No Log 36.15 1.5581

0.02573 2.4104


1.9685

1.838 0.2874

$$1.6811 \div 3$$

= 0.7829 or 7828

- 2. $24(x^2) = 23(4-3)$
 - $4x^2 = 12x 9$
 - $4x^2 12x + 9 = 0$
 - = (2 x 3) (2x + 9) = 0
 - X = 3/2 or 1.5
- 3. No Log



WWW.KCPE-KCSE.COM

	4.884 x 10	2.6888		
= 488.4 or 488.5				
4.	No	Log		
	55.9	1.7474	Ļ	
	0.2621	1.4185	i	
	0.01177	2.0708	3	
= 3.4893				
	<u>5 + 2.4893</u>	= <u>1.49</u>	<u>79</u>	
	5	2.24	95	

 $1.776 \ge 10^2$

= 177.6

- 5. $2^2 \times 5^{2x}$
 - $(2 \times 5)^{2x-2)} = 10$
- 6. No Log

3.256 0.5127

0.0536 <u>2.7292</u>

1.2419 ÷ 3 (3 + 2.2.2419) ÷ 3

0.5589 1.7473

7. $25(x-3) \ge 22(x+4) = 26 \div 2x$

$$5(x-3) + 3(x+4) = 6 - x$$

9x = 9

	X =1				
8.	$(3^4)^{2x} x (3^4)^{2x}$	$(3^3)^x = 3^6$	8x + 3x - 2x = 6		
	9x = 6				
	X = 2/3				
9.	10.04	072			
	24.56				
	4.3462 = 18.89				
	0.04072 + 18.89 = 18.93072				
	= 18.93				
10.	No	Log			
0.032 2.5051					
<u>14.26 1.1541</u>					
		1.6592			
0.006 3.7782					
		1.8810x ² / ₃			
	<u>17.95</u> ⁴	1.2540			
11	. $X = \frac{1}{2}$	17.95			
12	. 0.01341				
13	. m = -3				
14	. y = 0				
15	. 177.6				

16. 2.721

- 17. 0.0523
- 18. 0.001977

TOPIC 2

EQUATIONS OF LINES

(b) (i) Gradient
$$PQ = 4$$

Gradient normal / $\perp = -\frac{1}{4}$

(ii)
$$y -6 = -1$$

 $X -3$
 $4(y-6) = -1 (x-3)$
 $4y - 24 = -x + 3$
 $4y = -x + 27$
(iii) $\sqrt{(6^{3}/4 - 6)^{2} + (3-0)^{2}}$

= 3.092

 $\overline{}$

$$= 3.09 (3 \text{ s.f})$$

2. L₁ -2 =5

x-1

y = 5x -3
L₂ at x = 4, y = 17 y - 17
= -1 x - 5 5
y=
$$^{1}/_{5}$$
 x + $^{89}/_{5}$
3. Midpoint of PQ = 5 + (-1) - (4 + (-2))
2 2
= 2, -3
Gradient of PQ = -4 - (-2)

5 - (-1)

= -1/3

 \therefore Gradient of \perp bisector = 3 Equation

of \perp bisector = $\underline{y - (-3)} = 3$

 $\begin{array}{c} x - \\ 2 \\ y + \\ 3 \\ = \\ 3 \\ x \\ - \\ 6 \\ y \\ = \end{array}$

3
x
-
9
4.
$$7y = 3x - 30$$

 $Y = 3x - 30$
 $7 - 7$
Y intercept = -30
7
X intercept = 10
A is (10, 0)
Based on line y = -x
 $Y = 3x - 30 = 3(-y) - 30$
 $7 - 7 - 7 - 7$
 $Y = -3y - 30$
 $7 - 7 - 7$
 $Y = -3y - 30$
 $7 - 7$
 $Y = -3$
 $\therefore x = 3$
B (3, -3)
5. 8-k = -3
k-3
8-k = -3k + 9

2k = 1

 $\therefore k = \frac{1}{2}$

Taking a general point (x, y)

$$\underline{Y-8} = -3 \ X - \frac{1}{2}$$

y-8 = -3x + ³/₂
3x + y = 9¹/₂ or 6x + 2x + 2y = 19
6. 6+2 1+3 = (4,2)
2 2
1-3 x u₂ = -1 (M₂ = 2
6-2
Y-2 = 2
X-4

 $\therefore 2x - y = 6$

7. (a) $1/_5$

(b) y = -5x + 7

8. y = 2x - 3

9.
$$y = -2x + 13$$

10.
$$y = \frac{2}{5}x + 5$$

- 11. Gradient = $\frac{4}{3}$ or 1 $\frac{1}{3}$
 - Y intercept = -3 **TOPIC 3**

TRANSFORMATIONS


1.
$$\begin{pmatrix} x \\ x \end{pmatrix} = -1 \begin{pmatrix} 2 \\ -2 \end{pmatrix}$$

 $\begin{pmatrix} y \\ -2 \end{pmatrix}$
 $\begin{pmatrix} y \\ -2 \end{pmatrix}$
 $\begin{pmatrix} 2 \\ -2 \end{pmatrix}$
 $\begin{pmatrix} 2 \\ -2 \end{pmatrix}$

$$x^1 = -3 + -2 - 5 y^1 - 3 0 - 3$$

$$=>(x', y')=(-5, -3)$$

2.



$$\begin{pmatrix} -5 \\ 4 \end{pmatrix} 3. + T \begin{pmatrix} -1 \\ -1 \end{pmatrix} =$$

$$\mathbf{T} = \left(\begin{array}{c} -1 \\ -1 \end{array}\right) - \left(\begin{array}{c} -5 \\ 4 \end{array}\right)$$

WWW.KCPE-KCSE.COM

$$T = \begin{bmatrix} 4 \\ -5 \end{bmatrix}$$

$$+ \begin{bmatrix} -4 \\ -4 \end{bmatrix} = \begin{bmatrix} 4 \\ 4 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

$$5 \quad -5 \quad 0$$

$$4. \quad \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix} \begin{bmatrix} 2 \\ 2 \\ 4 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ -1 \end{bmatrix} =$$

$$\begin{bmatrix} 5 \\ - \begin{bmatrix} 3 \\ 3 \end{bmatrix} = \begin{bmatrix} 2 \\ 2 \end{bmatrix}$$

$$4 \begin{bmatrix} 2 \\ -9 \end{bmatrix} \begin{bmatrix} 0 \\ -9 \end{bmatrix} = \begin{bmatrix} 2 \\ -9 \end{bmatrix}$$

$$0Q = 2 + 2 = 4$$

$$\begin{bmatrix} 5 \\ -9 \end{bmatrix} \begin{bmatrix} -9 \\ -9 \end{bmatrix} = \begin{bmatrix} 2 \\ -9 \end{bmatrix}$$

$$PQ = 4$$
 5 = -1

$$PQ = (-1)^2 + 3^2$$

- 7. (a) Translation = 10 2 =12 10 3 7 $\therefore \mathbf{Q} = \mathbf{1} \quad \left(\begin{array}{c} \\ \end{array} \right) + \mathbf{12} \quad \left(\begin{array}{c} \\ \end{array} \right) \qquad \mathbf{13} \quad \left(\begin{array}{c} \\ \end{array} \right)$ 7 3 10 $\left(\begin{array}{c} \\ \\ \\ \\ \end{array}\right) = 13, 10$ -2m - n 1 (b) m 3m 3 -2m n = -12 -3 9 3n
 - $-2m n = -12 \dots x3$

 $3m - 3n = 19 \dots x1$

WWW.KCPE-KCSE.COM

-12

9

- -6 m 3n = 363m - 3n = 9-9 = -45M = 5; n = 2
- 8. (a) Reflection along y- axis (x =0)
- (b) (on graph)
- (c) Rotation about (0,0) through 90^0
- (d) On the graph
- (e) P'' Q'' R'' and P'' Q'' R''
 - P Q R and P' Q' R'
 - P" Q' R' and P" Q" R"

TOPIC 4

MEASUREMENT

1.
$$\frac{4}{3} \ge \frac{22}{7} \ge \frac{r^3}{3} = \frac{1}{3} \ge \frac{22}{7} \ge 9 \ge 9 \ge 12$$

 $R^3 = 243$
 $R = 6.24 \text{ or equivalent}$
 $A = 4 \pi r^2 = 4 \ge \frac{22}{7} \ge 6.24 \ge 6.24$
 $= 489.5 \text{ cm}^3$
2. (a) Area of path $= \frac{22}{7} \ge 49^2 = \frac{2}{7}$

2. (a) Area of path =
$${}^{22}/_7 \ge 49^2 - {}^{22}/_7 \ge 35^2 = 36976m^2$$

Area of slab=

$$^{22}/_{7} \ge 35 - 4 \ge 4 \ge 3850 - 48 = 3802m^{2}$$

Total cost = $3696 \times 300 + 3802 \times 400 = 2629600$

Amount nit spent = ${}^{20}/_{100} x {}^{115}/_{100} x {}^{2629600}$

WWW.KCPE-KCSE.COM

Kshs 604808

Actual expenditure (b) $= {}^{80}/_{100} \ge {}^{115}/_{100} \ge {}^{2629100} = {}^{2419232}$ $1 + x^2 = (2x - 1)^2 - 1$ 3. $3x^2 - 4x - 1 = 0$ X = 1.549mVolume of the cone = $\frac{1}{3} x^{\frac{22}{7}} x 7 x 7 x 18$ 4. $= 924 \text{ cm}^2$ Let change in height be H Volume of water displaced = $22/7 \times 14 \times 14 \times H$ $= 616 \text{ cm}^3$ $\Pi \ x \ 14 \ x \ 14 \ x \ H = {}^{1}\!/_{3} \ \pi \ x \ 7 \ x \ 7 \ x \ 18$ H = 49 x 6 = 1.5 cm14 x 14 (a) $\frac{1}{3}\pi x r^2 x 9 = 270 \pi$ 5. $R^2 = 270 x 3 = 90$ 9 $R = \sqrt{90} = 9.49$ Initial volume = $\frac{4}{3} \pi x 2^3$ 6. $= {}^{32}/_3 \pi$ New vol. = ${}^{32}/_3 \pi x \quad \underline{337.5}$ 100

= 36 π

7. (a)
$$y^2 - (\frac{1}{2} x x^2 x4)$$

 $Y^2 - 2x^2$
(b) $2x^2 = 14^2$
 $X = 7 \sqrt{2}$
(c) Area of the octagon
 $Y = 14 + 2x = 14 + 2x 9.9$
 $A = y^2 - 2x^2$
 $= (3.38)^2 - 2 x (9.9)^2$

$$= 946.44 \text{ cm}^2$$

8. Volume =
$$\frac{1}{3} \times 12 \times 9 \times 6$$

9. (a)
$$= 216 \text{ cm}^3$$

(i) $A = \frac{22}{7} \times 4.2 \times 4.2 = 55.44$
 $= 55.44 \text{ cm}^2$

(ii) Let slanting length cone be L

 $\therefore \underline{L-8} = \underline{3.5}$ or equivalent

L 4.2

L= 48 cm

Curved area of frustum

$$= 22/2 (4.2 \times 48 - 3.5 \times 40)$$

$$= 193.6 \text{ cm}^2$$

(iii) Hemispherical surface area

$$= \frac{1}{2} \times 4 \times \frac{22}{7} \times \frac{3.5}{3.5} \times \frac{3.5}{7}$$

 $= 77 \text{ cm}^2$

(b) Ratio of area = 81.51: 326. 04

= 1.4

Ratio of lengths = 1.2

Radius of base = 4.2

2

= 2.1 cm

10. ¹/₂ x 5 x 5 sin 120

```
<sup>1</sup>/<sub>2</sub> x 25 x 0.8666
```

 10.83 cm^2

11. BO – OD = $15^2 - 12^2 = 81 = 9$

Area = $\frac{1}{2} \times 9 \times 12 \times 2 \times \frac{1}{2} \times 9 \times 18 \times 2 = 108 + 162$

 $270 \ \text{cm}^2$

12. $\frac{1}{3} \times \frac{22}{7} \times 6 \times 6 \times 9 + \frac{1}{2} \times \frac{4}{3} \times \frac{22}{7} \times 6 \times 6 \times 6$

339.4 + 452.6

- = 792
- 13. X –section Area = ${}^{22}/_7 (4^2 3^2) \text{ cm}^2$
 - = 7 x $^{22}/_{7}$
 - $Vol = 7 \ge 0.2 \ge \frac{22}{7}$
 - $= 4.4 \text{ cm}^3$

14. Let the width be x

 $(^{3}/_{2}x + x) 2 + 2x = 21$

3x + 2x + 2x = 21

7x = 21 X = 3 cm $V_1 = \pi h (11/2)^2$ 15. $= 3.142 \text{ x} (5.5)^2 \text{ x} 600$ $V_2 = \pi (9/2)^2 h$ $= 3.142 \text{ x} (4.5)^2 \text{ x} 600$ Volume of material used = $V_1 - V_2$ $3.142 \ge 600 (5.5^2 - 4.5^2)$ 3.142 x 600 (5.5 + 4.5) (5.5 - 4.5) 3.142 x 600 (10) (1) $= 18.852 \text{ cm}^3$ X- Section Area = $(\frac{1}{2} \times 5 \times 5 \sin 60) \times 6$ 16. = 10.825 x 6= 64.95 Volume = 64.95 x 20 $1,299 \text{ cm}^3$ Curved S.A = $\frac{1}{2} \times \frac{22}{7} \times 2 \times 4.2 \times 150$ 17. $= 22 \times 0.6 \times 150$ $= 1980 \text{ cm}^2$

Area of two semi- circular ends = $\frac{1}{2} \pi r^2 \ge 2$

 $= 55.44 \text{ cm}^2$


Area of rectangular surface = 8.4×150

 $= 1260 \text{ cm}^2$

Total surface area = 1980 + 55.44 + 1260

 $= 3295.44 \text{ cm}^2$

18 (a)



$$A_{c} = \pi r l$$

= 3.142 x 3 x 5
= 47.13 cm²
$$A_{cs} = \pi D h$$

= 3.142 x 6 x 8
= 150. 82 cm²

As $= \frac{1}{2} 4\pi r^2 = 2\pi r^2$ = 2 x 3.142 x 9 = 56. 56 cm²

Ext S.A = 47. 13 + 150. $82 + 56.56 = 254 \text{ cm}^2$

(b) c.s.f =
$$15/600$$
 = $1/40$

 \therefore A.S.F = 1/1600

$$\underline{254.5} = \underline{1}$$

actual area 1600

Actual Area = 407, 200 cm²
Actual area = 40.72 m²

$$40.72 \ge 0.75 = 1.527$$
 ltrs
20
19. (a) Let width of path be xm
L = 10 + 2x
W = 8 + 2x
(10 + 2x) (8 + 2x) = 168m²
80 + 16x + 20 x + 4x² = 168
 $4x^{2} + 36x - 88 = 0$
 $X^{2} + 0x - 22 = 0$
(x-2) (x + 11) = 0
 $\therefore x = 2m$

(b) (i) Area of path = $168 - (10 \times 8) = 88m^2$

Area covered by corner slabs

$$=4(2x)=16m^{2}$$

Area to be covered by smaller slabs

 $= 88 - 16 = 72m^2$

No. of smaller slabs used

$$=$$
 72 x 100 x 100 $=$ 288

50 x 50

(ii) Cost of corner slabs

$$600 \ge 4 = 2400$$

Cost of smaller slabs

288 x 50 = 14400

Total cost = 2400 + 14400

Kshs 16,800

20. $\cos 0 = 2.5/5 = 0.5$

 $\theta = 60^{\circ}$

Surface under water = $2 \times 60 \times \pi \times 10 \times 12 = 125.7$

360

21. Area of each sector

 $\frac{60}{360} \ge \pi \ge 6^2$

= 18.84955592

Area of $\Delta = \frac{1}{2} \times 6 \times 6 \times \sin 60^{\circ}$

= 15.5884527

- \therefore Area of the shaded region
- 15.58845727 + 2(18.84955592) 15.5884527)
 - = 15.58845727 + 6.522197303
 - = 22. 11065457

= 22.11

- 22. (i) 93.54 cm^2
 - (ii) 28.06 cm²
- 23. (a) 107,800 litres

(b) 486 days (c)

485 days

24. 72

25. (a) Sketch

(b) 10.44 cm

TOPIC 5

QUADRATIC EXPRESSIONS AND EQUATIONS

1. $2x-2 \div x-1$ $6x^2 - x - 12$ 2x - 32(x -1) x (2x -3) 3x + 4)(2x - 3) x-1 =<u>2</u> 3x + 4 2. y = 2x - 3 $X^2 - x(2x - 3) = 4$ $X^2 - 3x - 4 = 0$ (x + 1) (x - 4) = 0X=-1 or x = 4And Y = -5 or y = 53. $7_{2(x-1)} + 7_{2x} = 350$ $7_{(2x+2)} + 7_{2x} = 350$

$$49 (7^{2x}) + 7^{2x} = 350$$

$$7^{2x} (49 + 1) = 350$$

$$7^{2x} (50) = 350$$

$$7^{2x} = 7; 2x = 1$$

$$X = \frac{1}{2}$$

$$X = \frac{1}{2}$$

$$X = \frac{1}{2}$$

$$X^{2} - 1$$

$$X^{2} - 1$$

$$X (x + 1) = X$$

$$(x + 1) (x - 1) = x - 1$$

$$(x + 1) (x - 1) = x - 1$$

$$5. \qquad 3x^{2} - 3xy + xy - y^{2}$$

$$3x (x - y) + y(x - y)$$

$$(x + y) (3x + y)$$

$$7. \qquad (a + b) (a - b)$$

$$(2557 + 2547) (2557 - 2547)$$

$$5104 x = 10$$

$$51040$$

$$8. \qquad (a) (i) (x + y)^{2} = x^{2} + 2xy + y^{2} = 3^{2}$$

$$\therefore x^{2} + 2xy + y^{2} = 9$$

$$(i) \qquad 2xy = 9 - (x^{2} + y^{2})$$

$$= g - 2g$$

$$= -20$$

WWW.KCPE-KCSE.COM

(iii)
$$(x-y)^2 = x^2 + y^2 - 2xy$$

 $= 2g - (-20)$
 $= 49$
(iv) $x-y = \pm \sqrt{49}$
(b) $x + y = 3$
 $X - y = 7$ $x + y = 3$
 $2x = 10 \ x - y = -7$
 $X = 5$ $2x = -4$
 $Y = -2$ $x = -2$
 $Y = 5$
9. $(3a + b) (a + b)$
 $(4a - b) (a + b)$
 $3a + b$
 $4a - b$
10. (a) $10x + y$
(b) $3(x + y) + 8 = 10x + y$ (i)
 $10y + x = 10x + y + 9$ (ii)
 $2y - 7x = -8$
 $9y - 9x = 9$
 $18y - 18x = 18$
 $18y - 63x = -72$
 $45x = 90$

$$X = 2; y = 3$$

$$Xy = 23$$

11. $2a^{2} - 3ab - 2b^{2} = 2a + b)(a - 2b)$
 $4a^{2} - b^{2} = (2a - b)(2a + b)$
 $(2a + b)(a - 2b)(2a + b)$
 $a - 2b$
 $2a - b$
12. $(3t + 5a)(3t - 5a)$
 $3t + 5a(2t + 3a)$
 $= 3t - 5a$
2t + 3a
13. $p^{2} + 2pq + q^{2}$
 $^{3} P - pq + pq - q$
 $^{3} P - pq + pq - q$

$$P^2 - q^2$$
) (p + q)

$$(p+q)(p+q)$$

$$(p-q)(p+q)(p+q)$$

____1

$$(p-q)$$

14. $14(x^2 - y^2) (x^2 + y^2) (x^4 - y^4)$

$$= (x^{4} - y^{4}) (x^{4} - y^{4})$$

= $x^{8} - 2x^{4} y^{4} + y^{8}$
 $(x^{2} - y^{2}) (x^{6} - x^{2} y^{4} + x^{4} y^{2} - y^{6})$
15. $x + y = 40 \Rightarrow y = 40 - x$

 \therefore Sum of the squares in terms of x

$$S = x^2 + (40 - x)^2$$

$$2x^2 - 80x + 1600$$

16.
$$\underline{15a^2 b - 10ab^2} = \underline{5ab} (3a - 2b)$$

$$3a^2 - 5ab + 2b^2 (3a - 2b) (a - b)$$

- 17. (i) 9a + 6
 - (ii) 18
- 18. x = 3/2
- 19. 3
- 20. x = 4
- 21. y = 0
- 22. 2x + y
- X 3y
- 23. Juma = 42 years

Ali = 16 years

 $\begin{array}{ll} 24. & \underline{x-8} \\ X-2 \end{array}$

25. d = 49

TOPIC 6

INEQUALITIES

1. $2 \le 3 - x \ 3 - x < 5 \ -1 \le -x \ -x < 2$

 $1 \ge x$

- $-2 \le 1 \text{ or } 1 \ge x > -2$
- 2. 4 2x < 4x 9

13< 6x

- $^{13}/_6 < x$
- 4x 9 < +11
- ⇒3x < 20
- $X < {}^{20}\!/_3$

Integral value of x = (3,4,5,6)

3. 3-2x < x-3-2x + 2x < x + 2x3 < 3x1 < x $x = \le 2x + 5$

 $3x \le 2x + 5 \quad x$ ≤ 5 $= 1 \le x \le 5$ $4. \quad x = \ge -16$ $5. \quad (a) \qquad x > 0, y > 0$ $(b) \qquad 200x + 1400 \text{ y} \le 9800 \text{ or } x + 7y \le 49$ $(c) \qquad (i) \quad x = 10, y = 4$ $(ii) \qquad x = 7, y = 6$

Distance = 690 km

TOPIC 7

CIRCLES

1.
$$< PCB = 40 \text{ or } < DCQ = 40$$

 $Or < BCD = 140^{0}$

$$\therefore < BAD = 40^{\circ}$$

2. (i) < BAC or < BCA = $\frac{1}{2}$ x 90 = 45°

$$< CAD = 180 - (90 + 25)$$

 $\frac{1}{2} \times (180 - 2 \times 25)$
 $= 65^{0}$
 $< BAD = 45^{0} + 65^{0} = 110^{0}$

(ii) Obtuse
$$< BOD = 2 (45 + 25)$$

 $= 140^{0}$

$$=$$
 BGD $=$ 70⁰

(iii) $\langle ABC = \langle BAC = 45^{\circ} base$

 $< ABE = <ACB = 45^{\circ} < s$ is alt- segment

 $< CBF = < BAC = 45^{\circ}$ <'s alt- segment

 $\therefore < ABE = CBF$

3. (a)
$$< QTS = 40^{\circ}$$

< s' in alt- segment

(b) $< QRS = 10^{0}$

Reasons: < SQT = 90⁰ on semi circle

$$\Rightarrow < TSQ = 50^{\circ}$$
$$\therefore QRS = 50 - 40 \text{ etc} < \text{of } \Delta$$

(c)
$$< QVT = 35^{\circ}$$

 $Reasons < QVT = SQV \ alt < S$

(d)
$$< UTV = 15^{\circ}$$

Reasons < QUT = UTV + QVT

Ext < of triangle

 $\therefore = 50 - 35$

4. (a) < RSTY = 104

(b)
$$< TSU = 180 - 104 = 76^{0}$$

 $< QTS = 180 - (90 + 37) = 53^{0}$
 $Or < QRU = 180 - 48 = 132$
 $< SUT = (48 + 53)^{0} - 76^{0}$
Quadrilateral
 $OR 360 - (132 + 76 + 127)$
 $= 25^{0}$
(c) Obtuse $< RUT = 76 \ge 2$

 $= 152^{0}$

(d) $\langle PST = 70 - 48 \text{ or equivalent} \rangle$

 $=42^{0}$

5. (a) (i) $\langle CBD = 90 - 42 = 48$

Subtended by diameter

(ii) < BOD = $180 - 42 = 138^{\circ}$

(b) In \triangle BAD

$$< BAD = \frac{1}{2} \times 138 = 69^{0}$$


 $< ADB = 180^{0} - 42 + \frac{1}{2} \times 138)$
 $= 180 - 111$
 $= 69^{0}$

6. (a)
$$<$$
 ECA = 28⁰

$$<$$
 CEG = 120⁰ or $<$ EAG = 120⁰
 $<$ ABC = 88⁰

7.
$$< RST = 35 + 20^0 = 55$$

55⁰



TOPIC 8

LINEAR MOTION

T – 1

(b) Speed of the bus = 500

T -1

<u>500</u>: <u>300</u> = 5: 3

T -1 t - 1

2. Speed of slower athlete = $\underline{800}$

108

```
Distance = 800 \times 4
```

108

= 29.63

3. Distance covered by bus A at loan

= 90 x 2 = 180 km

Bus B time between 2 stops

<u>72</u> = 1.2 hours

60

Bus B leaves L at 9.17 am

Distance between 9: 17 and 10.00 a.m

= 60 x 43 = 43 km

60

At 10 am Bus B has covered 72 + 43 = 115 km

Distance between Bus A and B at 10 am

360 - (180 + 115) = 65 km

4. Let dist covered by bus be x km <u>WWW.KCPE-KCSE.COM</u>

$$\underline{X} = \underline{220} - x + \underline{3}$$

60 80 4
$$4x = 3 (220 - x) + 3 x 60$$
$$4x = 660 - 3x + 180$$
$$7x = 840$$
$$X = 120$$

ALT METHOD 2

Let time taken when both are moving to be t hrs

60 ($1 + \frac{3}{4}$) = 220 - 80 t \Rightarrow t = 1 $\frac{1}{4}$ h Time bus moving = 1 $\frac{1}{4} + \frac{3}{4} = 2$ h

Distance bus covered = 60×2

= 120

ALT METHOD 3

Relative velocity = 140

 \therefore time taken = 220 - $\frac{3}{4} \times 60$

140

= 1.25 h

∴Distance bus covered

 $1.25 \ge 50 + 45 = 120$

5. (a)
$$\underline{d} - \underline{d} = 3$$

50 80
 $\underline{8d - 5d} = 3$
400
 $3d = 1200$
 $D = 400 \text{ km}$
(b) (i) $400 \ge 0.35 + 400 \ge 0.3 = 260 \text{ ltr}$
(ii) Total time
 $\underline{400} + \underline{400} = 12 \text{ hours}$
50 80

Average consumption = 260

13

= 20 litres/ hr

6. (a) Time taken by lorry = $\underline{280h}$

Х

Time taken by car = 280 h

x + 20

 $\underline{280} - \underline{280} = \underline{7}$

X = x + 20 = 6

 $\frac{280 (x + 20) - x (280)}{X (x + 20)} = \frac{7}{6}$

 $280 x + 5600 - 280 x = 7/6 (x^2 + 20x)$

 $7x^2 + 140x - 33600 = 0$

WWW.KCPE-KCSE.COM

$$X^{2} + 20x - 4800 = 0$$

(x+ 80) (x - 60) = 0
$$X = -80 \text{ or } x = 60$$

∴Speed of lorry = 60 km/h
Speed of car = 80 km/ h
Time taken to meet = 4h

Distance covered by lorry in 4 hours = $60 \times 4 = 240 \text{ km}$

Distance covered by car at meeting point = 240 km

Time taken by car = 240

80

= 3 hrs

(b)

∴Car left M at 9.15 am

7. Distance covered by bus in $2\frac{1}{2}$ hrs

60 x <u>5</u> = 150 km

2

(a) (i)
$$500 - 150 = 350 \text{ km}$$

(ii) Overtaking speed = $100 - 60 = 40 \text{ km/h}^{-1}$

Distance = 150 km

Time taken to overtake = <u>150</u> = 3 ³/₄ hrs

40 Distance traveled by car to catch up

= 100 x 15/4 = 375 km

(b) Distance remaining = 500 - 375 = 125 km

Time taken by bus to cover 125 km

$$=$$
 125 $=$ 2 ¹/₂

60

Time left for the car after rest

$$= 2$$
 hrs 5 min $- 25$ min

 $= 1 \text{ hr } 40 \min$

 \therefore New average speed = 125 ÷ 1 2/3 = 75 kmh⁻¹

8. Amount of fuel used = $\underline{120} \times \underline{8}$

4 3

Amount of money spent = 80×59

= 4720

9. (a) 15 km

(b) 71.25 km

- 10. 97
- 11. 9.20 am
- 12. (a) 20 m/s

(b) 220 m

FORM 3

TOPIC 1

QUADRATIC EXPRESSIONS AND EQUATIONS

1. a) (i) b-a=35....(i)

$$7b - 490a = 39.9....(ii)$$

$$A = 4.9 b = 40$$

(ii)
$$S = 4.9t^2 + 40t + 10$$

	t	0	1	2	3	4	5	6	7	8	9	10
	t	10		70.4	85.9	91.6	87.5	73.6		16.4	-26.4	
)	(i) Suitable scale											

(b)

Plotting

Curve

Tangent at t = 5(ii)

Velocity = -9.0 ± 0.5 m/s

2. (a)

X	-3	-2	-1	0	1	2	3	4
Y	6	0	-4	-6	-6	-4	0	6

(b) Suitable scale

Plotting

Curve

(c) y = -3x - 4

Line drawn

X	-4	-3	-2	-1	0	-0.5	1	2	3	4	5
Y	-14	-6	0	4	6	6.25	6	4	0	-6	14

B₁ For all values correct

	Line	graph =	y = 2 -	- 2x							
(b)	x = -1 x	=4									
(c)	6 + x - x	$x^2 = 2 - $	2x								
	$X^2 - 1$	$X^2 - 3x - 4 = 0$									
4.	(a) x	-2	-15	1	0	1	2	3	4	5	
X3 8	-3.4 -1 0 1	8 27 6	4 125								
-5x2	-20 -11.3 -	-50-5-	-20 -45	-80 -12	5						
	2x	-4	-3	-2	0	2	4	6	8	10	
У	9	9	9	9	9	9	9	9	9		
(b)	On the g	raph sc	ale								
		Plotti	ing								
		Curv	e								
(c)	2.15 ± 0	.1									
(d)	y = 4 - 4	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9									

5.

Х	-4	-3	-2	-1	0	1	2
$2x^2$	32	18	8	2	0	2	8
4x-3	-19	-15	-11	-7	-3	1	13
Y	13	3	-3	-5	-3	3	13

Plotting and linear scale

(b) X = 2. 6; x = 0.6

(c) Eq. of straight line = y = 3x + 3

6. (a) (i)

X	-3	-2.5	-2	-1.5	-1	-05	0	0.5	1	2	2.5
X3	-27	-	-8	-3.38	-1	-0.13	0	0.13	1	8	15.63
		15.63									
X2	9	6.25	4	2.25	1	0.25	0	0.25	1	4	6.25
-2x	6	5	4	3	2	1	-	-1	-2	-4	-5
У	-12	-4.38	0	1.87	2	1.12	0	-0.63	0	8	16.88

(ii)
$$0 < x < 1$$
 -3

(b) Line y = 2

(1.3, 1.3) and (-2, -2.3)

7. a0 Find midpoint (centre) =
$$5 + (-1)$$
, $5 + (-3)$

2 2

$$= [\frac{4}{2}, \frac{2}{2}]$$
$$= (2, 1)$$

(b) Vector of (a,b) = (2,1)

$$R = - \begin{pmatrix} 5 \\ 5 \end{pmatrix} = \begin{pmatrix} 2 \\ 2 \end{pmatrix} \begin{pmatrix} 3 \\ 4 \end{pmatrix}$$

$$\therefore \mathbf{r} = 3^2 + 4^2$$

= 5 units

$$(x - 2)^{2} + (y - 1)^{2} = 5^{2}$$
$$X^{2} - 4x + 4 + y^{2} - 2y + 1 = 25$$
$$X^{2} + y^{2} - 4x - 2y - 20 = 0$$

8. (a) Let x be the number of computer bought. Using original price.

Original price per unit = $\underline{1800000}$

Х

New price per unit = 1800000 - 4000

Х

 $\therefore 1800000 - 4000 = 1800000$

X x + 5

 $1800000 \ x - 4000 \ x^2 + 9000000 - 20000 x$

= 1800000 x

 $X^2 + 5 x - 2250 = 0$

 $X^2 + 50 \ x - 45 x - 2250 = 0$

X(x + 50) - 45(x + 50) = 0

(x - 45) (x + 50) = 0

X = 45

(b) \therefore No of computers bought = 50 (b) No of computers left after breakage = 50- 2 = 49

Selling price to realize 15% profit

= 1800000 x 1.15 = 2070000

Buying price per unit = 1800000

Profit per unit = 2070000 1800000

48 50

 $=43125-36\ 000$

= 7125

9. When
$$x = 0$$
, $y = 2 \therefore k \ge 1 \ge -2$

2 = -2k

K = -1

TOPIC 2

APPROXIMATION AND ERRORS

2. (a) $c = 2x2.8 \times 22/7 = 17.6$ $c/\pi = 17.6 \times 7/22 = 5.6$

5.6 <u>+</u> 0.05

(b) $3.142 \ge 2.8 \ge 17.595$

3.142 x 5.5 = 17. 281

3.142 5.7 = 19.909

Limits 17.28 – 19.91

. (a) Maximum possible Area

4.11 x 2.21 = 9.083

Minimum possible Area

4.09 x 2.19 = 8.9571

(b) Maximum possible wastage

9.0831 - 8.957

 $0.126m^2$

4. (a) Working area = $\frac{1}{2} \times 6 \times 4 = 12$

Maximum area = $\frac{1}{2} \times 6.5 \times 4.5 = 14.625$

Minimum area = $\frac{1}{2} \times 5.5 \times 3.5 = 9.625$

Absolute error = 14.625 - 9.625

= 5

(b) % error =
$$5/12 \times 100$$

= 41.7%

Actual value = 788×0.006

5. 4.728

Approximate value = 800×0.006

= 4. 728

Approximate vale = 800×0.006

= 4.8

% Error $= 4.8 - 4.728 \times 100$

4.728

6. Greatest possible error = 64 (3.15 - 3.05)

2

= <u>201.6 - 195 . 2</u>

2

 $= 3.2 \text{ cm}^3$ 7. 40 ± 6.5

<u>6.5</u> = 0.1625

40

8. Min Perimeter = 74.75 cm

9. (i) Ans. 0.24 error 0.003

(ii) Ans 0.23 error 0.007

10. Ans 10%

TOPIC 3

TRIGONOMETRY

1. $5/2 \ \theta = 210^{\circ}, \ 330^{\circ} \qquad \theta = 420^{\circ}, \ 660$ 5 5 $= 84^{\circ}, 132^{\circ}$ (a) X = 32 - 222. Tan $\theta = \underline{2}$ **v**5 (b) $\operatorname{Sec}^2 \theta = \tan^2 \theta + 1$ = 4/5 + 1= 1.8 $\sin^2(x-30) t = \frac{1}{2} x \frac{1}{2} = \frac{1}{4}$ $\sin(x-30) = \frac{1}{2} = \pm 0.5$ 3. $X = 30 = 30^{\circ}, 150^{\circ}, -30^{\circ}, -210^{\circ}$ $X = 60^{0}$, 180^{0} , 0^{0} , -120^{0} , -180^{0} 4. $\cos 2x = \sin (90 - 2x)$ Sin (x + 30) = Sin (90 - 2x)S + 30 = 90 - 2x3x = 60 $X = 20^{0}$ $\cos^2 3x = \cos 260$ $= (\frac{1}{2})^2$ WWW.KCPE-KCSE.COM

=
$$\frac{1}{4}$$
 or 0.25
5. $X^{2} = (\sqrt{-12} = 4)$
 $X = 2$
(a) $\therefore \cos \alpha = 2$
 $\sqrt{5}$
(b) Tan (90 - α) = 2
6. (a) $\sin^{2}X + \cos X = 1$
 $\sin^{2}x = 1 - \cos^{2}x$
 $8 (1 - \cos^{2}) + 2 \cos X - 5 = 0$
 $8 - 8 (\cos^{2}x + 2 \cos X - 5 = 0)$
 $-8 \cos^{2}X + 2 \cos X + 3 = 0$
Let Cos X be t
 $-8t^{2} + 2t + 3 = 0$
Let Cos x be t
 $-8t^{2} + 2t + 3 = 0$
T = $\frac{1}{2}t = \frac{3}{4}$
(b) Tan X = $\frac{\sqrt{7}}{2}$

3

3

√7

7.
$$\cos 2x^0 = 0/8070$$

 $2x^0 = 36.2^0, 323.8^0, 396.2^0, 638.8^0$
 $X^0 = 18.1^0, 161.9^0, 198.1^0, 341.9^0$

8. (a) From \triangle BCD Sin 30⁰ = <u>BD</u>

$$12$$

$$BD = 12 \sin 30$$

$$= 12 \times \frac{1}{2}$$

$$= 6 \text{ cm}$$
(b) From $\triangle \text{ ABD}$

$$Sin 45 \underline{\qquad} = \underline{\sin \angle \text{ ADB}}$$

$$6 \qquad 8$$


$$Sin \angle \text{ ADB} = \underline{8 \sin 45}$$


$$6$$


$$= \underline{4 \times 0.7071}$$

$$3$$

$$= 0.9428$$







Where 2d + Qs = 3.6mQs 3.6 - 2d= 1.8 ____ <u>d</u> Sin 90⁰ Sin 27⁰ $D = 1.8 \sin 27^{0}$ $Sin 90^0$ = 0.8172QS = 3.6 - 1.6344 = 1.9656m10. Tan $30^0 =$ AE 100 (i) $AE = 100 \text{ Tan } 30^0 = 57.74 \text{ m}$ (a) (ii) 57.74 = AC = 81.6m $\sin 45^\circ$ $\sin 90^\circ$ $AD^2 = 80^2 + 81.66^2 - 2(80 + 81.66) \cos 100$

= 6400 + 6668. 36 - 2 (161. 66) cos 100

= 13124.48

AD = 114. 6m (iii) Cos $30^0 = 100$; AB = 100 = 115. 47

WWW.KCPE-KCSE.COM

AB $\cos 30^{\circ}$

EC = 57.74m (\angle AEC is isosceles) Perimeter = BE + EC + CD + DA + AB = 100 + 57.74 + 80 + 114.6 + 115.5 = 487.84 487.84 - 2.8 = 485.04 <u>485.04 x 5</u> = 5.0525 480

 \therefore 6 rolls of barbed wire are required

11
$$l^2 = 5^2 - (2\sqrt{5})^2 = 5$$

L = $\sqrt{5}$
∴tan $(90 - x)^0 = 2\sqrt{5}$ or 2

v5

12. 1
$$\angle$$
 ACB = 38.5⁰

(b)

 $\underline{} 8.4 \underline{} \underline{x}$

Sin 100.5 sin 41^0

 $X = 8.4 \sin 41^{\circ}$

Sin 100.5

X = CN = 5.6


13. (a)
$$\angle ABQ = 180 - 955^0 = 845^0$$


$$\therefore AB = 5.8 = 60.5 \text{ m} = 14.5^{\circ} = 61 \text{m}$$
 Cos 84.5

WWW.KCPE-KCSE.COM

(b) (i)
$$\angle ABC = 95.5 + (90.30.5)$$

$$= 155^{\circ}$$





AC = 9.4 x 10 = 94 m

 $(Using 63 m = 96m) \pm 1m$

(ii)
$$\angle BCA = 16^0 \pm 1^0$$

 \therefore \angle of depression of A from C

$$= 30.5^{\circ} - 16^{\circ}$$

TOPIC 4

SURDS AND FURTHER LOGARITHMS

1.
$$\log x^{3} + \log 5x = 5 \log 2/5$$


 $\log (x^{3} \times 5x) = \log 32 \times 5$
2
 $5x^{4} = 80$
 $X^{4} = 16$
 $X = 2$

2.
$$(1 + \sqrt{3})(1 - \sqrt{3}) = 1 - 3 = -2$$

1 $-\frac{x}{1 + \sqrt{3}}$
 $1 + \sqrt{3}$
 $1 + \sqrt{3}$
 $1 - \frac{1 - \sqrt{3}}{2}$
 -2
 3
 $\frac{1.7321 - 0.5}{2}$
 $= 0.366$
3. $\sqrt{14 \sqrt{7} + \sqrt{2}} - \sqrt{14 \sqrt{7} - \sqrt{2}}$
 $(\sqrt{7} - \sqrt{2})(\sqrt{7} + \sqrt{2})$
 $a = 4/5, b = 0$
4. $49(x+1) + 7(2x) = 350$
 $49(7^{2x_1} + 7^{2x_2}) = 350$
 $7(2x) = 7$
 $2x = 1$
 $x = \frac{1}{25}$
 $1 x^2 = 1$
 125
 $1 x^2 = 1$
 125
 $1 x^2$
 125

$$X^{2} = 1$$

$$X = 1$$
6. $\underline{\sqrt{14 + 2\sqrt{3} - (\sqrt{14 - 2\sqrt{3}})}} = \underline{4\sqrt{3}}$
 $(\sqrt{14})^{2} - (2\sqrt{3})^{2} 2$
7.



 $Tan 15^{0} = \underline{1}$ $2 + \sqrt{3}$ $\underline{1 - x} \qquad \underline{2 - \sqrt{3}}$

 $2 + \sqrt{3}$ $2 + \sqrt{3}$

= 2 - v3

8. $3\sqrt{7} + 6\sqrt{2}$

4v2 + 2v7

$$(3\sqrt{6} \sqrt{2}) (4\sqrt{2} - 2\sqrt{7})$$

$$(4\sqrt{2} + 2\sqrt{7}(4\sqrt{2} - 2\sqrt{7}))$$

 $\frac{12\sqrt{14} - 42 + 48 - 12\sqrt{14}}{32 - 38}$ = ⁶/₄ or 1.5 9. ______3 + <u>1</u> = 3(<u> $\sqrt{5} + 2$ </u>) + <u>1</u> $\sqrt{5}$ $\sqrt{5} - 2$ $\sqrt{5}$ 5 - 4 5 = $3\sqrt{5} + 6 + 1$ $\sqrt{5}$ 5 = <u> $\sqrt{5}$ </u> 6 + 16 10. y =0 11. x = 5, x = 1/3 12. x = 1, x = 0

TOPIC 5

COMMERCIAL ARITHMETIC

1. (a) by 30^{th} June, 1996 A = 12000 x 0.9

= Kshs 13080

(b) By 30th June 1997

 $A = 12000 \text{ x } 1.09^2$

13080 + 14257.20

Kshs 27337.20

2. (a) Cost/ ton/km = 24000

28 x 48

Kimani received

<u>24000</u> x 96 x 49

28 x 48

= 84000

(b) Profit = $84000 - \underline{96} \times 3000 = 48,000$

8

- (c) Achieng received $\underline{84} \times 24,000 = 72,000$
 - 28

Transportation cost = $72,000 \times 100 = 50,000$

144

3. (a) Total earning 40480

$$435 \text{ x } 2 = 870$$

WWW.KCPE-KCSE.COM

$$435 \times 3 = 1305$$

$$435 \times 4 = 1740$$

$$435 \times 5 = 2175$$

$$284 \times 6 = 1704$$

$$7794$$

(b) Net
$$tax - Kshs 7794 - 800$$

Kshs 6994

- (c) New earnings
 - $1.5 \ge 2024 = \text{\pounds}3036$
 - \pounds 3036 \pounds 2024 = \pounds 1012

Net $tax = 1012 \times 6$

= Kshs 6072

% age excess = 60 72 x 100

7794

4. (a) (i) 750,000 x <u>90</u>

100

= 675, 000

(ii) $675,000(1.1)^3 = 898,425$

898, 425 + 75,000 = 973, 425

(b) $675,000 (1.1)_n = 816,750$

 $(1.1)^n = 1.21$ N = 0.0828 0.0414

N = 2 years

$$5. \qquad S1 = \underline{P \ x \ 2 \ x \ 5}$$

100

= 0.1P

Amount after 2 years = $\underline{P(1+5)}^2$

100

 $P(1.05)^2 = 1.1025P$

Compound interest = 1.1025P - p

= 0.1025P

0.1025P - 0.1P = 0.0025P = 210

 $\underline{P\ 210\ x\ 10}^4 = 84\ 000$

 $0.0025 \ge 10^4$

6. (a) (i) A = P + 1 Total interest = 12,800 x 3

= 38,400

$$\mathbf{P} = \mathbf{A} - \mathbf{l}$$

P = 358, 400 - 38, 400

= Kshs 320,000

(ii) $\underline{\mathbf{R}} = \underline{\mathbf{1}}$ 100 PT $\mathbf{R} = \underline{\mathbf{1} \times \mathbf{100}}$ PT

> = 12,800 x 100 WWW.KCPE-KCSE.COM

320,000

R = 4%

(b) Deposit $= \underline{25} \times 56\ 000 = 14,000$

100

Balance = 56,000 - 14,00 = 42,000

<u>42,000</u> = 2625 n = 16 installments

Ν

(ii) $B.P = 175 \times 40,000 = Kshs 35,000$

200

Difference = 56,000 - 35,000

= 21,000

<u>21,000</u> x 100 = 60%

35,000

7. Let monthly income be y

Rate	Tax payable	Acc. Tax
10%	10% x 9681	968.10
15%	15% x 9120 = 1368	2336.10
15%	15% x = 947. 90	1961
	10% 15%	10% 10% x 9681 15% 15% x 9120 = 1368

 $X = 94.90 \times 100$

15

= 6319. 3 Y = 9681 = 6319.3

Y = 6319.3 + 9681

= 16000.30

= Kshs 16,000

8. Interest = $(13\ 800 - 2280) \ge 20 \ge 2$

100

= 11520 x 0.2 x 2 = 4608

Each monthly installments = $\underline{11520 + 4608}$

24

Kshs 672

- 10. (a) Kshs 60, 000 (b) Kshs 79, 860
- 11. Kshs 240, 000
- 12. Amount payable = Kshs 75510
- 13. = 200,00
- 14. 9663.6

TOPIC 6

CIRCLES CHORDS AND TANGENTS

1. Area of the sect or $= \frac{75}{22} \times \frac{22}{2} \times 14 \times 14$

360 7

 $= 128.3 \text{ cm}^2$

Area of $\Delta = \frac{1}{2} \times 14 \times 14 \sin 75^{\circ}$

= ¹⁄₂ x 14 x 14 x 0.9659

 $= 94.64 \text{ cm}^2$

2. (a) $PS = (34^2 - 16^2) = 900$ WWW.KCPE-KCSE.COM

(b)
$$\cos POS = \underline{17^2 + 17^2 - 30^2} = \underline{-322}$$

 $2 \ge 17 \ge 17 \ge 578$

= -0.5572

 \therefore POS = 123⁰ 50 (123. 86⁰)

3. (a) $6 \ge C = 4.8 \ge 5$

$$XC = 4.8 \times 5 = 4$$

6

(b)
$$BT^2 = (6+4+8) \times 8$$

$$= 18 \times 8 = 144$$

BT = 12

4. (a) Area =
$$\underline{120} \times 7 \times 7 \times \underline{22} = 51 \ \frac{1}{3} \ \text{cm}^2$$

360 7

(b)
$$\frac{1}{2} \text{AD} = 7\sin 600 = 7\cos 60$$

AB = 14 - 2 x 7x 0.5 = 7

Area of trapezium XZBY = $\frac{1}{2}$) (7 + 14) x 6.062

 $= 63.65 \text{ cm}^2$

(c) Area of shaded region = 2(63.65 - 5111/3)

= 127.30 - 102.67= 24.63 cm²


5. $\theta = \text{Angle POT}$ Cos $\theta = 7/25$ $\theta = 73^{\circ}$ 55' or 73. 74

PQ = 7 x 2 sin 73.74

= 14 x 0.9608

= 13. 44 cm





< RST = 35 + 20 = 55

 $= 55^{0}$

7. Area of each sector

 $\underline{60}$ 360 x π x 6²

360

= 18.849555592

Area of $\Delta = \frac{1}{2} \times 6 \times 6 \times \sin 60^{\circ}$ = 15. 5884527

 \therefore Area of the shaded region

- 15.588445727 + 2(18.84955592) 15.5884527)
 - = 15.58845727 + 6.522197303
 - = 22.11065457

= 22.11

8. (a) NR = $4^2 + 7.5^2$

= 8.5 cm

(b) QR
$$(14 + 8.5) = 7.5^2$$

$$4xAN = 14(8.5 - 2.5)$$

$$AN = \underline{14 \ x \ 6}$$

= 21 cm

TOPIC 7

MATRICES

1.
$$A^2 = 1 2$$
 1 2 = 9 8
4 3 4 3 16 17

$$\mathbf{B} = \begin{bmatrix} 0 & 8 \end{bmatrix} \begin{bmatrix} 1 & 2 \end{bmatrix} = \begin{bmatrix} 8 & 6 \end{bmatrix}$$

$$16 \quad 17 \quad 4 \quad 3 = 12 \quad 14$$

$$18 = 3p \ 5q = 30$$

$$P = 6 \ q = 6$$
3. (a) $x^2 \ 0 - x \ 0 = x^2 \ 0$
5 y 5 y 5x + 5y y²
(b) $x^2 \ (0 =) \ (1 \ 0)$

$$5x + 5y y^2 = 0 1$$

WWW.KCPE-KCSE.COM

$$5x + 5y = 0$$

$$() \\ If x = 1, y = -1$$

$$If x = -1, y = 1$$

$$4. (a) m = 54 - 56 = -2$$

$$() \\ Inverse \\ -7 \\ (9 \\ 2)$$

$$matrix = -1 \\ 6 \\ -8.$$

$$() \\ -8.$$

(b) Let the price of each bicycle be x and each radio be y

$$36 x + 32y = 227280$$

28x + 24y = 174960

$$\begin{pmatrix} & \\ 36 & 32 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 227280 \\ 174960 \end{pmatrix}$$

$$\begin{pmatrix} 9 & 8 \\ 7 & 6 \\ y \end{pmatrix} \begin{bmatrix} x \\ x \\ y \end{bmatrix} = \begin{pmatrix} 56 & 820 \\ 43 & 740 \end{pmatrix}$$

-8 56 $\begin{pmatrix} 6 & -8 \\ 6 & -8 \\ 43 & 740 \end{pmatrix} \begin{bmatrix} x \\ x \\ z \end{bmatrix} = \begin{pmatrix} 6 \\ -7 & 9 \\ -7$

2040

 \therefore each bicycle price = 4500 x 0.9 = 4050

New price of radio = $2040 \times 1.1 = 2244$

2244

 \therefore Total cost in 3rd week

= 259200 + 125664 = 384864

WWW.KCPE-KCSE.COM

5. T-1 =
$$\frac{1}{3}$$
 $\frac{2}{3}$

Coordinates (3,2)

6. (i)
$$\begin{pmatrix} 1 & -\frac{1}{2} \\ & & \\ & -\frac{1}{2} & 5 \end{pmatrix}$$

8. Shirts cost Kshs 120

Trousers cost Kshs 240 TOPIC 8

FORMULAE AND VARIATIONS

1.
$$\underline{1} = \underline{3V} + 2$$

 $Sc^2 = 2\pi^3$
 $\underline{C}^2 = 2\pi r^3$
 $3SV + 4\pi r^3 S$

$$\sqrt{\frac{C=2\pi r^{3}}{3SV+4\pi r^{3}S}}$$
2.
$$\frac{2T}{2} = V^{2} - r^{2}$$
M
$$V^{2} = v^{2} = v^{2} - \underline{2T}$$
M
$$V = V^{2} - \underline{2T}$$
M
3.
$$y(Cx^{2} - a) = b - bx^{2}$$

$$X^{2} (yc + b) = b + ya$$

$$X^{2} = \underline{b + ya}$$

 $\label{eq:log_states} \begin{array}{l} Log \; y = log \; 10 + n \; log \; x \\ n \; log \; x = log \; y - log \; 10 \end{array}$

 $\log y = \log (10x^n)$

Yc + b

 $X = \underline{b + ya}$

4.

Ya + b

 $n = \underline{\log y - \log 10}$

Log x

5.	(a)	$T = a + b \forall s \text{ or } T = b + b \forall s $	+ a v s (b)	$a + b \sqrt{16} = 24$	a + b v 36 =
	32	a + 3b = 24	$\underline{a+6b=32}$		

-2b = -8

r + q

= <u>qr</u>

P(r+q) = qr P

8.
$$p^2 = p^2 - pr - pq + qr$$
 $Pr + pq = qr$

$$Y = \underline{px}$$

 $\mathbf{P}\mathbf{x} = \mathbf{x}$

7. px

Px =

<u>K + 1.25c</u>

1.25 1.25

$$+ 1.5c = 15$$

b = 4 a = 8

 $6. \qquad \mathbf{P} = \underline{\mathbf{k}} + \mathbf{c} \qquad \mathbf{q}$

$$1 + 1.5c - 15$$

 $10 = \underline{\mathbf{k}} + \mathbf{C} = \underline{\mathbf{k}} + 1.5\mathbf{c}$

$$K + 1.5c = 15$$

$$1.5c = 15$$

$$.5c = 15$$

$$1.5c = 15$$

$$1.5c - 15$$

$$20 = \underline{k} + c = \underline{k + 1.25}$$

$$20 = \underline{\mathbf{k}} + \mathbf{c} = \underline{\mathbf{k}}$$

$$K = 1.25c = 25$$

$$= 1.25c = 25$$

$$K = 1.25c = 25$$

$$K + 1.5c = 15$$

$$C = -40$$
, $k = 75$

$$C = -40, k = 75$$

$$x - py = xy$$

$$x = xy + py$$

$$\mathbf{x} = \mathbf{x}\mathbf{v} + \mathbf{p}\mathbf{v}$$

$$\mathbf{P}\mathbf{x} = \mathbf{y}(\mathbf{x} + \mathbf{p})$$

$$X + p$$

$$\mathbf{A} + \mathbf{p}$$

$$n^2 - n^2$$
 pr $n_2 + \alpha r$ $\mathbf{D}r + n_3$

$$p^2 = p^2 - pr - pq + qr$$
 $Pr + p$

$$\mathbf{p}^2 = \mathbf{p}^2$$
 or $\mathbf{p}_1 + \mathbf{q}_2$ $\mathbf{p}_2 + \mathbf{q}_3$

$$p^2 = p^2 - pr - pa + ar$$
 Pr + pa -

$$-n^2$$
 pr $na + ar$ $\mathbf{Pr} + na -$

$$p^2 - p^2$$
 on $p_2 + q_2$ $\mathbf{p}_3 + \mathbf{p}_4$

$$= xy + py$$

$$x - py = xy$$

$$C = -40, k = 75$$

$$0.25c = -10$$

$$5c = 25$$

9. $D = \underline{km}$ R^{3} $2 = \underline{k} \quad x \ 500 =>k = \frac{1}{2}$ 125 $D = \underline{1} \ x \ \underline{m} = m$ $R^{3} \ 2r^{3}$ $R^{3} = \underline{540} = 27$ $2 \ x \ 10$ R = 3cm

10.
$$\sqrt{p} = r \ 1 - as^2$$

$$P = r^{2} (1 - as^{2})$$

$$P = 1 - as^{2})$$

$$R^{2}$$

$$as^{2} = 1 - P = \underline{r^{2}} - p$$

$$r^{2} \quad r^{2} \quad S^{2} = \underline{r^{2}} - p$$

$$a \quad r^{2}$$

$$S = \underline{r^{2}} - p$$

$$a \quad r^{2}$$

11. t a x

$$\therefore t = \underline{kx}$$

$$\sqrt{y}$$

$$t_1 = kx_1$$

$$y_1$$

$$t_{2} = \underline{k.\ 096x_{1}} = \underline{k0.96x_{1}} = \underline{0.8kx_{1}} = 0.8t_{1}$$

% Decrease
$$= \underline{t_1 - t_2} \times 100$$

$$t_1 = \underline{t_1 - 0.8t_1} \ge 100$$

 t_1

12. (a) (i) $y = \underline{k}$

(ii)
$$K = 12 \times 2$$
 and $K = 3 \times 4^n$

$$12 \ge n^2$$
 and $k = 3 \ge 4^n$ or $\underline{k} = \underline{k}^2$

3 144

$$2^{n+2} = 2^{2n}$$
 or $k^2 - 48k = 0$
N + 2 = 2n or k(k - 48) = 0

WWW.KCPE-KCSE.COM

N = 2 or k = 48

$$K = 48$$
 or $K = 48$

$$K = 48 \text{ or } n = 2$$

(b)
$$y = 48 = 1^{11}/_{16} \text{ or } 1.6875$$

 $5/_3$

13. 9/8 Ohms

14. (a)
$$V = 52.5r^2 + 2.1r^3$$

- (c) 25
- 15. 9.6 kg

16.
$$X = \underbrace{p^2 \underline{z}}_{Y-p^2}$$

17. (a)
$$C = a + \underline{b}$$
 where $a + b$ are consonants

Ν

- (b) Fixed charge, a = Kshs 8000
- (c) 70 people
- 18. A = 79,(-78.82)
- 19. $P = A^2 N$

 $E^2 - n^2$

TOPIC 9

SEQUENCE AND SERIES

1. 10, 10 + 2d, 10 + 6d 10d + 2d = 10d + 6d 10 10 + 2d $100 + 40d + 4d^2 = 100 + 60d$ $4d^2 - 20d = 0$ D = 5 or d = 02. (a) 2^{nd} year saving = 2000 x <u>115</u>

(b) 3^{rd} year saving = 2300 x <u>115</u>

- (c) Common ration = $\underline{115}$ or $\underline{23}$
- 100 10

(d)
$$\underline{2000(1.15-1)} = 58000$$

1.15 - 1

 $2000 \text{ x } 1.15^{\text{n}} = 8700 + 2000$

 $1.15^{\rm n} = (8700 + 2000)$

$$2000 \\ n \log 1.15^{n} = \log 5.35$$

$$0.0607^{n} = 0.7284$$

$$N = 0.7284 = 11.99$$

0.0607

= 12

(e)
$$S_{20} = 2000 (1.15^{20} - 1)$$

1.15 - 1

$$= \underline{2000 \times 16.37 - 2000} = \underline{30.730}$$

0.15 0.15
$$= 204800$$

$$= 204933$$

3. (a) ar² = 16 = 4 a + ar 12 3

(b)
$$3r^2 - 4r - 4 = 0$$

 $3r^2 - 6r - 2r - 4 = 0$
 $(3r + 2) (r - 2) = 0$
 $R = 2/3 \text{ Or } r = 2$
 $\therefore r = \frac{-2}{3}$

4. (a) n/2 (4 + 20) = 252N = 504/24 = 21

$$/_7 (2 x 4 + (21 - 1) d = 252)$$

21 (8+ 20d) = 504

$$D = 16/20 = 4/5$$

(b)
$$50 \ge 1.8^n = 1200000$$

N log 1.8 = log
$$\underline{1200000}$$

N x 0.2553 = 4.3802 = 4.3802

= 17.16

Time taken 17.16 x 20

= 343.2 minutes (5.72 h)

5. (a)
$$T_{40} = 500 + (40-1) 50$$

= 500 + 1950

(b)
$$S40 = 40/2 (500 \text{ x } 2 + (40 - 1) 50)$$

$$= 20 (1000 + 1950)$$

= 59,000

6. 67 - 32

14

= 2.5

- 7. (a) = 32, $r = \frac{1}{2}$
- 8. (a) d = 5; a = 10

(b) p > 119/5

9. (a) 5, 7, 9, 11

(b) 2700

(c) n = 24 **TOPIC 10**

VECTORS

1. (a) (i)
$$AV = AD + DV = a + c$$

(ii) $BV = BA + AV = a + c - b$
(b) $BO = \frac{1}{2} BD = \frac{1}{2} (a - b)$
 $OV = OB + BV$
 $= \frac{1}{2} (b - a) + a + c - b$
 $= \frac{1}{2} a + c - \frac{1}{2} b$
 $OM = \frac{3}{7} OV$

$$= 3/7 (\frac{1}{2} a + c - \frac{1}{2} b)$$

BM = BO + OM
$$\frac{1}{2} (a-b) + 3/7 (\frac{1}{2} a + c - \frac{1}{2} b)$$

$$= \frac{7a - 7b + 3a + 6c - 3b}{14}$$

 $\underline{10a - 10b + 6c}$

$$= 1/7 (5a - 5b + 3c)$$

2. (a) (i)
$$AB = b - a$$

(ii)
$$AP = 5/8$$
 (b- a)

(iii)
$$BP = 5/8 (a - b)$$

(iv)
$$OP = OA + AP \text{ or } OB + BP$$

(b)
$$OP = 5/8 + 5/8b$$

$$OQ = a - 5/8 a + 9/40b$$

= 3/8a + 9/40b
 $OQ: OP = 3/8a + 9/40b: 5/8a + 3/8b$
= 3/8(a+ 3/5b) : 5/8(a+ 3/5b)
 $OQ: QP = 3:2$

3. (a) (i)
$$AN = OM - OA$$

 $^{4}/_{5}b-a$

(ii)
$$BM = OM - OB$$

 $^{2}/_{5}a - b$

(b) (i)
$$AX = sAN$$

$$= s(^{4}/_{5} b - a)$$
$$= ^{4}/_{5} sb - sa$$
$$BX - tBM$$
$$= t(^{2}/_{5}a - b)$$
$$= ^{2}/_{5}ta - tb$$

(ii)
$$OX = OA + AX$$
$$= a + 4/5 b5 - as$$
$$= a (1-5) + 4/5 sb$$
$$OX = OB + BX$$
$$B + 2/5at - bt$$

$$= 2/5 \text{ ta} - \text{b} (1-t)$$

$$\therefore a (1 - s) + 4/5sb = 2/5ta - b (1-t)$$
 $\therefore 1-S = 2/5t$ And

 $4/5 S = 1 - t \dots(ii)$

From equal (ii)

$$S = (1 - t) 5/4$$

= 5/4 - 5/4 t

Substituting in l

L - S = 2/5 t; l = 2/5 t + SL = 2/5t + 5/4 - 5/4 t

5/4 t - 2/5t = 5/4 - 1

<u>17t = 1</u> 20 4 $T = \frac{5}{17}$ S = 10/17

PQ = 3i 4i -1 4.

6j - 3j = 9j

$$6k \ 2k \ 4k$$

$$PQ = (-1)^{2} + (9)^{2} + (4)^{2}$$

$$= \sqrt{98}$$

$$= 7\sqrt{2}$$

$$|PQ| = \sqrt{1^{2}} + (9)^{2} + 4^{2}$$

$$= 7\sqrt{2}$$
5. (a) OR = r - ³/₂ p
PS = 2r - p
(b) OK = 2/3 p + m (r - 3/2 p)
OK = p + n (2r - p)
3/2 p + m (r - 3/2p) + n (2r - p)
2n = m(i)
3/2, -3/2 = 1 - n(ii)
M = ¹/₂ n = ¹/₄
(c) PK: KS = 1:3
6. OA = 1
-1
1
OT
$$= \begin{pmatrix} 2\\ 0 \end{pmatrix}$$

Let OB =
$$\begin{pmatrix} x \\ Y \end{pmatrix} Z$$
$$\frac{X+1=2; \quad y+(-1)=0; Z+1=1.5}{2 \quad 2 \quad 2}$$
$$X+1=4, y-1=0; z+1=3$$
$$X=3; y=1; z=1$$
$$\therefore OB = \begin{pmatrix} 3 \\ 1 \end{pmatrix}$$
$$2$$

$$OB = 3i + j + 2k$$

7.

PRSQ

PR: RQ = 3: 4

PS : SR = 5: -2

PQ = 8 cm
RS = 2/7 PQ
= 2/7 x 8
= 2.29cm
8. (a) OT =
$$12/7p + 3/7r$$

QT = $3/7r - 9/7p$
= $3/7 (r-3p)$
(b) (i) QR = $r - 3p$
QT = $3/7QR$

 \therefore QT & QR are parallel and Q is a common point

 \therefore Q, T and R lie on a straight line

(ii) QT : TR = 3:4

 \therefore T divides QR in the ratio 3:4

9.
$$8 - k = -3$$

K – 3

8 - k = -3 k + 9

2k = 1

 $K = \frac{1}{2}$

Taking a general point (x, y)

Y - 8 = -3

 $X - \frac{1}{2}$

Y - 8 = -3x + 3/2

$$3x + y = 9\frac{1}{2} \text{ or } 6x + 2y = 19 \text{ 10.}$$

$$q^{2} + (1/3)^{2} + (2/3)^{2} = 1$$

$$q^{2} + 1/9 + 4/9 = 1$$

$$q^{2} + 5/9 = 1$$

$$q^{2} = 4/9$$

$$\therefore q = 2/3$$
11. (a) OL = 3OA
$$= 3 (1, 6)$$

$$= 3, 18$$
ON = 2/3 OB
$$= 2/3 (15, 6)$$

$$= (10, 4)$$

$$\therefore LN = \left[10\right] = \left[-3\right] \frac{7}{4}$$

$$4 = 18 = 14$$

(b)
$$LM = 3/7 LN = 3/7 (7) = (3)$$

(-14) (-6)

Let co-ordinates of M be (x, y)

$$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 3 \\ 18 \end{pmatrix} = \begin{pmatrix} 3 \\ -6 \end{pmatrix}$$
$$x - 3 = 3 \qquad \therefore x = 6$$
$$y - 18 = -6 \qquad \therefore y = 12$$

Hence M (6, 12)

(c) (l)
$$\underline{6}$$
 OT = OM
7
 $\underline{6}$
 $\begin{pmatrix} x \\ y \\ 7 \\ y \\ 12 \\ \underline{6x} = 6 \\ \therefore x = 7 \\ 7 \\ \underline{6y} = 12 \\ \therefore y = 14 \\ \therefore OT = \underline{7}$

14

(ii)
$$LT = -\begin{pmatrix} 7 \\ 14 \end{pmatrix} = \begin{pmatrix} 3 \\ 18 \end{pmatrix} \begin{pmatrix} 4 \\ -4 \end{pmatrix}$$

BT = 15 - 7 = 8
6 14 8

BT = 2 LT and they share point T

2007

12. (a) (i)
$$XR = r - \underline{1}q$$

3
(ii) $YQ = q - \underline{3}r$

(b) (i)
$$OE = \underline{1}q - \underline{1}mq + mr$$

3 3
(ii) $OE = \underline{3}r - \underline{3}nr + nq$
7 7
(c) $OE = \underline{1}q + m(r - \underline{1})q$
3 3
 $= \underline{3}r + n(q - \underline{3}r)$
7 7
 $\underline{1} - \begin{pmatrix} \underline{1}m \\ 3 \end{pmatrix} q + mr = nq + (\underline{3} - \underline{3}n)r$
3 77

7

$$\frac{1}{3} - \frac{1}{3}m = n$$

$$M=\underline{3} - \underline{3} n$$

7 7

$$N = \underline{3} - \underline{3} \qquad \left(\underline{1} - \underline{1} \right) m$$

$$7 \quad 7 \qquad 3 \quad 3$$

$$M = \underline{3} - \underline{1} + \underline{1} m \qquad m = \underline{1}$$
7 7 7 3

$$O = \underline{1} - \underline{1}x \ \underline{1} = 2$$

3 3 3 9
13. $|P| = \sqrt{3^2} + (-1)^2 + 1 \ \underline{2} + 3 \ \underline{2} \ \underline{2} = 2p$

$$Q = 2p$$

$$Q = 2p$$

$$Q = 2p$$

$$Q = 6i - 2j + 3 \ \underline{k} \text{ or } 6i + 2j - 3 \ \underline{k} \ \underline{14} \ \underline{19i - 5j} \ \underline{3} = 30$$

$$KL = KN - NM$$

$$3i = w + u + v$$

$$2u = w + v$$

16. (a) $4j - j + 7k$
(b) $\sqrt{66} = 8.124$
17. (-9.5, -4)
18. (a) $b - a - \frac{2}{3} \ \underline{b} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{17} \ \underline{6} \ \underline{17} \ \underline{17} \ \underline{69.5} \ \underline{-4} \ \underline{17} \ \underline{17} \ \underline{69.5} \ \underline{-4} \ \underline{17} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{17} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{17} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{6} \ \underline{17} \ \underline{6} \ \underline{7} \ \underline{7} \ \underline{6} \ \underline{7} \$

PX: RX = 1:7

- 20. I + j + k
- 21. P = 19.7

TOPIC 11

BINOMIAL EXPRESSION

1. $146 \ge 15 + 15x + 20x + 6x + x$

$$1 + 6(0.03) + 15(0.03) + 20(0.03)$$

- = 1 + 0.18 + 0.135 + 0.0054
- = 1.19404
- = 1.194

2.
$$10(0.96) = (1-0.04)$$

$$= 1 + 5 (-0.04) + 10 (-0.04) + 10(-0.04)$$

= 1 - 0.2 + 0.016 - 0.00064 + 0.0000128 + 0.000001024

(0.8153728 or 8153726976)

3.
$$(3x - y) 4 \Rightarrow (3x^4 y^0, (3x)^3 y, (3x)^3 y, (3x)^2 y^2, (3x) y^3, (3x)^0 y^4)$$

$$(3x-y)^4 = 81x^4 - 108x^3 y + 54x^2 y^2 - 36xy^3 + y^4$$

$$X = 2$$
 and $y = 0.2$

$$(6-0.2)^4 = 81(2)^4 - 108(2)^3 \ge 0.2 + 54(2)^2 \ge 0.22$$

162 - 43.2 + 86.4

 $=205\ .\ 2$

4. (a) C.d = 64800 - 60000 = 69600 - 64800 = 4800<u>WWW.KCPE-KCSE.COM</u> A = 60000

 N^{th} term = a + (n-1)d

= 60000 + (n-1) 4800

(b) Common ration = $\underline{64800} = \underline{69984} = 1.08$

60000 64800

Nth term = ar(n-1) where a = 60000 R = 1.08 = 60,000 $(1.08)^{(n-1)}$

(c) 7^{th} term

Andi = 60000 + (7-1) 4800= 88800Amoit = $ar^{(n-1)} = 60000 (1.08)^6$ = 95213Difference = 95213 - 888000Kshs 64.13

5. Let $\underline{1}$ be a

v2

(2 + a) 5 + (2 – a) 5

$$(2 + a)^5 = 2^5 + 5 (2^4 a) + 10 (2^3 a^2) + 10 (2^2 a^3) + 5 (2a^4) + a^5$$

 $= 32 + 80a + 80a^2 + 40^3 + 10a^4 + a^5$

$$(2 + 1)^5 = 32 + 80 + 40 + 20 + 5 + 1$$

v2 v2 v2 v2 4v2

$$(2-a)^5 = 32 - 80a + 80a^2 - 40a^3 + 10a^4 - a^5$$
$$(2-\underline{1})^5 = 32 - \underline{80} - 40 - \underline{20} + \underline{5} - \underline{1}$$

$$\sqrt{2}$$
 $\sqrt{2}$ $\sqrt{2}$ $\sqrt{2}$ $\sqrt{2}$ $\sqrt{2}$

$$= 149$$
6. (a) 1.1^{5} 1 x + 5.1⁴ 1x + 10.1³ 1x + 10.1²
2 2 2 2

$$\begin{pmatrix} 1 \\ 2 \end{pmatrix} \qquad \begin{pmatrix} x \\ x \end{pmatrix} + 1.1^0 \quad 1x \quad 5$$

$$1 + 5/2 \; x + 5/2 x^2 \; + 5/4 x^3 + 5/16 x^4 + 1/32 x^5$$

(b)
$$1 \left[\begin{array}{c} 5 \\ \end{array} \right] = 1 + 5 \times 1 \quad 5 \times 1$$

1
$$\frac{11}{40}$$
 or 1.275
7. (a) $a^{6} - 6a^{5}b + 15a^{4}b^{2} - 20a^{3}b^{3} + 15a^{2}b^{4} - 6ab^{5} + b^{6}$
(b) 60.256
8. $32 + 80x + 80x^{2} + 40x^{3} = 34.47$
9. (a) $1 + 5x + 10x^{2} + 10x^{3} + 5x^{4} + x^{5} = 0.8154$
(b) 1.194
10. $1 - 15x + 90x^{2} - 270x^{3} = 0.8587$
11. (a) $1 + 5a + 10a^{2} + 10a^{3} + 5a^{4} + a^{5}$

TOPIC 12

PROBABILITY

1. (a) p(both alive) =
$$0.7 \times 0.9 = 0.63$$

- (b) p (neither alive) = $0.3 \times 0.1 = 0.03$
- (c) p (one live) = $(0.7 \times 0.1) + (0.9 \times 0.3) = 0.34$
- (d) p (at least one alive)

 $= (0.7 \ge 0.01) + (0.9 \ge 0.3) + (0.7 \ge 0.9)$

$$= 0.7 + 0.27 + 0.63$$

= 0.97

2. (a) (i) P(B) = 8/15

(ii) P(G or) = 7/15

(b) (i) $P(1^{st} 2 \text{ pens picked are both green})$

= $2/15 \text{ x} \frac{1}{4} = 1/105 \text{ or } 2/210$

(ii) P (only one of the $1^{st} 2$ pens picked is red)

= 8/15 x 5/14 + (2/15 x 5/14) + 5/15 x 8/14) + 5/15 x 2/14)


 $= \frac{40 + 10 + 40 + 10}{15 \text{ x } 4} = \frac{16}{21}$

3. (a) p(3 boys) = 1/22

(b) p(2 girls) =

5/12 x 7/11 x 6/10 x 7/12 x 5/11 x 6/10 x 7/10 x 6/12 x 5/10

4. (a)



(b) p (orange) = $(\frac{1}{2} \times \frac{2}{3}) + (\frac{1}{2} \times \frac{6}{11})$

= 1/3 + 3/ 11

= 20/33

5. (a) (i) $18/40 \ge 2/3 = 3/10$

- (ii) $(18/40 \times 2/3) + (22/40 \times 3/5) = 63/100$
- (b) 2/5 x 1/3 (18/40 x 22/39(+ 2/5 x 1/3 (22/40 x 18/ 39)

= 22/325

6.
$$P(GGB) = 7/15 \ge 6/14 \ge 8/13$$

 $P(GBG) = 7/15 \times 8/14 \times 6/13$

P (BGG) = 8/15 x 7/14 x 6/13

 $P(2G + 1B) = (7/15 \times 6/14 \times 8/13) \times 3)$

= 24/65 = 0.3692


7.
$$5/100 \ge 540 = 27$$

80/100 x 180 = 144

P(sick) = 171/720 = 19/80

= 0.2375

8. (a)



(b) (i)
$$0.2 \ge 0.3 \ge 0.15 = 0.009$$

(ii)
$$0.2 \ge 0.7 \ge 0.85 = 0.119$$

 $0.8 \ge 0.3 \ge 0.85 = 0.204$

 $0.8 \ge 0.7 \ge 0.15 = 0.804$

0.407

(iii) HHM 0.2 x 0.3 x 0.85 = 0.051

HMH 0.2 x 0.7 x 0.15 = 0.021

MHH 0.8 x 0.3 x 0.15 = 0.036

HHH 0.2 x 0.3 x 0.15 = 0.009


0.117

9. (a) HHH, HHt, HTH, HTT

TTT,TTh, THT, THH

(i) $p (at least two heads) = 4/8 \text{ or } \frac{1}{2}$

(ii) p (only one tail) = 3/8



(iii) $3/10 \ge 9/10 = 27/100$

10. Ratio 4:2:1

(a) (A wins) = 4/7

$$= 2/7 + 1/7$$

= 3/7

11. 30/100 x 1.8 x 106 = 540,000

<u>120,000</u> x	<u>540,000</u>
1,000,000	1800000
1 / ₅₀ pr 0.0	2 pr 2%

12.

13. (a) $P(RR) = \frac{4}{5} \times \frac{2}{5} = \frac{8}{30}$

$$P(YY) = \frac{2}{6} x^{3}/_{5} = 6/30$$
 P(

same colour) = 8/30 + 6/30

= 7/15

(b) (i)
$$P(R_A R_A) = 4/6 \times 3/5 = 2/5$$

 $P(R_BR_B) = 2/5 \text{ x} \frac{1}{4} = 1/10 P$ (Both RED for A or B) = $2/5 + 1/10 = \frac{1}{2}$

(ii) $P(all RED) = 2/5 \times 1/10$

= 1/25

- 14. (a) $^{3}/_{14}$
- (b) 41/56
- 15. (a) $^{1}/_{22}$
- (b) 2/144
- 16. $7/_{15}$
- 17. 24/65
- 18. 3/1024
- 19. 51/60
- 20. 20/33 or 260/429 or 780/1287

TOPIC 13

COMPOUND PROPORTION AND MIXTURES

1. $(4x \ 21) + (3x \ 42) = 30$

7

<u>130 x 30 = 39</u>

100

2.	Cap	of the tank		
	= 2.4 x 2	.8 x 3 x 100	0	
	= 20, 160) litres		
	Amount	needed		
	= 20, 160	0-3,600		
	= 16,560	litres		
	Time =	<u>16560</u>		
0	.5 x 60 x 6	50 = 9 hrs 1	2 mins	
3.	(a)	(i)	$Vol = 135 \times 0.15 = 20.25m^2$	(ii)
		= 506	25 kg (50630)	
=	= mass of o	cement = 50	625 x ¹ /9	

(b) Bags of cement =
$$5625$$

50

= 112. 5 or 113

(c) No of lories of sand
$$\frac{50625}{7000} \times \frac{4}{9}$$

= 3.214 = 4 lories

4. (a) Mass of maize in A $5/8 \times 72 = 45 \text{ kg}$

(b) Beans in A and B

8/17 x 170 = 80 kg

 $Maize \ \ in \ A \ and \ B$

Mass = 2500 x 20.25

5. (a) B.P per kg =
$$40 \times 65 + 60 \times 27.50$$

100

= Kshs 42.50

(b) (i)
$$S.P = \underline{85 \times 120}$$

100

Kshs 102 per packet

(ii) New $S.P = 102 \times 90/100$

Kshs 91.80

(iii) Total realized so far

(8 x 102) + (91.80 x 14)

= 816 + 1285. 20 = 2101. 20

Original total $S.P = 102 \times 50 = 5100$

New price per packet

$$= \frac{5100 - 2101 \cdot 20}{28}$$
$$= \frac{2998.80}{28}$$
Kshs 107.10

6. Cost of beans in mixture =
$$3/5 \times 2100$$

Cost of maize in mixture = $2/5 \times 1200$

Cost of mixture per bag = $3/5 \ge 2100 + 2/5 \ge 1200$

7. (a) Volume = x. sec x length = $\frac{1}{2} \times 25 (1 + 2.8) \times 10$ = 475 m³ (b) (i) $\frac{1}{2} \times 25 \times 1.8 \times 10$

 $= 225m^{2}$

(ii) Taken time to fill the tank

<u>9 x 475</u>

225

= 19 hrs \therefore Time taken to fill remaining part

$$= 19 - 9$$

= 10 hrs

8. (a) Initial volume of alcohol

= 60/ 100 x 80 = 48 lts

New volume of solution = (80 + x)_lts

$$48 = 40$$

$$80 + x = 100$$

4800 = 3200 + 40x40x = 1600

X = 40 lts

(b) New volume of solution

$$= 80 + 40 + 30 = 150$$
 lts

% age of alcohol = 32%

(c) in lts

32% of 5 = 1.6 lts of alcohol

68% of 5 = 3.4 lts of water

In 2 lts 60% of 2 = 1.2 of alcohol

40% of 2 = 0.8 lts of water

In final solution (7lts)

2.9 lts are alcohol4.2 lts are water

∴Ratio of water to alcohol

Alternatively

(d)	5 lts	W:A	= 68:32	= 17:8

:. Water $= 17/25 \ge 5 = 17/5$

Alcohol	= 8/25 x 5	= 8/5
In 2 lts water	= 40/100 x 2	= 4/5
Alcohol	= 60/100 x 2	= 6/5

Final solution

Water: Alcohol

21/5: 14/5

21: 14 = 3: 2

9. (a) (i) Fraction filled in hr (P & Q)

= 2/9 + 1/3 = 5/9

Time taken to fill tank 1 4/5 hr

(ii) Fraction filled in 1 hr (P, Q & R)

 $= \frac{5}{9} - \frac{1}{2} = \frac{1}{18}$

Time taken to fill tank = 18 hr

(b) (i) Fraction filled by 9.00 am

$$\frac{P-2 x 1h}{9} = \frac{2}{9}$$

Q- $^1/_3$ x $^1/_4$ h = $^1/_{12}$

$$P \& Q - \frac{2}{9} + \frac{1}{12} = \frac{11}{36}$$

(ii) Fraction to be filled = $\frac{25}{36}$

Time tank will fill up 0900 + 1230

10. $2^{11}/_{12}$ hrs

- 11. 10 days
- 12. $^{3.5}/_{100} \ge 50 = 1.75$
- (a) (i) Total = 3.175 kg
- (ii) 3.969%
- (b) A = 30 kg

B= 20 kg

 $B \geq 20 kg$

13. 3 ¹/₂ days

14. (a) $OT = \frac{12}{7}p + \frac{3}{7}r$ $QT = \frac{3}{7}r - \frac{9}{7}p$

(b) (i) QR = r - 3p $QT = \frac{3}{7}QR$

 \therefore QT & QR are parallel and Q is a common point

 \therefore Q, T and R lie on a straight line

(ii) QT : TR = 3:4

TOPIC 14

GRAPHICAL METHODS

1. (i)
$$b-a = 35$$
 (i)
 $7b-490a = 39$ (ii)
 $A = 4.9 b = 40$

(ii) $S = 4.9t^2 + 40t + 10$

t	0	1	2	3	4	5	6	7	8	9	10
S	10		70.4	85.9	91.6	87.5	73.6		16.4	-26.4	

(b) (i) Suitable scale

Plotting

Curve

(ii) Tangent at t = 5

Velocity = -9.0 ± 0.5 m/s

 0.70 ± 0.1

2. (a) (i)

X	1.1	1.2	1.3	1.4	1.5	1.6
У	-0.3	0.5	1.4	2.5	3.8	5.2
X ³	1.331	1.728	2.197	2.744	3.375	4.096

All values of x 3

All B1 for at least 4 or if all values are correct to 1 or 2 d.p

(b) (i) Linear scale used Line of best fit drawn 4 of this points correctly plotted

Plotting points a=2 b = -3

- (ii) $y = 2x^3 3$
- 3. (a) $\operatorname{Log} P = n \log r + \log K$

(b)

Р	1.2	1.5	2.0	2.5	3.5	4.5
Log P	0.08	0.18	0.30	0.40	0.54	0.64

R	1.58	2.25	3.39	4.74	7.86	11.5
Log r	0.20	0.35	0.53	0.68	0.90	1.06

Scale

Plotting

Line

Log k = 0.05

K = 2/3 = 0.6667

 $= 0.667 \pm 0.0200$

4. Find midpoint (centre) =
$$5 + (-1)5 + (-3)$$

2

2

(a)
$$= (\frac{4}{2}, \frac{2}{2})$$

(b)
$$= (2, 1)$$

Vector of $(a, b) = (2, 1)$

$$R = 5 \left(\begin{array}{c} 2 \\ 5 \end{array} \right) \left(\begin{array}{c} \end{array} \right) = 3 \left(\begin{array}{c} \end{array} \right)$$

$$5 \quad 1 \quad 4$$

 $\therefore r = 3 + 4$

= 5 units

$$(x-2)^2 + (y-1)^2 = 5^5$$

$$X^{2}-4x + 4 + y^{2} - 2y + 1 = 25$$
$$X^{2} + y^{2} - 4x - 2y - 20 = 0$$

5.
$$n^2 - \frac{3}{2}x + \frac{(-3)}{4}^2 + y^2 + y + \frac{1}{2}^2 = -\frac{1}{4} + \frac{9}{16} + \frac{1}{4}$$

= 9/16

$$X - (\frac{3}{4})^2 + (y + \frac{1}{2})^2 = 9/16$$

Radius = $\frac{3}{4}$

Centre (³/₄ , - ¹/₂)

6. (a)

Log x	-40	0.00	0.08	0.15	0.20
Log T	0.10	0.30	0.34	0.37	0.40

(b) (i) For all pts plotted

Apply $(\sqrt{})$ if at least B1 earned on table line of best fit drawn with at least 4

pts plotted.

(ii) (a)
$$a = \log^{-1} 0.3 = 2.000$$

B = grad = 0.4 - 0.1 or equivalent

0.0 - (0.4)

(c) $\text{Log } T = b \log x + \log a$

Log x = -0.3

0.5

X = 0.25

(d) (ii) Alternative

 $M \log T = b x \log a$

Log T = b/m log x + 1/m log a

Intercept = $1/m \log a = 0.3$

 $=>a = \log^{-1} 0.3 \text{ m}$

Grad = b/m = 0.4 - 0.1

0.1-(0.4)

B = 0.5 m

(e) $m \log T = n \log x + \log a$ $0 = 0.5m \log x + 0.3m$

Log x = -0.3m

0.5m

X = 0.25

FORM 4

TOPIC 1

MATRICES AND TRANSFORMATIONS

1. (a)
$$\Delta = -3$$

 $P^{-1} = \frac{1}{3} \begin{pmatrix} 8 & -7 \end{pmatrix}$
 $-5 & 4$

$$2b = 7000$$

 $2m = 2800$

Beans Kshs 3500

Maize 1400

(c) New price of beans $= 105/100 \times 3500 \times 5$

Balance for maize = 47600 - 29400

= 18200

Bags of maize = <u>18200</u> = 13

New ratio = 8: 13

2. A B C A' B' C'

$$\begin{pmatrix} 0 & 1 \\ & \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 2 & 4 \\ & & \\ 1 & 1 & 6 \end{pmatrix} \begin{pmatrix} 1 \\ -2 \end{pmatrix} \begin{pmatrix} = 1 & 1 \\ & & \\ -4 & -1 \end{pmatrix} \begin{pmatrix} 6 \\ & & \\ -4 & -1 \end{pmatrix} \begin{pmatrix} -1$$

3. (a) (i) Diagram

(ii) A" (1, 2) B (7, -2) C"(5, -4) D"(3, -4)

(b) A''(-1, 2) B''(-7, -2) C''(-5, -4) D''(-3, 4)

(c) Half turn

Centre (0,0)

4.

- (a) (i) a b 2 5 = -4 -1c d 3 3 3 3
- 2a + 3b = 4 2c + 3d = 3

$$5a + 3b = -1$$
 $5c + 3d = 3$

$$A = 1, b = -2 c = 0, d = 1$$

Therefore
$$M = \begin{pmatrix} 1 & -2 \\ 0 & 1 \end{pmatrix}$$

$$\begin{array}{c} 1 & -2 \\ 0 & 1 & 1 & y \end{array} \begin{pmatrix} 1 & -2 \\ & & \end{pmatrix} \begin{pmatrix} 4 & x \\ & & \end{pmatrix} = \begin{pmatrix} 2 \\ & & \end{pmatrix}$$

 $C_1 = 2,1$

$$\begin{array}{c} \text{(b) 1} \\ 1 \\ 1 \\ 1 \end{array} \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix} \\ \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix} \\ \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix} \\ \begin{pmatrix} -2 \\ -2 \\ 0 \\ 2 \\ \end{pmatrix} \begin{pmatrix} 0 \\ 1 \\ 0 \\ 1 \end{pmatrix} \\ \begin{pmatrix} -2 \\ 0 \\ 1 \\ 2 \\ \end{pmatrix} \\ \begin{pmatrix} 0 \\ 1 \\ 1 \\ 1 \\ 2 \\ \end{pmatrix}$$

5. (a) PR = 0 -1 a b = -c -d -1 0 c d -1 -b

$$-2c = 0$$
 =>c = 0
 $0 - 4d = -4$ => d =1
 $-2a = -2$ => a = 1
 $-2a - 4b = -10$ => b = 2

$$\begin{array}{c} A & B & C \\ (b) & 1 \begin{pmatrix} 2 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 0 & 4 \end{pmatrix} \begin{pmatrix} 2 \\ 2 & 2 \end{pmatrix} \begin{pmatrix} 2 \\ 2 & 2 \end{pmatrix} \begin{pmatrix} 2 \\ 2 & 4 \end{pmatrix} \begin{pmatrix} 2 \\ 2 & 10 \end{pmatrix} \begin{pmatrix} 2 \\ 10$$

(c) A sheer transformation

X – axis invariant and j(0, 1) \rightarrow j (2, 1)

6. (a) (i) Graph

$$\begin{array}{ccc} \text{(ii)} & 1 & \left(\begin{array}{c} 0 \\ \end{array} \right) \\ 3 & 1 \end{array}$$

(b) (i) Graph

7. (a)
$$A = \begin{pmatrix} 15/17 \\ 8/17 \end{pmatrix}$$

 $\begin{pmatrix} 8 \\ 17 \end{pmatrix}$
 $\begin{pmatrix} 8 \\ 15 \end{pmatrix}$

(b)
$$\theta = 28^{\circ} 4' (28.07^{\circ})$$

(c) (-3/17, 114/17) TOPIC 2

STATISTICS 1.

7.5 x 5/8 X 4

2.

Vel	19.5	39.5	59.5	79.5	99.5	119.5	139.5	159.5	179.5

Cf	9	28	50	68	81	92	97	99	100
((a)	Cumula	tive frequ	iency					
Linear scale									
	P	lotting							


Smoothing & complete of CF curve

(b) (i) Upper quartile = 90

Lower quartile = 36

Range = 90 - 36 = 54

(ii) No. of days = 100 - 93 = 7



$$J = \sqrt{\frac{806}{5}}$$

4.

mdx	f	fx	Fx ³
9	4	36	324
12	7	84	1008
15	11	165	2475

18	15	270	4860
21	8	168	3528
24	5	120	2880
	Σ fx = 843		15075

Fx: 36, 84 165, 270, 168, 120

(a) Mean = <u>843</u>

50

= 16: 86

(b) (i) fx 2: 324, 1008, 2475, 4860, 3528, 2880

Variance = 15075 - 16.86

50

= 301.5 - 284.2

17.3 (17.24)

(ii)
$$S.D = \sqrt{17:3}$$

= 4.159 or (4.159 or (4.152)

5.

Class	14.5 –	18.5 –	22.5 –	26.5 -	30.5 -	34.5 -	38.5 –
	18.5	22.5	26.5	30.5	34.5	38.5	42.5
Frequency	2	3	10	14	13	6	2
C. freq	2	5	15	29	42	48	50

Cumulative frequencies

(a) Linear scale used

Plotting of cf against upper class limit

Complete of cf curve drawn

(b) (i) Median = 29.5
(ii) Reading at mass
$$25 - 28 = 11$$
 and 20
Probability = $20.11 = 0.8$
50
6. $3 \times 125 + 4 \times 164 + 2 \times 140$
 $3 + 4 + 2$
= 1311
9 = $145^{2}/_{3}$
7. No of people = 360×1080
144
No of children = $2700 - (510 + 1080)$

= 1110

Angle of children $\underline{1110} \times 360$


2700
$$= 148^{\circ}$$

X	1.0 – 1.9	2.0-2.9	5.0-3.9	1.0-1.9	5.0-5.9	6.0-6.9
F	6	11	10	7	2	1
d	6	20	30	37	39	40

Lower quartile = 1.95 + 1x 4/14 = 2.236 (2.24)

Upper quartile = $2.95 + 1 \ge 10/10 = 3.95$

Inter quartile range = 3.95 - 2.236 = 1.714



$$Sd = 62 - (-12)^2 = 1.55 - 0.09$$

40 40

г

= 1.208

9. (a)

Mass (g)	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94			
No. of potatoes	3	6	16	12	8	4	1			
Cf	3	9	25	37	45	49	50			
Upper	34.5	44.5	54.5	64.5	74.5	84.5	94.5			
class boundaries										
(b) (i)	Positior	n of 60 th per		<u>0 x 50</u> 00		potatoes wi less = 40	ith mass of			
$\therefore \text{Mass of } 30^{\text{th}} \text{ potato} = 58.5 \text{g} \qquad \qquad \therefore \text{No. of potatoes with mass of} \\ 53 \text{ to } 68 \text{g} = 40 - 28 = 12 \\ \end{cases}$										
	60 th per	centile mas	s = 58.5g		∴ago	e of potatoe	es with mass			
(ii)	No. of	potatoes wi	ith mass of	53g or less	-	53g to				

$$=$$
 12 x 100 $=$ 24%

10. Area =
$$A = 5 \times 3.2$$


B= 10 x 1.2 16: 12 = f:6 12f = 96

F = 8

11. (a) (i)

Marks	0-10	10-30	30-60	60-70	70-100
Frequency					
Area of rect	60	200		40	120
Height of rect	6	10		4	4

(ii)





(b) (i) Median in group 30-60
(ii)
$$60 + 200 + 6x$$

 $= \frac{1}{2} (60 + 200 + 180 + 40 + 120)$
 $260 + 6x = 300$
 $X = 6^{\frac{2}{3}}$

: Median = $30 + 6^{2}/_{3}$

$$= 36^{2}/_{3}$$

12. (a) $3^{rd} day = 60$

$$4^{\text{th}} \text{day} = 61$$

(b) $M_3 = 61$

$$M_{5} = 64$$
13. (a) Ans 16, 8, 6
(b) (i) 17.3
(ii) 4.159
14. M₁ = 50.99
M₂= 50.29

 $M_3 = 50.65$

15. (a)		Graph
(b)	(i)	29.5
TOPIC 3	(ii)	0.8

LOCI

1.
$$<$$
ABC = 105⁰ or $<$ BAD = 75⁰

Complete// gram constructed

Const. of loci: AP \leq 4 cm

 $BQ \le 6 \text{ cm}$

Area// gram = 7 x 10 sin 105°

= 7 x 10 x 0.9659

 $= 67.61 \text{ cm}^2$

Total area of sectors

$$\frac{75}{75} \ge \frac{22}{22} \ge \frac{4^2}{22} \ge \frac{105}{22} \ge \frac{22}{22} \ge \frac{6^2}{22}$$

360 7 360 7

= 10.48 + 33 = 43.48

Required area = 67.61 - 43.48 = 24.13

2. (a) Bisecting < BAD


(b) Construction of 1 at B and at A construction of 45° or 135° to get 67 ½° at B construction of 1 Bisector of AB identification of AB identification of ⊗ the centre
O. Identification of the locus P

- (c) Size of the $\langle ABC = 131 \pm 1^0 \rangle$
 - 3. (a) Construction of 30°

Check for construction marks

- (b) $CD = 5.4 \text{ cm or } 5.4 \pm 0.1$
- (c) DA = 4.5 or AA' = 1.5

(d) Line through parallel to BC




5. (a) Construction of 30°

Completion of \triangle PQR


(b) \perp Bisector of PR (must be seen)


Location of S, QS = 8 cm and drawing Δ PRS

(c) Construction of semi- circle with diameter SQ, Construction of parallel line



6.






9. (a) Diagram

(b) (i) 73 ± 1km (ii)

$$102^{0} + 1^{0} \text{ or } 578^{0} \text{ E} + 1^{0}$$



- 11. (a) Const of \perp bisector of AB
 - (b) Const of \perp bisector of AC or BC

< OAB = 12⁰ \perp 1⁰ or < OBA = 12⁰ \pm 1⁰

Position of P on XY and AB

TOPIC 4

TRIGONOMETRY 1.

(a)

Х	0	10	20	30	40	50	60	70	80	90	100	110	120
Sin	0	0.500	0.8660	1.000	0.866	0.500	0.000	0.500	-866	-100	-	-	0.000
3x											0.866	0.500	
2 sin	0	1.00	1.73	2.00	1.73	1.00	0.000	-1.00	-73	-2.00	-1.73	-1.00	0.00
3x													

(b) Diagram on graph

(i) Suitable linear scale

Plotting

Smooth sine curve

(ii)
$$x = 76^0 \pm 1^0$$

 $X = 104^0 \pm 1^0$

Х	30	60	90	120	150	180	210	240	270	300	330	360
Cos X	0.87		0	-0.5		-1.0		-0.5	0	0.5	0.87	1.0
$2\cos$		1.73	1.41	1.0		0	0.52		1.41	1.7	1.93	
1⁄2 X												

3.

Х	0	30	45	60	90	120	135	150	180	225	270	315	360

2 sin x	0	1	1.4	1.7	2	1.7	1.4	1	0	-1.4	-2	-1.4	0
Cos X	1	0.9	0.7	0.5	0	-0.5	-	-0.9	-1	-0.7	0	0.7	1
							. –						
							0.7						
Y	1	1.9	2.1	2.2	2	1.2	0.1	0.1	-1	-2.1	-2	-0.7	1

(b) Scale used

Plotting

Smooth curve

(c)
$$140^0 \pm 3^0 < 140 \pm 3^0$$

4. (a)

Х	0	10	20	30	40	50	60	70
Tan X	0	0.8	0.36	0.58	0.84	1.19	1.73	2.75
2x + 30	30	50	70	90	10	130	150	170
Sin (2x +	0.50	0.77	0.94	1	0.94	0.77	0.50	0.17
30)								

5 (a)


X^0	0	30	60	90	120	150	180
$2 \sin x^0$	0	1	1.73	2	17.3	1	0
$1 \cos x^0$	0	0.13	0.5	1	1.5	1.87	0

(b) Graph

(c) (i) 126⁰

(ii)
$$0^0 \le x \le 126^0$$

	Х	30 ⁰	105 ⁰
	Y	1.7	-2.4
(h)			



(c) (i) Maximum $y = 4.1 \pm$

0.1 (ii) $8\sin 2x - 6\cos x = 2$

$$X = 31.5 \pm 0.75^{\circ}$$


$$X = 78 \pm 0.75^{\circ}$$

- $x = 0^0, 180^0, 360^0$ 7.
- 8.
- 9.
- $\underline{3 \tan \theta}$ or $3 \sec \theta \tan \theta$ 10.

 $Cos \, \theta$

- 11. Sin d = -4/5 or -0.8
- 3^{rd} quadrant $180 + 53.15 = 233.13^{0}$
- 4^{th} quadrant 360 53.15 = 306.87

12. Sin
$$(90 \text{ x} - \text{x}) = 8/10 = 4/5$$



Tan
$$x = \frac{3}{4}$$

13. (a)

Х	20	40	80	120	140	160	180
$-3\cos 2x^0$	-2.30	-0.52	2.82	1.50	0.52	-2.30	-3.00
$2b \sin(3/2x^0 + 30^0)$	1.73	2	1.00	-1.00	-1	-200	-1.73

(b) Roots $x = 62 \pm 2^0$

 $X = 156 \pm 2^0$

14. 131.79⁰, 228.21⁰

(a)

15.

X	30	60	90	120	150	180	210	240	270	300	330	360
Cos X	0.87		0	-0.5		-1.0		-0.5	0	0.5	0.87	1.0
$2\cos\frac{1}{2}X$		1.73	1.41	1.0		0	0.52		1.41	1.73	1.93	1.0

(b) Period = 720°


Amplitude = 2

(c) Enlargement of 2 about the centre **TOPIC 5**

THREE DIMENSIONAL GEOMETRY

1. (a) (i)
$$OA = (\sqrt{3^2 + 4^2}) \frac{1}{2}$$


= 2.5
 $VA = \sqrt{6^2 + 2.5^2}$
= $\sqrt{42.25}$
= 6.5 cm
(ii)





(b)
$$\tan \beta = \underline{3} = 1.333$$


 $2^{1/4}$
 $\beta = 53^{0} 7'$
 $\theta = 75^{0} 58' - 53^{0}7'$
 $= 22^{0} 51'$



3. (a) $FH^{2} = 4.5^{2} + 8^{2} = 20.25 + 64$ $FH^{2} = 84.25$ $FC^{2} = 84.25 + 36 = 120.25$ $FC = \sqrt{120.25} = 10.97 \text{ cm}$ (b) (i) 10.67 6 cm F H

 $\theta = 33.16^{\circ}$

(ii) Tan $\theta = 4.5 = 0.5625$



8

 $= 36.87^{0}$

4. (a) Sketch

(b)
$$\theta = 61^0 53 (61.88^0)$$

5. (a) (i) BN = 8.65 cm

(ii) EN = 13 cm

(b) $33^040' (33.67^0)$

TOPIC 6

LATITUDES AND LONGITUDES

- 1. (a) (i) Lat of $B = 43.75^{\circ} (43^{\circ}, 45^{\circ})$
 - (ii) $r = 6370 \cos 5375^{\circ}$

Angle between B and $C = 60^{\circ}$

$$BC = 60 \ge 2 \ge 22 \ge 6370 \cos 43.75$$

360 7

 $= 60 \times 2 \times 22 \times 6370 \times 0.7224$

$$360 7$$

= 4820.816 km
 $60 x 4$ = 4 hrs

60

(b)

Local time at C is 2100 hrs or 9.00 P.m

- 2. (a) Longitudinal difference = 70 10
 - (b) Distance between x and y
 - (i) ${}^{60}/{}_{360} \ge {}^{22}/{}_7 \ge {}^{22} \ge {}^{371} \ge {}^{6371} \ge {}^{6371} \ge {}^{60}$

$$^{1}/_{6} \ge ^{22}/_{7} = ^{22}/_{7} \ge ^{22$$

= 4718 km

(ii) $\underline{4919.45} = 2551.05 \text{ nm}$

1.85

- (c) Time difference = $60 \times 4 = 240 \min$
 - = 4 hrs

Local time at x = 6. p.m 3. (a) Angle change = 52 - 38.5

 $= 13.5^{\circ}$

 $S = 2 \ge 22/7 \ge 6370 \ge 13.5/360$

= 1501.5 km

(b)
$$\theta_{360} \ge 2 \ge \frac{22}{7} \ge 6370 \cos 52^{0}$$

 $= 2400 \qquad \theta \equiv \\ \underline{2400 \times 7 \times 360}$

 $2 \ge 22 \ge 6370 \cos 52^{\circ}$

 $= 35.05^{\circ}$

 $C = (52^0 \ 21 \ W)$

4. (a)
$$60 \ge 60 = 3600 \text{ nm}$$

(b)
$$\Theta = 31^0 \times 13^0 \text{ or } 18^0$$

Distance from town A to town B

$$= 60 \times 18 \cos 30$$

= 935. 28 nm

Total distance = 935.28 + 3600

= 4535.28 nm

Total time = 4535.28 + 0.25

200

22.6764 + 0.25

22.926 h

Or 22 h 55.6 min

- 5. (a) Difference in time = 3 hrs
 - \therefore Longitude difference = 3 x 15⁰ = 45⁰

Longitude of $B = 15^0 + 45^0 = 60^0 E$

(b) (i) Distance traveled = $850 \times 3 \frac{1}{2} \text{ km}$

= 2975 km

Arc AB = 2975

 $45/360 \ge 3142 \ge 2975$

R = 3788 or 3787 or 3789

(ii) $6371 \cos \theta = 3788$

 $\cos \theta = 3788 = 0.594$

6371

 $\theta = 53.51$

Latitude of the two towns is 53. 51° N

6. Longitude difference = $360 - (133^0 + 118^0) = 109^0$

 $109^0 \ge 60 \cos x = 5422$

Cos x = 0.8291

 $X = 33.99^{\circ}$

Latitude of A and B is 34^0 N

7. (a) = 13 347 km

(b) 16.68 hrs

8. (i)
$$= 7200 \text{ nm}$$

(ii)
$$= 9353 \text{ nm}$$

9. (a) 250 km

(b) 137⁰ 27' **TOPIC 7:**

LINEAR PROGRAMMING

1. (a)
$$x \ge 0$$
 and $y \ge 0$

 $X+Y \geq 7$

$$64x + 48y \ge 384 \ (4x + 3y \ge 24)$$

(b) x + y = 7 drawn

64x + 48y = 484 drawn

Shading

(c) No. of buses for minimum cost 3 type x and 4 type y or for x = 3 and y = 4

2. (a)
$$x + y \le 500$$

Y > x

 $\mathrm{X} \geq 200$

(b)
$$x + y \le 500$$
 drawn and shaded

Y > x

$X \geq 200$

(c) (i) No enrolled in technical = 249

No enrolled in business = 251

(ii) Max profit

249 x 2500 + 251 x 10000

= 873500

3. (a)
$$x + y \le 400, x > y, x \le 300, y \ge 80$$

(b) All 4 inequalities
$$\sqrt{y}$$
 drawn and shaded.

(c) (i)
$$x = 300$$
 and $y = 100$
(ii) Max profit = $600 \times 300 + 400 \times 100$

= 220,000

4. (a) $x \ge 0, y \ge 0, x + y \le 6$

 $25x + 50 y \ge 175$

$$30x + 45y \ge 180$$

(b) $x \ge 0$

 $X+y\leq 6$

 $25 x + 50y \ge 175$ $30x + 45y \ge 180$ Correctly drawn and shaded

(c) Minimum cost at x = 5 and y = 1

Minimum $cost = 5 \ge 20 + 1 \ge 50 = 150$

5. (a)
$$300x + 180y \le 1800$$

$$5x + 3y \le 300$$
$$X + y \le 80$$

(b)
$$5x + 3y \le 300$$

 $X + y \le 80$ Correctly drawn and shaded

(c)
$$x = 30 y = 50$$

Maximum profit in Kshs = $50 \times 4000 + 30 \times 6000$

= 380, 000

6.
$$2x + 5y \le 40$$
 $5x + 8y$

≤80

$$\begin{array}{l} X \geq 3 \\ Y > 1/3 \end{array} x$$

(0, 8) (10, 4) All region correctly drawn and shaded (0, 10) (8, 5)

Search line with gradient -3/5 drawn

Type A = 9

Type B = 4

TOPIC 8:

CALCULUS

- 1. Area = 2(8 + 6.5 + 5.6 + 6.4 + 4.7)(x + 25)
 - $= 2 \times 37.2 \times 25 \times 100$ or equivalent

186000 ha

2. Choose positive roots only

Integrate

Substitute numerals

Ans = 110. 38

Or

108 + 2 = 110

3. Missing values of y; 26, 138

Area = $\frac{1}{2} \times 2(10 + 230) + 2(6 + 26 + 70 + 138)$

= 240 + 480

= 720

4. $3.55 \pm 0.05, 4.85 \pm 0.05, 5.7, 6.3, 6.7 \& 6.9$

Area = $\frac{1}{2} \times 1 \{0+7+2 (3.6+4.9+5.7+6.3+6.7+6.9)\}$

 $=\frac{1}{2} \times 1 \{7 \pm 68.2\}$

5. (a)
$$x^{2} - 2x - 3 = 0 <=>(x-3) (x+1) = 0$$

 $X = 3 \text{ or } x - 1$
(b) $(x^{2} - 2x - 3) dx = x^{3}/3 - x^{2} - 3x + c$
(c) $\begin{bmatrix} x^{3}/3 - x^{2} - \frac{3}{2}x & \frac{3}{2} \begin{bmatrix} 2^{7}/3 - 9 \end{bmatrix} = 9 \begin{bmatrix} 8/3 - 4 \end{bmatrix} = 6$

$$= 1^{2}/_{3}$$

$$\left(X^{3/3} - x^{2} - 3x^{-4} = \left(6^{\frac{1}{9}}\right)^{-16} - 12 - \left(-27/3 - 9 - 9\right)\right)$$

 $2^{1/3}$

Sum of arcs = -1 2/3 + 2 1/3

 $= 1^{2}/_{3} + 2^{1}/_{3}$

6. (a)

X	2	3	4	5	6	7	8
Y	3	5	9	15	23	33	45

(b)
$$A = \frac{1}{2} \times 1 \times \{(3+45) + 2(5+9+15+23+33)\}$$

$$=\frac{1}{2}(48+170)$$

(c) ⁻⁸

$$\int (x^2 - 3x + 5) dx$$

$$= \underline{x}^3 - \underline{3x}^2 + 5x$$

$$3 \quad 2$$

$$\underline{8^3} - \underline{3 \times 8^2} + 5 \times 8) - \underline{2^3} - \underline{3 \times 2^2} + 5 \times 2$$

$$3 \quad 2 \qquad 3 \quad 2$$

7.
$$(x^{2} + 1) (x - 2) = x^{3} - 2x^{2} + x - 2$$

 $dy = 3x^{2} - 4x + 1$
 dx
When $x = 2$ $dy = 5$
Dx
 $Y = 0$
 $y - 0 = 5$
 $x - 2$
 $y = 5x - 10$
8. (a) $V = ds = 3t2 - 5t + 2$
 dt
 $a = dv = 6t - 5$
 dt
(b) $6t - 5 = 0$
 $T = 5/6$
 $V = 3 (5/6)^{2} - 5(5/6) + 2$
 $= 2^{5}/12 - 2^{5}/6 + 2$
 $= -1/12 (0.0833)$

9. (a) $\int (2x + 3x 2) dx = x^2 + x^3 + c$

(b) Area below x - axis

$$[X^{2} + x^{3}] = 0 - [(-2/3)^{2} + (-2/3)^{3}]$$

$$= 0 - (4/9 - 8/27)$$

$$= 4/27$$
Area above x - axis

$$[x^{2} + x^{3}] = [4 + 8] - 0 = 12$$

Total Area = $\frac{4}{27} + 12$

 $= 12 \ {}^{4}\!/_{27}$

10. Distance =
$$5/12 \{2.6 + 2(2.1 + 5.3 + 5.1 + 6.8 + 6.7 + 4.7)\}$$

$$= 5/2 (2.6 + 6.14)$$

= 160m

11. (a)
$$\int (2x^2 - 5) dx = 2/3 x^3 - 5x + c$$
 $Y = 2/3x^3 - 5x + c$

(b)
$$\int (2t^3 + t^2 - 1) dt = \frac{2}{4}t^4 + \frac{m^1}{3} - t + c$$

$$(^{2}/_{4}t^{4} + ^{t}/_{3}^{3} - t + c)^{3} = (^{2}/_{4}x 3^{4} + ^{3}/_{3}^{3} - 3) - (^{2}/_{4} + ^{1}/_{3} - 1)$$

$$= (8 \frac{1}{2} + 9 - 3) - (\frac{1}{2} + \frac{1}{3} - 1)$$

WWW.KCPE-KCSE.COM

$$= 46 \frac{1}{2} - (\frac{1}{6})$$

= 46²/₃
12. (i) $\frac{dy}{dy} = 6x^{2} + x + -4$
dx
When x = 1
Dy = 6 + 1 - 1
Dx
= 3
(ii) $y + \frac{1}{2} = 3 (x - 1)$
Y = 3x - 3 - $\frac{1}{2}$
Y = 3x - 3 - $\frac{1}{2}$
Y = 3x - 3 $\frac{1}{2}$
13. (a) Gradient = -1
Y = -x + 7
(b) 7 - x = (x - 1)^{2} + 4
X^{2} - x - 2 = 0
(x - 2) (x + 1) = 0
X = 2, x = -1
X = 2 when y = 5

X = -1 when y = 8

Coordinates of P, Q are P (-1, 8), Q (2, 5)

14. (a)
$$a = 25 - at^2$$

$$V = \int (a) dt$$

= $\int (25 - at^2) dt$
= $25t - at^3/3 + c$

$$V = 25t - 3t^3 + C$$

When $t = 0$ V = 4ms-1

 $\therefore C = 4$

$$V = 25t - 3t^3 + 4$$

(b) When
$$t = 2$$

 $V = 25 \times 2 - 3 \times 8 + 4$
 $= 50 - 24 + 4$
 $= 30m/s$

15. (a)
$$dy = x^2 + 2x - 3$$

dx

(b)
$$x^{2} + 2x - 3 = 0$$

 $(x + 3) (x-1) = 0$
 $X = -3 \text{ or } x = 1$
When $x = -3$
 $Y = 11$
When $x - 1$
 $Y = 1/3$
16. (a)
 $\overline{X} = 0$ 0.4 0.8 1.2 1.6

16.

WWW.KCPE-KCSE.COM

2.0

Y	2.00	1.96	1.83	1.60	1.20	0
17. ((a)	$S = 5^{3}$	$-5(5^{2})$	²) + 3 (5) + 4	
		= 125	- 125 -	+ 15 +	4	
		= 19m				

(b) V = ds

Dt = $3t^2 - 10t + 3$ = $3(5)^2 - 10(5) + 3$ = 75 - 50 + 3= $28ms^{-1}$

(c) At rest V = 0

 $\therefore 3t^2 - 10t + 3 = 0$ (3t - 1) (t - 3) = 0


T = 1/3 seconds or t = 3 seconds

(d)
$$a = dv$$

Dt = 6t - 10= 6(2) - 10= 2 ms^{-2}

18 (a) P (1, 3), (4, -12) (b) (i) 102/3 sq units

(ii) 13 1/3 Sq. units



(a) Curve y_1 y drawn

 $Curve \; y_2 \; y \; drawn$

(b) (i) Area below upper curve

$$\begin{cases} \underline{1} \times 1 \times & 12 + 2 (4 + 5.7 + 6.9 + 8 + 9) \\ 2 & + 9.8 + 10.6 + 11.3 \end{cases}$$

$$\underline{1}(12+130.6)=71.3$$

2

Area below lower curve

$$\begin{cases} 1 x 1 12 + 2 (0.2 + 0.6 + 1.3 +) \\ 2 24 + 3.7 + 5.3 + 7.3 + 9.5 \end{cases}$$

= ½ (12 + 60.6) = 36.3 Area in dispute = 71.3 - 36.3 = 35

(ii) Area in hectares $= 35 \times 400 = 1.4$

10000

21. (a) (i) $y = 2x^2 + x + c$ 2 At x = -4, y = 6 $6 = (-4)^2 - 4 + c$ C = -6 $Y = x^2 + x - 6$

(ii)
$$x^2 + x -6 = 0$$

$$(x-2) (x + 3) = 0$$

 $X = 2 \text{ or } x = 3$

$$\int_{-3} (x^2 + x - 6) dx = \underline{x}^3 + \underline{x} \Big[-6x^2 - 6x^2 \Big]$$

$$= \underline{8} + \Big[4 - 12^2 - \underline{9} + 18 \Big]$$

$$3 - 2^2 - 3 - 27 \Big[+ 9 + 18 \Big]$$

- 7 $^{1}/_{3}$ - 13 $^{1}/_{2}$ = - 20 $^{5}/_{6}$

Area = $20^{5}/_{6}$

2

 $22. \qquad S = 2t - \underline{t}^2 + c$ 2

When
$$S = s, t = 2$$

$$\therefore 5 = 2 \ge 2 - 2^{2} + c$$

$$2$$

$$C = 3$$

Thus $s = 2t \frac{1}{2}t^2 + 3$

23. 110.sq unit

- 24. Missing values of y 26, 138 Area = 720 sq units
- 25. (a) x = 3 or -1
- (b) $\underline{x}^3 x^2 3x + C$

	3				
(c)	4 sq. units				
26.	y = 5x - 1	0			
27.	(a)	a = 6t - 5	(b)	-1/12 m/s	
28.	(a) $x^2 + x^3$	$^{3} + C$			
(b)	124/27 sq units				
29.	(a)	Gradient = 4			
(b)	y = 4x - 1				
30.	(a)	4m/s			
(b)	(i) 4 22/2	7			
(ii)	4 m/s ²				
31.	(a) $3m/s^2$				

(b) (i) t = 1 second or $\frac{1}{2}$ second

(ii) $S = -1^{7}/_{\theta} m$ <u>121/1 MATHEMATICS SAMPLE PAPER EXAMINATION</u>

Section I (50 marks) Answer all the questions in this section

1. Simplify without using a calculator

$$3^{1}/_{3} - 2^{2}/_{3} \div 1^{5}/9$$

32 4/7 of 3/3 - 3/7
marks)

(3

2. Solve the following equation

$$\int_{3}^{1} \int_{3}^{1} (x + 4) - \int_{2}^{1} (2x - 4) = 2$$
 (2marks)

- 3. The sum of angles of a triangle is given by the expression $(2a + b)^0$, while that of a quadrilateral is given by $(13a b)^0$. Calculate the values of a and b. (3 marks)
- 4. A plot of land is represented on a map whose scale is 1:5000. On the map the perimeter of the plot is 24.8 cm. Calculate in km, the- actual perimeter of the plot.

(2 marks) 5.

A tourist changes 1500 Euros into Kenya shillings at Euro = Kshs. 76.05. He spends Kshs. 79,389, then changes the remaining shillings back to Euro at 77.05 shillings to the Euro. How many Euros does he receive? (2 marks)

- 6. Find all the integers satisfying the inequalities $3 - 2n < n - 3 \le 4$; (4 marks)
- 7. The length of a room is 4 metres longer than its width. Find the length of the room if its area is 32 cm^2 . (3 marks)

8. The equation of a line is $-^{3x}/_5 + 3y = 6$

Find the

i) Gradient of the line

- ii) Equation of a line passing through point (1, 2) perpendicular to the givenline. (3 marks)
- 9. If one root of the equation $12x^2 + 9x + B = 0$ is $\frac{3}{4}$, find B. Hence find the other root. (4 marks)
- 10. Solve for a if $3 \ge 2^{a+5} = 768$ (3 marks)
- 11. Point M (-3, 4) is the midpoint of point A and B. If the co-ordinates of A are (-5, 1) find the co-ordinates of B.
 (3 marks)

12. The ratio of the cost of commodity X to that of commodity Y is 2:3 and the ratio of the cost of Y to the cost of a commodity Z is 6:1. If the total cost of the three commodities is sh.1100, find the cost of X. Express the cost of Z as a percentage


of the cost of Y. (4 marks)

- 13. The length of an arc of a circle is 1/10 OF the circumference of the circle. If the area of the circle is 13.86 cm², find
 - a) The angle subtended by the arc at the centre of the circle. (2 marks)
 - b) The area of the sector enclosed by the arc (2 marks)
- 14. A point x divides a line MN internally in the ratio 2:5. Given that M is (-4, 10) and N is (10, 3) find the co-ordinates of x. (3 marks)
- 15. John spends $\frac{2}{3}$ of his salary on food $\frac{1}{3}$ of the remainder on rent and saved the rest. What fraction of his salary did he safe? If he spent sh. 1200 on food, how

much did he spend on rent?

(4 marks)

16. In the figure below, O is the centre of the circle. Angle $BAG = 50^{\circ}$ and angle



SECTION II (50 MARKS)

Answer any FIVE questions from this section

- 17. Water flows from a cylindrical tank of diameter 140 cm through a circular opening of diameter 1.4 cm at rate of 75 cm per second into a rectangular tank of base area 2.25m².
 - a) Calculate the decrease in height of water level of the cylindrical tank after one hour (5 marks)
 - b) Calculate the increase in height of water level in the rectangular tank. Give

your answers in cm. (5 marks)

18. The distance between two towns A and B is 360 km. A minibus left A at 8.15 a.m and traveled towards B at an average speed of 90 km/hr. A matatu left B at 10.35

a.m c	on the s	same day and traveled towards A at an average sp	beed of 110 km/hr.
a)	i)	How far from A did they meet?	(4 marks)
b)	ii) A m	At what time did the two vehicles meet? notorist started from his home at 10.30 a.m on the	(2 marks) same day and
	trave	eled at an average speed of 100 km/hr. He arrived	d at B at the same
	time	e as the minibus. Calculate the distance from B to	his home. (4 marks)

19. In an English test, 41 students scored the following marks:

 $72\ 50\ 43\ 58\ 62\ 49\ 69\ 60\ 84\ 62\ 55$

89 67 92 81 75 63 77 95 65 54 35

45 73 41 56 50 36 49 58 61 85 54


38 64 76 86 51 43 72 37

- a) Using a class width of 11 and 35-45 as the first class, make a frequency table of the grouped data. (5 marks)
- b) Estimate
 - i) The mean (2 marks) ii) The median (3 marks)
- 20. $A^{1}B^{1}C^{1}D^{1}$ is the image of a trapezium ABCD whose vertices are A(1, 2), B(7, 2),

C(5, 4) and D(3, 4) under a rotation through 90° clockwise about the origin.

a) i) Draw ABCD and $A^{1}B^{1}C^{1}D^{1}$ on the graph paper provided.(2 marks) ii) Draw the image $A^{11}B^{11}C^{11}D^{11}$ of $A^{1}B^{1}C^{1}D^{1}$ under a reflection in the line Y = -x. State co-ordinates of $A^{11}B^{11}C^{11}D^{11}$ (3 marks)

- b) $A^{1II}B^{1II}C^{1II}D^{111}$ is the image of $A^{II}B^{II}C^{II}D^{II}$ under the reflection in line x = 0. Draw the image $A^{1II}B^{11I}C^{11I}D^{111}$ and state its co-ordinates. (3 marks)
- c) Describe a single transformation that maps $A^{111}B^{111}C^{111}D^{111}$ onto ABCD.
- (2marks) 21. In the figure below point O and P are centres of intersecting circles ABD and BCD respectively. Line ABE is a tangent to circle BCD at B. Angle BCD = 42^{0}



a) Stating reasons, determine the sizes of

i) ∠CBD (3 marks)

ii)	Reflex ∠BOD	(3
-----	-------------	----

marks) b) Show that $\triangle ABD$ is isosceles.

(4 marks)

22. Two business ladies, Jane and Janet contributed sh. 112,000 and sh. 128,000 respectively, to start a business. They agreed to share the profits as follows:
40% to be shared equally.

30% to be shared in the ratio of their contributions.


30% to be retained for the running of the business.

If their total profit for the year 2004 was sh. 86,400, calculate

i) The amount received by each. (7 marks)

ii) The amount retained for the running of the business. (3 marks)23. The figure below is a triangle pyramid with a rectangular base ABCD and VO





a) Express

i) AV in terms of a and c. (2 marks)

ii) BV in terms of a, b and c. (3 marks)

- b) M is a point OV such that OM: MV = 3:4. Express BM in terms of a, b and c. (5 marks)
- 24. Using a ruler and compass only, construct an acute angled triangle ABC such that

 $\angle ABC = 45^{\circ}, BC = 9 \text{ cm and } AC = 7 \text{ cm.}$ (4 marks)

Locate a point X in triangle ABC such that X is equidistant from A, B and C.

(3 marks)

Measure AX, AB and $\angle AXC$. (3 marks)

ANSWERS TO MATHS SAMPLE PAPER

1.
$$3^{1}/_{3} - 2^{2}/_{3} \div 1^{5}/_{9} = \frac{10/_{3} - 8/_{3} \times 9/_{14}}{1/_{7} \text{ of } 3^{23}/_{3} - 3^{4}/_{7}} = \frac{3/_{7} \times 11/_{3} - 2^{5}/_{7}}{3/_{7} \times 11/_{3} - 2^{5}/_{7}}$$

= 10/3 - 12/7 = 34/21 x - 1/211/7 - 25/7

$$= -^{17}/_{21}$$

2.
$$\frac{1}{3}(x-4) - \frac{1}{2}(2x-4) = 2$$

2(x - 4) - 3(2x - 4) = 2x6

¹.

$$a^{2} a + b = 180$$

 $\frac{a - b}{a - b} = 360 \ 15a$

= 540

$$a = 3672 + b = 180 b$$

= 108

 $^{5}.8 = 24.8 \ge 5000$

$$=$$
 124000 $=$ 1.24 km

$$2x + 8 - 6x + 12 = 12$$

-4x = -8

$$\mathbf{x} = 2$$

```
100,000
```

5. <u>1500 x 76.05 - 79389</u>

77.05

$$114075 - 79389 = 450.10$$

6.
$$3-2n < n-3....$$
 (i) n-

$$3 \le 4$$
 (ii)

(i)
$$6 < 3n$$

 $2 < n$
(ii) $n < 7$
 $2 < n = 7$

$$\{3, 4, 5, 6, 7\}$$

7.
$$x(x + 4) = 32 x^{2} + 4x =$$

 $32 = 0 x(x + 8) - 4(x +$
 $8) = 0 (x + 8)(x - 4) = 0$
 $x = 4, x = 8$

Length = 8 cm

8. -3x + 3y = 65 $3y = 3/5x \ 6$ Grad = 1/5 $y = 1/5 \ x \ 2$ Point (1, 2) grad = -5 y = mx + c 2 = -5(1) + c $7 = c \ y = -5x$ + 7

9
$$12x^2 + 9x + B = 0$$

 $12(^{3}/_{4})^2 + 9(^{3}/_{4}) + B = 0 \rightarrow B = -^{27}/_{2}$
 $48x^2 + 36x - 54 = 0$
 $8x^2 + 6x - 9 = 0$ (2x +
3) (4x - 3) = 0 x = $^{3}/_{4}$
x = $^{-3}/_{2}$ other root = $^{-3}/_{2}$

10. $3 \times 2^{a+5} = 768 \, 2^{a+5} = 256$

$$2_{a+5} = 2_8 a$$

+ 5 = 8 a
=3

11. B (-1, 7)

- 12. x: y = z
 - (2:3) (6: 1) 4:6:1 = 11 \rightarrow 1100 $X = \frac{4}{11} \times 1100 = 400 \text{ y} = \frac{6}{11}$ $x \ 1100 = 600 \text{ z} = \frac{1}{11} \text{ x}$ 1100 = 100

 $100 \ge 100 = 16.6\%$

600

13. (a)
$$\Delta = \frac{1}{10} \times 360 = 36^{\circ}$$

(b) Sector area = $30 \times 22 \times 21^2 = 1.386$

360 7

14. ox=(0,8)

15. Let total salary = x

Food = $^2/_3x$

Remaining = $\frac{1}{3}x = \frac{1}{9}x$ Total used = $\frac{2}{3}x + \frac{1}{9}x = \frac{7}{9}x$ Saved $\frac{2}{9}x = 1200 \ x^{-3}/2 = 1800$

Rent = $^{1}/_{9} x 1800 = 200/=$

$$\angle ACB = \angle ACO + \angle OCB$$

= 30 + 40 = 70°

17. (a) Decrease =11. 5
$$cm^2$$

(b) Increase = 1.46 cm

18. (a) (i) Distance =
$$272.5 \text{ km}$$

(ii) Time =11, 00 a.m

- (b) Distance = 175 km
- 19. (i) Mean = 61.732
 - (ii) Median = 60.78

20. (a) (i)
$$CBD = 90.42 = 48^{\circ}$$

(ii) Reflex BCD =
$$360 - 138 = 222^{\circ}$$

Angle at a point add up to 360°

(b)
$$\angle BAD = \angle BCD = 69^{\circ} \angle ABC = \angle BCD = 40^{\circ}$$

$$\angle ADB = 180 - (69 + 42) = 69^{\circ}$$

Hence ∠ABD is isosceles.

21. (a) i) 25,920 ii) Jane = 29,376, Janet = 31,104 iii) Returned = 25,920

22 (a) i)
$$Av = AD + Dv = a + c$$

ii) $BV = BA + Av$
 $= b + a + c$

$$= a - b + c$$

(b)
$$BM = \frac{1}{7} (5a - 5b + 3c)$$

23.
$$AX = 5 \text{ cm} + 0.1$$

$$BA = 9.4 + 0.1$$

$$\angle AXC = 90^{\circ}$$

121/1

MATHEMATICS

Paper 1 Oct/Nov. 2008

2 ¹/₂ hours.

SECTION 1 (50 MAKS)

Answer all questions in this section.

1. Without using a calculator, evaluate -8+(-5)x(-8)-(-6)

 $-3+(-8) \div 2x4$ (2mks)

2. Simplify $\underline{27}^{2/3} \div \underline{2}^4$


32^{-3/4} (3mks)

- 3. Simplify the expression $\underline{a^4 b^4}$ $\begin{array}{c} 3^- & 2\\ a & ab \end{array}$ (3mks)
- 4. Mapesa traveled by train from Butere to Nairobi. The train left Butere on a Sunday at 23 50 hours and traveled for 7 hours 15 minutes to reach Nakuru. After a 45 minutes stop in Nakuru, the train took 5 hours 40 minutes to reach Nairobi. Find the time, in the 12 hours clock system and the day Mapesa arrived in

Nairobi.


(2mks)

5. The figure below shows a net of a solid



Below is a part of the sketch of the solid whose net is shown above.

Complete the sketch of the solid, showing the hidden edges with broken lines. (3mks)



 A fuel dealer makes a profit of Kshs. 520 for every 1000 litres of petrol sold and Ksh. 480 for every 1000 litres of diesel sold.

In a certain month the dealer sold twice as much diesel as petrol. If the total fuel sold that month was 900,000 litres, find the dealer's profit for the month. (3mks)

- 7. A liquid spray of mass 384g is packed in a cylindrical container of internal radius
 3.2cm. Given that the density of the liquid is 0.6g/cm³, calculate to 2 decimal
 places the height of the liquid in the container. (3mks)
- Line BC below is a side of a triangle ABC and also a side of a parallelogram BCDE.



Using a ruler and a pair of compasses only construct:

- (i) The triangle ABC given that $\angle ABC = 120^{\circ}$ and AB = 6 cm (1mk)
- (ii) The parallelogram BCDE whose area is equal to that of the triangle ABC and point E is on line AB (3mks)
- 9. A solid metal sphere of radius 4.2 cm was melted and the molten material used to make a cube. Find to 3 significant figures the length of the side of the cube.

- An angle 0f 1.8 radians at the centre of a circle subtends an area of length 23.4 cm
 Find;
- a) The radius of the circle (2mks)
- b) The area of the sector enclosed by the arc and the radii. (2mks)
- 11. Three vertices of a rhombus ABCD are; A(-4,-3), B(1,-1) and c are constants.

(2mks)

(3mks)

- a) Draw the rhombus on the grid provided below. (2mks)
- b) Find the equation of the line AD in the form y = mx + c, where and c are constants. (2mks)

12. Two matrices A and B are such that A=
$$\begin{pmatrix} k \\ k \end{pmatrix} 4 \begin{pmatrix} 1 \\ 1 \end{pmatrix} 2$$

and B = $\begin{pmatrix} 3 & 2 \\ & 3 & 4 \end{pmatrix}$

Given that the determinant of AB = 4, find the value of k.

 A rectangular and two circular cut-outs of metal sheet of negligible thickness are used to make a closed cylinder. The rectangular cut-out has a height of 18 cm. Each circular cu-out has a radius of 5.2 cm. Calculate in terms of π, the surface


area of the cylinder

14. Given that log 4=0.6021 and log 6=0.7782, without using mathematical tables or

a) calculator, evaluate log 0.096.

(3mks)

15. The equation of line L_1 is 2y-5x-8=0 and line L_2 passes through the points (-5, 0) and (5,-4). Without drawing the lines L_1 and L_2 show that the two lines are perpendicular to each other. (3mks)



16 Solve the equation;

 $2\cos 2\theta = 1$ for $0^0 \le \theta \le 360^0$ (4mks)

SECTION II (50 MKS)

Answer any five questions in this section.


17	a)	The ratio of Juma's and Akinyi's earnings was 5:3 Juma's earnings	rose
		to Ksh 8400 after an increase of 12%.	
		Calculate the percentage increase in Akinyi's earnings given that th	e sum
		of their new earnings was Ksh. 14100.	(6mks)
	b)	Juma and Akinyi contributed all the new earnings to buy maize at K	sh
		1175 per bag. The maize was then sold at Ksh 1762.50 per bag. Th shared all the money from the sales of the maize in the ratio of their	e two
		contributions.	

Calculate the amount that Akinyi got. (4mks)

18. The figure below is a sketch of the curve whose equation is $y=x^2+x+5$.

It cuts the line y=11 at points P and Q.


- a) Find the area bounded by the curve $=x^2+x+5$ and the line y=11 using the trapezium rule with 5 strips. (5mks)
- b) Calculate the difference in the area if the mid-ordinate rule with 5
 ordinates was used instead of the trapezium rule. (5mks)
- 19 In the figure below AB=P, AD= q, DE= $\frac{1}{2}$ AB and BC= $\frac{2}{3}$ BD



a)	Find in	n terms of p arid q the vectors:		(1mk)	
(i)	BD;		(1mk)		
(ii)	BC;		(1mk)		
(iii)	CD;		(1mk)		(iv)
		AC.		(2mks)	

- b) Given that AC=KCE, where k is a scalar, find
- (i) The value of k (4mks)
- (ii) The ratio in which C divides AE (1mk)
- 20. The diagram below represents two vertical watch-towers AB and CD on a level ground. P and Q are two points on a straight road BD. The height of the tower

AB is 20m road a BD is 200m.



a) A car moves from B towards D. At point P, the angle of depression of the car from point A is 11.3^o. Calculate the distance BP to 4 significant

figures.


(2mks)

b) If the car takes 5 seconds to move from P to Q at an average speed of 36 km/h, calculate the angle of depression of Q from A to 2 decimal places (3mks)

c) Given that QC=50.9m, calculate;

(i) The height of CD in meters to 2 decimal places; (2mks)

- (ii) The angle of elevation of A from C to the nearest degree. (3mks)
- 21. The diagram below shows a triangle ABC with A (3, 4), B (1, 3) and C (2, 1).



a) Draw A'B'C' the image of ABC under a rotation of $+90^{0+}$ about (0, 0).

(2mks)


b) Drawn A"B" the image of A "B'C" under a reflection in the line y=x.

(2mks)

c) Draw A"B" C. the image under a rotation of -90° about (0, 0) (2mks)

d) Describe a single transformation that maps ABC onto A'''B'''C'''(2mks)

- e) Write down the equations of the lines of symmetry of the quadrilateral BB"A"'A' (2mks)
- 22. The diagram below represents a conical vessel which stands vertically. The which stands vertically, The vessels contains water to a depth of 30cm. The radius of the surface in the vessel is 21cm. (Take π =22/7).



- a) Calculate the volume of the water in the vessels in cm^3
- b) When a metal sphere is completely submerged in the water, the level of the water in the vessels rises by 6cm.

Calculate:

(i)	The radius of the new water surface in the vessel;	(2mrks)
(ii)	The volume of the metal sphere in cm ³	(3mks)
(iii)	The radius of the sphere.	(3mks)

23. A group of people planned to contribute equally towards a water project which needed Ksh 200 000 to complete, However, 40 members of the group without from the project.

As a result, each of the remaining members were to contribute Ksh 2500.

- a) Find the original number of members in the group. (5mks)
- b) Forty five percent of the value of the project was funded by Constituency
 Development Fund (CDF). Calculate the amount of contribution that would
 be made by each of the remaining members of the group. (3mks)
- Member's contributions were in terms of labour provided and money
 contributed. If the ratio of the value of labour to the money contributed was
 6:19; calculate the total amount of money contributed by the

members.

(2mks)

24. The distance s metres from a fixed point O, covered by a particle after t seconds is given by the equation;

 $S = t^3 - 6t^2 + 9t + 5.$

a) Calculate the gradient to the curve at t=0.5 seconds (3mks)

- b) Determine the values of s at the maximum and minimum turning points of the curve. (4mks)
- c) On the space provided, sketch the curve of $s = t^3-6t^2+9t+5$. (3mks)

121/2

MATHEMATICS

Paper 2

Oct/Nov 2008

2 ¹/₂ hours

SECTION I (50 MARKS)

Answer all the questions in this section in the spaces provided.

 In this question, show all the steps in your calculations, giving the answer each stage. Use logarithms correct to decimal places, to evaluate.

6.373 log 4.948

0.004636

(3mks)

2. Make h the subject of the formula (3mks) q = 1+rh

l-ht

 Line AB given below is one side of triangle ABC. Using a ruler and a pair of compasses only;



(i) Complete the triangle ABC such that BC=5cm and $\angle ABC=45^{\circ}$

(ii) On the same diagram construct a circle touching sides AC,BA produced and BC produced.

4. The position vectors of points A and B are $\begin{pmatrix} 3 \\ -1 \end{pmatrix}$ and $\begin{pmatrix} 8 \\ -6 \end{pmatrix}$ respectively. -4 6

A point P divides AB in AB it he ratio 2:3. Find the position Vector of point P. (3mks)

- 5 The top of a table is a regular hexagon. Each side of the hexagon measures 50.0 cm. Find the maximum percentage error in calculating the perimeter of the top of the table. (3mks)
- 6. A student at a certain college has a 60% chance of passing an examination at the first attempt. Each time a student fails and repeats the examination his chances of passing are increased by 15%

Calculate the probability that a student in the college passes an examination at the second or at the third attempt. (3mks)


7. An aero plane flies at an average speed of 500 knots due East from a point p (53.4^oe) to another point Q. It takes 2 ¹/₄ hours to reach point Q. Calculate:

(i) The distance in nautical miles it traveled; (1mk)
(ii) The longitude of point Q to 2 decimal places (2mks)
8. a) Expand and simplify the expression

$$10 + \frac{2}{x}$$
 (2mks)

b) Use the expansion in (a) above to find the value of 14^5 (2mks)

9. In the figure below, angles BAC and ADC are equal. Angle ACD is a right angle.The ratio of the sides AC: BC =4: 3



Given that the area of triangle ABC is 24cm². Find the triangle ACD (3mks)

- Points A(2,2) and B(4,3) are mapped onto A'(2,8) and b' (4,15) respectively by a transformation T. Find the matrix of T. (4mks)
- 11. The equation of a circle is given by $4x^2 + 4y^2 8x + 20y 7 = 0$.

Determine the coordinates of the centre of the circle. (3mks)

12. Solve for y in the equation $log_{10} (3y+2)-1=log_{10} (y-4)$ (3mks)


13. Without using a calculator or mathematical tables, express

 $\sqrt{3}$ in surd form and simplify

 $1-\cos 30^{\circ}$ (3mks)

 The figure below represents a triangular prism. The faces ABCD, ADEF and CBFE are rectangles.

AB=8cm, BC=14cm, BF=7cm and AF=7cm.



Calculate the angle between faces BCEF and ABCD. (3mks)

15. A particle moves in a straight line from a fixed point. Its velocity Vms-1 after t seconds is given by $V=9t^2 - 4t + 1$

Calculate the distance traveled by the particle during the third second. (3mks)

16. Find in radians, the values of x in the interval $0^0 \le x \le 2\pi^c$ for which $2\cos^2 x - \sin^2 x = 1$

x = 1. (Leave the answers in terms of π) (4mks)

SECTION II (50MKS)

Answer any five questions in this section.

17. a) A trader deals in two types of rice; type A and with 50 bags of type B. If he sells the mixture at a profit of 20%, calculate the selling price of one

bag of the mixture.

- b) The trader now mixes type A with type B in the ratio x: y respectively. If the cost of the mixture is Ksh 383.50 per bag, find the ratio x: y. (4mks)
- c) The trader mixes one bag of the mixture in part (a) with one bag of the mixture in part (b). Calculate the ratio of type A rice to type B rice in this mixture. (2mks)
- 18. Three variables p, q and r are such that p varies directly as q and inversely as the square of r.
- (a) When p=9, q12 and r = 2.

Find p when q=15 and r=5 (4mks)

- (b) Express q in terms of p and r. (1mks)
- (c) If p is increased by 10% and r is decreased by 10%, find;
- (i) A simplified expression for the change in q in terms of p and r

(3mks)

- (ii) The percentage change in q. (2mks)
- 19. a) complete the table below, giving the values correct to 2 decimal places.


x ⁰	0	30	60	90	120	150	180	210	240	270	300	330	360
Sin 2x	0		0.87		-0.87		0	0.87	0.87				0

3cosx-2	1	0.60	-2	-3.5		-4.60		-0.5	1

- b) On the grid provided, draw the graphs of $y = \sin 2x$ and $y = 3\cos x 2$ for $0^0 \le x \le 360^0$ on the same axes. Use a scale of 1 cm to represent 30^0 on the x-axis and 2cm to represent 1 unit on the y-axis.
- c) Use the graph in (b) above to solve the equation $3 \cos x \sin 2x = 2$.

(2mks)

- d) State the amplitude of $y=3\cos 2$. (1mk)
- 20. In the figure below DA is a diameter of the circle ABCD centre O, radius 10cm. TCS is a tangent to the circle at C, AB=BC and angle DAC= 38°



- (a) Find the size of the angle;
- (i) ACS; (2mks)
- (ii) BCA (2mks)
- (b) Calculate the length of:
- (i) AC (2mks)
- (ii) AB (4mks)
- 21. Two policemen were together at a road junction. Each had a *walkie talkie*. The maximum distance at which one could communicate with the other was 2.5 km. One of the policemen walked due East at 3.2 km/h while the other walked due North at 2.4 km/h the policeman who headed East traveled for x km while the one who headed North traveled for y km before they were unable to communicate.
- (a) Draw a sketch to represent the relative positions of the policemen. (1mk)
- (b) (i) From the information above form two simultaneous equations in x

	and y.	(2mks)
(ii)	Find the values of x and y (5mks)	
(iii)	Calculate the time taken before the policemen were ab	ble to
	communicate	(2mks)

22. The table below shows the distribution of marks scored by 60 pupils in a test.

Marks	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90
Frequency	2	5	6	10	14	11	9	3

(a) On the grid provided, draw an ogive that represents the above information(4mks)

Use the graph to estimate the interquartile range of this information.

(3mks)

(b) In order to pass the test, a pupil had to score more than 48 marks.

Calculate the percentage of pupils who passed the test. (3mks)

- 23. Halima deposited Ksh. 109375 in a financial institution which paid simple interest at the rate of 8% p.a. At the end of 2 years, she withdrew all the money. She then invested the money in share. The value of the shares depreciated at 4% p.a. during the first year of investment. In the next 3 years, the value of the shares appreciated at the rate of 6% every four months
- (a) Calculate the amount Halima invested in shares. (3mks)
- (b) Calculate the value of Halima's shares.
- (i) At the end of the first year; (2mks)
- (ii) At the end of the fourth year, to the nearest shilling. (3mks)c) CalculateHalima's gain from the share as a percentage. (2mks)

24. The table below shows values of x and some values of y for the curve y = x+3+3x²+-4x-12 in the range -4 $\leq x \leq 2$.

(a) Complete the table by filling in the missing values of y.

X	-4	-3.5	-3	-2.5	-2	-1.5	-1	-0.5	0	0.5	1	1.5	2.0
Y		-4.1		-1.1			-9.4	-9.0		-13.1		-7.9	

(b) On the grid provided, draw the graph $y=x^3 + 3x^{2+} - 4x - 12$ for $-4 \le x \le 2$.

Use the scale. Horizontal axis 2cm for 1 unit and vertical axis 2cm for 5

units.

By drawing a suitable straight line, on the same grid as(b) above, solve the

(3mks) c)

equation:
$$x^3 + 3x^2 - 5x - 6 = 0$$
 (5mks)

2008 KCSE MATHEMATICS ANSWERS

PI 121/1 ANSWERS

SOLUTION '

1.
$$-8+(-5)x(-8H-6) = -\underline{8+40+5}$$

 $-3+(-8) \div 2X4$ $-3+"4X4$
 $= \underline{38}$
 -19
 $=^{-2}2$

2.
$$(\underline{3^3})^{273} \div \underline{2^4} = \underline{3^2} \div \underline{2^4}$$


(25)-3/5 2-3
 $\underline{3^2}$
24X2-3
 $= \frac{9}{2} = 4\frac{1}{2}$
OR 4.5

3.
$$\underline{a^4 \cdot b^4} = (\underline{a^2 + b^2}) (\underline{a^2 \cdot b^2})$$
$$\underline{a^3 \cdot ab^2} \qquad a(\underline{a^2 \cdot b^2})$$
$$\underline{=} \underline{a^2 + b^2} \text{ or } \underline{a + b^2}$$
$$\underline{a \quad a}$$

4. $23.50 + (7h\ 15\ min + 45\ min + 5h\ 40\ min)$. = 1330 h.

=1.30 pm on Monday

5.



2 Trapezoidal faces Bl

3 Rectangular faces Bl Completion of

sketch with hidden edges dotted

6. Sales: Petrol $-\frac{1}{3}$ x 900 000 Diesel $-\frac{2}{3}$ x 900 000

Profit: $\frac{1}{3} \ge \frac{900000}{2} \ge \frac{520 + \frac{2}{3}}{2} \ge \frac{900000}{2} \ge 480$

1000 1000

=444000 7. Volume of liquid <u>- 384</u>

0.6

Height of liquid = 640n x 3.2^2

- = 19.89 2 dp
- <120° constructed at B and completion of △ Draping ⊥ar from A to CB
 produced Bisection of height to determination of point D and completion of parallelogram

BCDE.

9. Volume of sphere = $\frac{4}{3\pi \times 4.2^3}$: Side of cube = $3V^4/_3 \pi \times 4.2^3$

=6.77 3sf.

10. Radius of circle = $\underline{23.4}$


1.8

= 13 cm

Area of sector = $1.8x\pi x 13^2$

=152.1 cm²

2π



Equation of line AD

y -
$$3 = 5$$

y=<u>5x</u>+7

K+12 2K+16

9 14

Det $AB = (K+12) \times 14 - (2K+16) \times 9 = 4 \quad 14K+168-18K-144 = 4$ -4K = -20 K = 5

13. Area of Rectangular part = $2 \times 5.2 \times \pi \times 18$

$$= 187.2\pi$$

Area of circular parts = $2 \times 5.2^2 \times \pi$

$$= 54.08\pi$$

$$= 241.28\pi$$

14. $\log 0.096 = \log (4^2 \times 6 \times 10^{-3})$

=2.9824

(-1.0176)

15. $2y = 5x + 8 \ y = \frac{5}{2} \times 4$

Gradient of L1 = $\frac{5}{2}$

Gradient L2 0 - 4 = 4 or -2

$$-5 - 5 - 10 - 5$$

 $5 \times \frac{-2}{2} = -1$
 $2 - 5$

:.L1 and L2 are perpendicular.

16. $2\cos 2\Theta = 1$ $\cos 2\Theta = \frac{1}{2}$

$$\therefore 2 \Theta = 60^{\circ}$$

$$2 \Theta \qquad \Theta$$

$$\overline{60^{\circ} \qquad 30^{\circ}}$$

$$300^{\circ} \qquad 150^{\circ}$$

$$420^{\circ} \qquad 210^{\circ}$$

$$660^{\circ} \qquad 330^{\circ}$$

17. (a) Oumas earnings before increase:

$$112\% \rightarrow 8400$$

$$100\% \rightarrow 8400x^{100}/_{112}$$

Akinyi's earnings before increase;

³/₅ x 7500

Increase in Akinyi's earnings

= 14100-8400-4500

=1200

% increase in Akinyi's earnings

=120/4500 x 100

$$= 26^{2}/_{3} = 26.67$$

(b) No. of bags bought 14100 /1175

= 12 bags

Profit = (1762.50 -1175) x l2

= 7050

Ratio 5700: 8400 = 19:28

Profit for Akinyi : 7050 x $^{19}/_{47}$ =2850

Total earning for Akinyi:

5700 + 2850 = 8550

18. (a) (i)
$$BD = q - p$$

(ii) $BC = \frac{2}{3}(q - P)$
(iii) $CD = \frac{1}{3}(q - P)$
(iv) $AC = P + \frac{2}{3}q - \frac{2}{3}P$
 $= \frac{1}{3}q + \frac{2}{3}p$

(b) (i)
$$CE = CD + DE$$

 $= \frac{1}{_{3}q} - \frac{1}{_{3}p} + \frac{1}{_{2}p}$
 $= \frac{1}{_{3}q} + \frac{1}{_{6}p}$
 $AC = K (\frac{1}{_{3}q} + \frac{1}{_{6}p})$
 $\frac{1}{_{3}p} + \frac{2}{_{3}q} = \frac{1}{_{3}kq} + \frac{1}{_{6}kp}$

(ii)
$$1 \xrightarrow{1} x = 2$$
$$/_{6}k = /_{3}$$
$$AC = 2CE$$

$$AC:CE = 2:1$$

19. (a) Trapezium Rule:

Х	-2	-1	0	1
у	7	5	5	7

Ac = $\frac{1}{2}$ x 1 {(11+11) + 2(7+5+5+7) }

 $=\frac{1}{2}$ {22+48}

=35.

 $Ar = ll \ge 5 = 55$

A = 55 - 35

= 20 square units

(b) Mid - ordinates

	Х	2.5	1.5	0.5	0.5	1.5
	Y	8.75	5.75	4.75	5.75	8.75
AC =	(8.7	5+5.7	75 + 4.	75 + 5	.75 + 8	3.75) x 1

= 33.75

= 21.25

$$= 1.25$$
 sq units

20. (a)
$$\tan 11.3^\circ = \frac{20}{x} \rightarrow x = 20$$

 $\tan 11.3$

0.1998197

```
≈100.1m
```

(b)
$$PQ = 36 \times 1000 \times 5$$

60 x60

$$= 50m BQ = 100.1$$

+50 = 150.1m tan $\Theta = 20$
= 0.1332445

150.1

$$\Theta = 7.5896426$$

Θ= 7.59°

(c) (i)
$$QD = 200-150.1 = 49.9 CD = \sqrt{50.9^2 - 49.9^2}$$

= 10.03992

≈10.04m

(ii)
$$AX = 20 - 10.04 = 9.96$$

$$Tan\Theta = 9.96 = 0.0498$$

21.

 $\Delta A^1 B^1 C^1$ ly drawn

- (a) $\Delta A^{11}B^{11}C^{11}$ ly drawn
- (b) $\Delta A^{111}B^{111}C^{111}$ ly drawn
- (c) Reflection is athe line y = -x
- (d) X = -1.5Y = 0
- 22. (a) $\underline{1} \times \underline{22} \times 21 \times 21 \times 30$
 - 3 7

=13860

(b) (i) r/21 =

36/30 r =

<u>36x21</u>

30

= 25.2

(ii) $\frac{1}{3} x^{\frac{22}{7}} x 25.2 x 25.2 x 36$

23950.08-13860

 $= 10090.08 \text{cm}^3$

Can be 100.90

- (iii) $\frac{4}{3} x^{22} / 7 x r^3 = 10090.08 r^3 = 10090.08 x 21$
 - 4 x 22 r

 $= 3\sqrt{2407.86}$

= 13.40 cm

23. (a) Let the original number be n.

Amount per member originally = 2000000

n

 $\frac{2000000}{n} - 2000000 = 2500$ N-40 n n 2000000n = (n-40) (2500n + 2000000) $2000000 = 2500n^2 + 2000000n - 100000n - 80000000m l removal of denor$ (n-200) (n+160) =0 n = 200

(b) New total contribution by members

=<u>55</u> x 2000000

100

Contribution per member

100 160

(c) Actual cash contribution by members

$$= \frac{55 \text{ x } 2000000 \text{ x } \underline{19}}{100}$$

=836000

24. (a)
$$\underline{ds} = 3t^2 - 12t + 9 dt \underline{ds}(0.5) = 3(0.5)^2 - 12(0.5) + 9 dt$$


=3.75

(b)
$$\underline{ds} = 0 \Rightarrow 3t^2 - 12t + 9 = 0$$

 $dt t^2 - 4t + 3 = 0$
 $(t - 3)(t - 1) = 0$
 $t = 3 \text{ or } t = 1$
When $t = 2 = 2^3 = 6 = 2^2 + 0 = 2 + 5$

When t = 3, s= $3^3 - 6 \times 3^2 + 9 \times 3 + 5 = 5$ When t = 1, s= 1^3 -6 x 1 + 9 x 1 + 5 = 9

(c)



ANSWERS MATHEMATICS PAPER 2 2008

1. No. Log

6.373	0.8043
0.373	0.0043

0.6944 T.8416

0.6459

v0.004636 ⁻3.6661÷ 2 - <u>3.66670</u>

2


<u>2.8331</u>	<u>2.8335</u>
1.8128	1.8124
64.98	64.92

2. q - htq = 1 + rh

$$q-1 = rh + htq q$$
$$-1 = h (r + tq) h$$
$$= q-1$$

r + tq

3.



4. AB
$$\begin{pmatrix} \\ -6 \end{pmatrix} = \begin{pmatrix} 3 \\ -1 \end{pmatrix} = \begin{pmatrix} 5 \\ -5 \end{pmatrix} = 8$$

6 -4 10

$$OP = OA + AP$$


$$P = -1 \begin{bmatrix} 3 \\ + 2/5 \\ -4 \end{bmatrix} = -10$$

- = -3 0
- 5. $0.05 \ge 6 = 0.3$

% error = $0.3 \times 100\%$

$$50x6 = 0.1\%$$





P(passing in 2nd attempt)



P (passing in 3rd attempt)

= 0.4 x 0.31 x 0.7935

P passing in 2nd or 3rd attempt)

= 0.4 x 0.69 + 0.4 x 0.31 x 0.7935

0.374394

7. (i) Distance = $500 \times \frac{9}{4} = 1125 \text{ nm}$

100000 + 200000 + 160000 + 64000 + 12800 + 1024

$$\frac{1}{2}$$
 $(\frac{1}{2})^2$ $(\frac{1}{2})^3$ $(\frac{1}{2})^4$ $(\frac{1}{2})^5$

= 100000 + 100000 + 40000 + 8000 + 8000 + 32

(b)
$$14^5 = (10 + 2/\frac{1}{2})^5$$

$$X x^2 x^2 x^5 x^5$$

$$10000 + \underline{100000} + \underline{40000} + \underline{8000} + \underline{800} + \underline{32}$$

8.
$$(10 + 2/x)^5 = 10^5 + 5.10^4 (2/x) + 10.10^3 (2/x)^2 + 10.10^2$$

$$\begin{bmatrix} \\ - \\ 2 \end{bmatrix}_{2}^{3} + 5.10 = 2 \end{bmatrix}_{4}^{4} + \begin{bmatrix} \\ - \\ 2 \end{bmatrix}_{2}^{5}$$

(ii) $\Theta \ge 60 \cos 53.4^\circ = 1125$ Θ = 1125 $60 \cos 53.4^{\circ}$

= 537824

9. \triangle ADC and \triangle BAC are similar AC/BC = 4/3

Area scale factor = $(4/3)^2 = 16/9$

Area of \triangle ADC = 16/9 x 24

$$= 42 \ 2/3 \ \mathrm{cm}^2$$

$$a 2 \begin{pmatrix} 4 & b \\ 2 & 2 \end{pmatrix} \begin{pmatrix} = 2 \\ 3 & 8 \end{pmatrix} 4 c \begin{pmatrix} d \\ 15 \end{pmatrix}$$

$$2a + 2b = 2$$
 $2c + 2d = 8$

$$4a + 3b = 4$$
 $4c + 3d = 15$

- 4a + 4b = 4 OR 4c + 4d = 16
- 4a + 3b = 4 4c + 3d = 15
- B = 0, a = 1 d = 1, c = 3

$$\therefore \mathbf{T} = 1 \begin{pmatrix} 0 \\ -3 \end{pmatrix}$$


11.
$$x^2 + y^2 + 5y = 7/4$$

 $X^{2-2}x + 1 + y^2 + 5y + 25/4 = 7/4 + 1 + 25/4$
 $(x - 1)^2 + (y + 5/2)^2 = 9$
Centre $(1, -2 \frac{1}{2})$

12. $\log (3y+2) = \log (y-4)$ 10 3y+2 = y-410 3y+2 = 10 y - 40 Y = 613. $\frac{\sqrt{3}}{1-\cos 30^{0}} = \frac{\sqrt{3}}{1-\sqrt{3}/2}$ $= 2\sqrt{3}(2+\sqrt{3})$ $= 2\sqrt{3}(2+\sqrt{3})$ $= 2\sqrt{3}(2+\sqrt{3})$

 $=4 \sqrt{3}+6$

14.



 $\cos \Theta = 4/7$

Θ= 55. 1500954⁰

 $= 55.15^{0}$

15. Distance traveled = $(9/3t^3 - 4/2t^2 + t)3/2$ = 3 x 3³ - 2 x 3² + 3) - (3 x 2³ - 2 x2² + 2) = 66 - 18 =48m

16.
$$2(1 - \sin^{2} x) - \sin x = 1$$
$$2 \sin^{2} x + \sin x - 1 = 0$$
$$2 \sin^{2} x + 2 \sin x - \sin x - 1 = 0$$
$$(2 \sin x - 1) (\sin x + 1) = 0$$
$$\sin x = \frac{1}{2} \text{ or } \sin x = -1$$
$$X = \frac{1}{6} \pi^{c}, \frac{5}{6} \pi^{c}, \frac{3}{2} \pi^{c}$$

17. (a)
$$CP = 400 \times 30 + 350 \times 50$$

= 29500
 $SP = \underline{120} \times 29500$
 100
= 35400
 $1 \text{ bag} = 35400 \div 80$
= Kshs 442. 50

(b)
$$= \frac{400 \text{ x} + 350 \text{ y}}{\text{X} + \text{y}}$$

 $= \frac{400 + 350 \text{ y}}{\text{X} + \text{y}} = 383.50$
 $\text{X} + \text{y}$

$$400x + 350y = 383.5 x + 383.5 y$$
$$16.5 x = 33.5 y X:$$
$$y = 33.5 : 16.5$$
$$= 67:33$$

$$(c) \left(\underbrace{3}_{3} + 67 : \left(\underbrace{5}_{5} + \underbrace{33}_{100} = 209; 191 \right) \right)$$

18. (a) P = kq

$$\mathbb{R}^2$$

$$Q = \underline{k(12)} 2^{2}$$

$$K = 3$$

$$P = \underline{3 (15)} 5^{2}$$

$$= 1.8 (1^{4}/5)$$

(b)
$$q - pr^2$$

3

(c) (i)
$$q_1 = \underline{1.2p (0.9r)^2}$$


 3
 $= 0.972 \underline{pr^2}$
 3
 $\Delta q = 0.972 \underline{pr^2} - \underline{pr^2}$
 $= 0.028 \underline{pr^2}$
 3

(ii) % change = $0.028 \text{ pr}^{2}/_{3} \times 100\%$

= -2.8%

19.

Х	30 ⁰	600	90 ⁰	150 ⁰	180 ⁰	240^{0}	270^{0}	300^{0}	330 ⁰
Sin 2	0.87		0	0.87			0	-0.87	-0.87
3 cos x		0.5		4.60	-5	-3.5	-2		0.60



20. (a) (i) $< ADC = 52^{0} \text{ or } < DCA$

 $= 38^{\circ} \text{ or } < \text{DCT} = 38^{\circ}$

 $< ACS = 52^{0}$

(ii)
$$< CBA = 128^{\circ}$$

 $< BCA = 26^{\circ}$

(b) (i)
$$AC = 20 \cos 38$$


= 15.76 cm

(ii)
$$AB = 15.76$$

Sin 26⁰ Sin 128⁰
 $AB = \underline{15.76 \sin 26^0}$
Sin 128⁰

-<u>15.7880. 4384</u>

= 8.768 cm



(ii)
$$y = \frac{3}{4} x$$


 $X^{2} + (\frac{3}{4} x)^{2} = 2.5^{2}$
 $16x^{2} + 9x^{2} = 6.25 x 16$
 $X^{2} = \underline{6.25 x 16}$
 25
 $X = 2 \text{ km}$
 $Y = \frac{3}{4} x 2 = 1.5 \text{ km}$

(iii) Time taken =
$$\underline{2}$$
 or $\underline{1.5}$

3.2 2.4

= 0.625 hrs

22.



(a) Interest = $109375 \text{ x} \underline{8} \text{ x} 2$

100

= 17500

Amount = 109375 + 17500

Kshs 126875

- (b) (i) 1^{st} year value = 96/100 x 126875 = Kshs 121800
 - (ii) 4th year vale

25.

$$= 121800 (1 + 6/100)^9$$

= kshs 205779

$$C = \underline{205779 - 126875} \times 100\%$$

126875

	= 62.19%						
Х	-4	-3	-2	-1	0	1	2
У	-12	0	0	-6	-12	-12	0

0	6	
	О	

20).	
		The second secon
- 10.11 H		
1000		
1 . A.M.		The second state of the second state and second states and second
nije statet		
Name of		
A DECKER		
ant col		

$$Y = x^{3} + 3x^{2} - 4x - 12$$
$$Q = x^{3} + 3x^{2} - 5x - 6$$
$$Y = x - 6$$

 $X = (-3.9, 0.9, 1.75) \pm 0.05$